



A collaboration among the University of Minnesota,  
University of Minnesota Physicians and Fairview Health Services

## M Health Fairview Reference Laboratories (MRL)

Please review the following list of updates to test codes that may affect your location and ordering practices. These changes reflect the current build updates for test code inactivation, replacement and new test code availability. Please ensure that you implement changes necessary to your practice at the designated go-live date.

### Temporarily Unavailable Test Codes

M Health Fairview Reference Laboratories is **pausing orders of the below tests:**

- [Supersaturation Profile, 24 Hour, Urine \[LAB6795\]](#) performed at Mayo Laboratories due to a nationwide reagent shortage. Downtime is expected to be >30 days with no direct alternative test available.
- [Natural Killer Cell Function \[LAB6079\]](#) performed at Cincinnati Children's Hospital Medical Center with no availability from the reference laboratory until at least June 2025. No direct alternative test is available.

MRL will continue to provide updates on the test codes as they are available. Orders submitted for the tests during the temporary outage will be cancelled.

### Who to Contact

MRL Laboratory Solutions Center | 651-232-3500 | [dept-midway-lsc-client-support@fairview.org](mailto:dept-midway-lsc-client-support@fairview.org)

Refer to [Test Directory](#) for additional test information, including full test code build details and previous client communications.

