

A message from **Adam Morgan, M.D.** (*Laboratory Medical Director | SSM Health St. Mary's Hospital - Madison*) ...



C3, IgA, IgG and IgM Test Changes

Notification Date: April 9, 2021

Effective Date: April 19, 2021

Explanation: Specimen stability has changed

Assay and Test ID	Current Stability	New Stability
C3 (LAB01030)	8 days refrigerated 8 days frozen	3 days refrigerated 8 days frozen
IgA (LAB01075)	8 months room temperature 8 months refrigerated 8 months frozen	7 days room temperature 7 days refrigerated 6 months frozen
IgG (LAB01080)	4 months room temperature 8 months refrigerated 8 months frozen	7 days room temperature 7 days refrigerated 6 months frozen
IgM (LAB01085)	2 months room temperature 4 months refrigerated 6 months frozen	7 days room temperature 7 days refrigerated 6 months frozen

Explanation: Reference range has changed

Assay and Test ID	Current Reference Range	New Reference Range
IgG (LAB01080)	2-60 years Female 552-1631 mg/dL 2-60 years Male 540-1822 mg/dL >60 years 600-1560 mg/dL	2-80 years Female 552-1631 mg/dL 2-80 years Male 540-1822 mg/dL >80 years- No Reference Range established

If you have questions or concerns, please contact Adam Morgan M.D., Medical Director of Laboratory Services, at 608-258-6914, or Amy Little Soldier, Chemistry Technical Specialist, at 608-258-6910

Please communicate to colleagues and staff in your area accordingly.

Thank you,

Adam Morgan, M.D.

Laboratory Medical Director

Pathology, SSM Health St. Mary's Hospital Madison

700 South Park Street

Madison, WI 53715

Office: (608) 258-6914