



**NB**

**Nicu Baby**  
 Legal: Nicu Baby  
 Male, 1 days, 4/13/2023  
 MRN: 110077734  
 Unit/Bed: CH PAVH 6 EAST-639B  
 Code: Assume Full (no ACP docs)

COVID-19 Vaccine: Unknown  
 COVID-19: Unknown

Physician Obstetrics-Gynecology, MD  
 Attending

Allergies: Not on file  
 Opioid Use Disorder/Overdose Risk: N/A  
 Pain Agreement: Not on file

NEWBORN  
 Delivery: None

ADMITTED: 7/15/2022 (273 D)  
 Patient Class: Inpatient  
 No active principal problem

Blood Type: Not on file  
 Birth Wt: —  
 Last Wt: —  
 Length: —  
 Temp: —  
 HC: —

NEW RESULTS (LAST 36H):  
 Lab (4)

**Specimen Inquiry: 23H-104PC001**

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

0844 Specimen Created From Interface queue 334353

Beaker, Poct In  
 Interface Results From Lab Instruments - To  
 Beaker, Poct In

CHHLAB FSINTF

**POCT ABL90 Blood Gas wi**

Res	Component	Value	Units	I	Δ	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, VENOUS	7.33							7.32-7.43	TELCOR POCT			7.02
1	POCT PCO2 VENOUS	60							33-47	TELCOR POCT			59
1	POCT PO2 VENOUS	32	mmHg						25-40	TELCOR POCT			154
1	POCT SO2 VENOUS	54	%						40-85	TELCOR POCT			99.4
1	POCT BASE EXCESS	-4.6	mmol/L						-10.0--2.0	TELCOR POCT			4.6
1	POCT BICARBONATE CALCULATED	32	mmol/L						17-24	TELCOR POCT			32
1	POCT SODIUM	141	mmol/L						133-146	TELCOR POCT			141
1	POCT POTASSIUM	4.0	mmol/L						3.7-6.1	TELCOR POCT			4.0
1	POCT CHLORIDE	99	mmol/L						96-111	TELCOR POCT			99
1	POCT GLUCOSE	147	mg/dL						41-60	TELCOR POCT			147
1	POCT IONIZED CALCIUM	4.2	mg/dL						4.0-4.7	TELCOR POCT			4.3
1	POCT HEMATOCRIT	32.1	%						40.0-57.0	TELCOR POCT			31.3
1	POCT LACTATE VENOUS	3.4								TELCOR POCT			2.7
1	POCT OXYHEMOGLOBIN, VENOUS	53.0	%							TELCOR POCT			96.0
1	POCT HEMOGLOBIN REDUCED, VENOUS	45.1	%							TELCOR POCT			<24000
1	POCT TOTAL HEMOGLOBIN	10.5	g/dL						13.4-20.0	TELCOR POCT			10.2
1	OPERATOR NAME	Peawier, Brittany								TELCOR POCT			Peawier
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD			
1	CRITICAL NOTIFY TIME									MANUAL METHOD			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042

Comment:  
 Testing performed by Cash Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.





**Nicu Baby**  
 Legal: **Nicu Baby**  
 Male, 1 days, 4/13/2023  
 MRN: 11007734  
 Unit/Bed: CH PAVH 6 EAST-639B  
 Code: Assume Full  
 (no ACP docs)

Search

COVID-19 Vaccine: Unknown  
 COVID-19: Unknown

Physician Obstetrics-  
 Gynecology, MD  
 Attending

Allergies: Not on File  
 Opioid Use Disorder/Overdose  
 Risk: N/A  
 Pain Agreement: Not on File

NEWBORN  
 Delivery: None

ADMITTED: 7/15/2022 (273 D)  
 Patient Class: Inpatient  
 No active principal problem

Blood Type: Not on file  
 Birth Wt: —  
 Last Wt: —  
 Length: —  
 Temp: —  
 HCr: —

NEW RESULTS (LAST 36H)  
! Lab (4)

### Specimen Inquiry: 23H-104PC0002

Specimen Update
Documents
Labels
Patient Inquiry

#### Specimen Inquiry

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, ARTERIAL	7.34							7.29-7.45	TELCOR POCT			7.24
1	POCT PCO2, ARTERIAL	59	mmHg	▲					27-40	TELCOR POCT			54
1	POCT PO2, ARTERIAL	32	mmHg	■					54-95	TELCOR POCT			191
1	POCT SO2, ARTERIAL	53	%	▼					40-90	TELCOR POCT			99.6
1	POCT BASE EXCESS	4.8	mmol/L	▲					-10.0-2.0	TELCOR POCT			-15.3
1	POCT BICARBONATE CALCULATED	32	mmol/L	▲					17-24	TELCOR POCT			15
1	POCT SODIUM	141	mmol/L	▼					133-146	TELCOR POCT			116
1	POCT POTASSIUM	4.0	mmol/L	▼					3.7-6.1	TELCOR POCT			3.0
1	POCT CHLORIDE	99	mmol/L	▼					96-111	TELCOR POCT			87
1	POCT GLUCOSE	147	mg/dL	▲					41-60	TELCOR POCT			>700
1	POCT IONIZED CALCIUM	4.3	mg/dL	▼					4.0-4.7	TELCOR POCT			2.4
1	POCT HEMATOCRIT	31.3	%	▼					40.0-57.0	TELCOR POCT			27.1
1	POCT LACTATE ARTERIAL	3.2	mmol/L	▲					0.5-2.2	TELCOR POCT			3.9
1	POCT OXYHEMOGLOBIN, ARTERIAL	52.0	%	▼						TELCOR POCT			97.0
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	45.5	%	▲					<4.1	TELCOR POCT			<2.4
1	POCT TOTAL HEMOGLOBIN	10.2	g/dL	▼					13.4-20.0	TELCOR POCT			8.9
1	OPERATOR NAME	Peavler, Brittany								TELCOR POCT			Peavler...
1	ACKNOWLEDGED, NOTIFIED BY	ap								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414084000								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...

Comments:  
 Testing performed by Cash Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the





Nicu Baby  
 Legal: Nicu Baby  
 Male, 1 days, 4/13/2023  
 MRN: 110077734  
 nit/Bed: CH PAVH 6 EAST-6398  
 Code: Assume Full  
 (no ACP docs)

Search  
 COVID-19 Vaccine: Unknown  
 COVID-19: Unknown

Physician Obstetrics-  
 Gynecology, MD  
 Attending

Allergies: Not on File  
 Allergic Use Disorder/Overdose  
 Risk: N/A  
 In Agreement: Not on File

EWBORN  
 Delivery: None  
 ADMITTED: 7/15/2022 (273 D)  
 Patient Class: Inpatient  
 No active principal problem

Food Type: Not on file  
 Birth Wt: —  
 Last Wt: —  
 Length: —  
 Temp: —  
 C: —

LAB RESULTS (LAST 36H)  
 Lab (6)

Specimen Inquiry: 2023 1054 1054

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units		Ref. Range	Method	Chart	Trend	PV
1	POCT PH MIXED VENOUS	6.99			7.32-7.43	TELCOR POCT			
1	POCT PCO2 MIXED VENOUS	62	mmHg		33-47	TELCOR POCT			
1	POCT PO2 MIXED VENOUS	45	mmHg		25-40	TELCOR POCT			
1	POCT SO2 MIXED VENOUS	63	%		40-65	TELCOR POCT			
1	POCT BASE DEFICIT	-17.4	mmol/L		-10.0--2.0	TELCOR POCT			4.6
1	POCT BICARBONATE CALCULATED	15	mmol/L		17-24	TELCOR POCT			32
1	POCT SODIUM	125	mmol/L		133-146	TELCOR POCT			141
1	POCT POTASSIUM	6.0	mmol/L		3.7-6.1	TELCOR POCT			4.0
1	POCT CHLORIDE	97	mmol/L		96-111	TELCOR POCT			99
1	POCT GLUCOSE	56	mg/dL		41-60	TELCOR POCT			147
1	POCT IONIZED CALCIUM	3.2	mg/dL		4.0-4.7	TELCOR POCT			4.2
1	POCT HEMATOCRIT	56.6	%		40.0-57.0	TELCOR POCT			32.1
1	POCT OXYHEMOGLOBIN, MIXED VENOUS		%			MANUAL METHOD			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	36.5				TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	16.5	g/dL		13.4-20.0	TELCOR POCT			10.5
1	OPERATOR NAME	Peavler, Brittany				TELCOR POCT			Peavler...
1	ACKNOWLEDGED, NOTIFIED BY	SP				TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414104600				TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020				TELCOR POCT			092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.							
1	POCT SAMPLE SITE	PA				TELCOR POCT			CONDUIT
	Method:	TELCOR POCT							
					Last received: 4/14/2023 1054				Last verified: 4/14/2023 1054 by Lab, Background User







**AUC Test**

Legal: AUC Test

Male, 4 days, 4/10/2023

MRN: 11007776

Unit/Bed: CH KCH 3 BEH  
HEALTH PEDS-410A

Code: Assume Full  
(no ACP docs)

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Case Administrator  
Tapestry, MD  
Attending

Allergies: Not on File

Opioid Use Disorder/Overdose  
Risk: N/A

Pain Agreement: Not on File

NEWBORN

Delivery: None

ADMITTED: 3/30/2023 (15 D)

Patient Class: Inpatient Psych

No active principal problem

Blood Type: Not on file

Birth Wt: —

Last Wt: —

Length: —

Temp: —

Specimen Inquiry: 2311-104FC0004

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

Specimen Inquiry

0902 Specimen Created

From Interface queue 334353

Beaker, Poct In

Interface, Results From Lab Instruments - To

CHHLAB FSINTF

Beaker, Poct In

POCT ABL90 Blood Gas w/

Res	Component	Value	Units	I	Δ	L	IE	R	Ref. Range	Method	Chart	PV
1	POCT PH, VENOUS	7.05		↓					7.32-7.43	TELCOR POCT		
1	POCT PCO2 VENOUS	57		↑					33-46	TELCOR POCT		
1	POCT PO2 VENOUS	41	mmHg	↑					25-40	TELCOR POCT		
1	POCT SO2 VENOUS	60	%	↓					65-80	TELCOR POCT		
1	POCT BASE EXCESS	-15.7	mmol/L	↓					-7.0--1.0	TELCOR POCT		-15.6
1	POCT BICARBONATE CALCULATED	16	mmol/L	↓					17-24	TELCOR POCT		16
1	POCT SODIUM	123	mmol/L	↓					133-146	TELCOR POCT		123
1	POCT POTASSIUM	6.0	mmol/L	↔					3.7-6.1	TELCOR POCT		6.0
1	POCT CHLORIDE	97	mmol/L	↔					96-111	TELCOR POCT		97
1	POCT GLUCOSE	76	mg/dL	↔					50-80	TELCOR POCT		77
1	POCT IONIZED CALCIUM	3.4	mg/dL	↓					4.0-4.7	TELCOR POCT		3.4
1	POCT HEMATOCRIT	56.7	%	↔					40.0-57.0	TELCOR POCT		56.9
1	POCT LACTATE VENOUS	9.0								TELCOR POCT		
1	POCT OXYHEMOGLOBIN, VENOUS	59.0	%							TELCOR POCT		
1	POCT HEMOGLOBIN REDUCED, VENOUS	39.9	%							TELCOR POCT		
1	POCT TOTAL HEMOGLOBIN	18.5	g/dL						13.4-20.0	TELCOR POCT		18.5
1	OPERATOR NAME	Peavler, Brittany								TELCOR POCT		Peavler...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT		
1	CRITICAL NOTIFY TIME	20230414085300								TELCOR POCT		
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT		092R042...

Comment:

Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.







**AUC Test**

Legal: AUC Test

Male, 4 days 4/10/2023

MRN: 11007776

Unit/Bed: CH KCH 3 BEH

HEALTH PEDS-410A

Code: Assume Full  
(no ACP docs)

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

**Case Administrator**  
Tapestry, MD  
Attending

Allergies: Not on File

Opioid Use Disorder/Overdose  
Risk N/A

Pain Agreement: Not on File

NEWBORN

Delivery: None

ADMITTED: 3/30/2023 (15 D)

Patient Class: Inpatient Psych

No active principal problem

Blood Type: Not on file

Birth Wt: —

Last Wt: —

Length: —

Temp: —

**Specimen Inquiry: 23H-104PC0003**

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry		Specimen Inquiry									
0902	Specimen Created	From interface queue 334353	Beaker, Poct In: Interface: Results From Lab Instruments - To Beaker, Poct In: CHHLA8 FSINTF								
<b>POCT Arterial Blood Gas</b>											
Res	Component	Value	Units	A	L	E	R	Ref. Range	Method	Chart	PV
1	POCT PH, ARTERIAL	7.05		↓				7.35-7.45	TELCOR POCT		
1	POCT PCO2, ARTERIAL	57	mmHg	↑				27-41	TELCOR POCT		
1	POCT PO2, ARTERIAL	41	mmHg	↓				63-106	TELCOR POCT		
1	POCT SO2, ARTERIAL	60	%	↓				94-98	TELCOR POCT		
1	POCT BASE EXCESS	-15.6	mmol/L	↓				-7.0--1.0	TELCOR POCT		
1	POCT BICARBONATE CALCULATED	6	mmol/L	↓				17-24	TELCOR POCT		
1	POCT SODIUM	123	mmol/L	↓				133-146	TELCOR POCT		
1	POCT POTASSIUM	6.0	mmol/L	↓				3.7-6.1	TELCOR POCT		
1	POCT CHLORIDE	97	mmol/L	↓				96-111	TELCOR POCT		
1	POCT GLUCOSE	77	mg/dL	↓				53-83	TELCOR POCT		
1	POCT IONIZED CALCIUM	3.4	mg/dL	↓				4.0-4.7	TELCOR POCT		
1	POCT HEMATOCRIT	56.9	%	↓				43.0-57.0	TELCOR POCT		
1	POCT LACTATE ARTERIAL	6.9	mmol/L	↓				0.5-2.2	TELCOR POCT		
1	POCT OXYHEMOGLOBIN, ARTERIAL	39.0	%	↓					TELCOR POCT		
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	35.6	%	↑				<4.1	TELCOR POCT		
1	POCT TOTAL HEMOGLOBIN	16.5	g/dL	↓				13.4-20.0	TELCOR POCT		
1	OPERATOR NAME	Peaver, Brittany							TELCOR POCT		
1	ACKNOWLEDGED, NOTIFIED BY								TELCOR POCT		
1	CRITICAL NOTIFY TIME								TELCOR POCT		
1	DEVICE SERIAL NUMBER	092R0425N0020							TELCOR POCT		
<p>Comment: Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.</p>											





**AUC Test**

Legal: AUC Test

Male, 4 days, 4/10/2023

MRN: 11007776

Unit/Bed: CH KCH 3 BEH  
HEALTH PDS-410A

Code: Assume Full  
(no ACP docs)

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Case Administrator  
Tapestry, MD  
Attending

Allergies: Not on File

Opioid Use Disorder/Overdose  
Risk: N/A

Pain Agreement: Not on File

NEWBORN

Delivery: None

ADMITTED: 3/30/2023 (15 D)

Patient Class: Inpatient Psych

No active principal problem

Blood Type: Not on file

Birth Wt: —

Last Wt: —

Length: —

Temp: —

HC: —

NEW RESULTS (ACT 24H)

**Specimen Inquiry: 23M-104PC0012**

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

Specimen Inquiry

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend --	PV
1	POCT PH MIXED VENOUS	6.99		↓					7.32-7.43	TELCOR POCT			
1	POCT PCO2 MIXED VENOUS	62	mmHg	↓					33-43	TELCOR POCT			
1	POCT PO2 MIXED VENOUS	48	mmHg	↑					25-40	TELCOR POCT			
1	POCT SO2 MIXED VENOUS	67	%	↔					65-80	TELCOR POCT			
1	POCT BASE EXCESS	-17.6	mmol/L	↓					-7.0--1.0	TELCOR POCT			-15.7
1	POCT BICARBONATE CALCULATED	15	mmol/L	↓					17-24	TELCOR POCT			16
1	POCT SODIUM	125	mmol/L	↓					133-146	TELCOR POCT			123
1	POCT POTASSIUM	6.0	mmol/L	↔					3.7-6.1	TELCOR POCT			6.0
1	POCT CHLORIDE	97	mmol/L	↔					96-111	TELCOR POCT			97
1	POCT GLUCOSE	55	mg/dL	↔					50-80	TELCOR POCT			76
1	POCT IONIZED CALCIUM	3.2	mg/dL	↓					4.0-4.7	TELCOR POCT			3.4
1	POCT HEMATOCRIT	56.9	%	↓					40.0-57.0	TELCOR POCT			56.7
1	POCT OXYHEMOGLOBIN, MIXED VENOUS		%							MANUAL METHOD			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	32.6								TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	16.6	g/dL	↔					13.4-20.0	TELCOR POCT			16.5
1	OPERATOR NAME	Peavler, Brittany								TELCOR POCT			Peavler...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414103000								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	PA								TELCOR POCT			-SELECT-

Method: TELCOR POCT

Last received: 4/14/2023 1055

Last verified: 4/14/2023 1055 by Lab, Background User





133

**Fifteenthirty Beaker**

Legal: **Fifteenthirty Beaker**

Male, 4 wk.o, 3/15/2023

MRN: 926300594

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

No attending provider

Allergies: Not on File

Opioid Use Disorder/Overdose Risk: N/A

Pain Agreement: Not on File

Dosing Weight: None

ED ROOMED: 11/22/2021 (508 D)

Patient Class: Emergency

No active principal problem

Length: —

Last Wt: 4.536 kg (10 lb) > 1 day

BMI: —

Social Determinants:



Specimen Inquiry: 2011 1041 0000

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	?	Δ	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, VENOUS	7.32		✓					7.32-7.43	TELCOR POCT			7.26
1	POCT PCO2 VENOUS	49		▲					33-48	TELCOR POCT			51
1	POCT PO2 VENOUS	65	mmHg	▲					25-40	TELCOR POCT			90
1	POCT SO2 VENOUS	93	%	▲					65-80	TELCOR POCT			96.6
1	POCT BASE EXCESS	-1.2	mmol/L	✓					-7.0--1.0	TELCOR POCT			-3.9
1	POCT BICARBONATE CALCULATED	25	mmol/L	▲					19-24	TELCOR POCT			23
1	POCT SODIUM	149	mmol/L	▲					133-144	TELCOR POCT			139
1	POCT POTASSIUM	4.0	mmol/L	✓					3.7-5.1	TELCOR POCT			4.0
1	POCT CHLORIDE	115	mmol/L	▲					96-110	TELCOR POCT			107
1	POCT GLUCOSE	89	mg/dL	▲					50-80	TELCOR POCT			66
1	POCT IONIZED CALCIUM	4.4	mg/dL	▼					4.6-5.1	TELCOR POCT			4.2
1	POCT HEMATOCRIT	28.2	%	▼					30.0-45.0	TELCOR POCT			30.0
1	POCT LACTATE VENOUS	3.4	mmol/L	▲					0.5-2.2	TELCOR POCT			3.4
1	POCT OXYHEMOGLOBIN, VENOUS	91.0	%							TELCOR POCT			93.0
1	POCT HEMOGLOBIN REDUCED, VENOUS	7.1	%							TELCOR POCT			3.2
1	POCT TOTAL HEMOGLOBIN	9.2	g/dL	▼					10.0-15.3	TELCOR POCT			9.8
1	OPERATOR NAME	Peavler, Brittany								TELCOR POCT			Peavler...
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD			
1	CRITICAL NOTIFY TIME									MANUAL METHOD			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...

Comment:  
Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.





133

**Fifteenthrity Beaker**

Legal: **Fifteenthrity Beaker**

Male, 4 wk.o., 3/15/2023

MRN: 926300594

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

No attending provider

Allergies: Not on File

Opioid Use Disorder/Overdose Risk: N/A

Pain Agreement: Not on File

Dosing Weight: None

ID ROOMED: 11/22/2021 (508 D)

Patient Class: Emergency


No active principal problem

Length: —

Last Wt: 4.536 kg (10 lb) >1 day

BM: —

Social Determinants:



**Specimen Inquiry: 23H-104PC0008**

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, ARTERIAL	7.32		▼					7.35-7.45	TELCOR POCT			7.26
1	POCT PCO2, ARTERIAL	50	mmHg	▲					27-41	TELCOR POCT			51
1	POCT PO2, ARTERIAL	66	mmHg	▼					83-108	TELCOR POCT			90
1	POCT SO2, ARTERIAL	93	%	▼					94-98	TELCOR POCT			97
1	POCT BASE EXCESS	-1.1	mmol/L	↔					-7.0--1.0	TELCOR POCT			-1.2
1	POCT BICARBONATE CALCULATED	25	mmol/L	▲					19-24	TELCOR POCT			25
1	POCT SODIUM	149	mmol/L	▲					133-144	TELCOR POCT			149
1	POCT POTASSIUM	4.0	mmol/L	↔					3.7-6.1	TELCOR POCT			4.0
1	POCT CHLORIDE	115	mmol/L	▲					96-110	TELCOR POCT			115
1	POCT GLUCOSE	89	mg/dL	▲					50-80	TELCOR POCT			89
1	POCT IONIZED CALCIUM	4.4	mg/dL	▼					4.6-5.1	TELCOR POCT			4.4
1	POCT HEMATOCRIT	28.1	%	▼					30.0-45.0	TELCOR POCT			28.2
1	POCT LACTATE ARTERIAL	3.5	mmol/L	▲					0.5-1.6	TELCOR POCT			3.4
1	POCT OXYHEMOGLOBIN, ARTERIAL	91.0	%							TELCOR POCT			93.0
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	6.7	%	▲					<4.1	TELCOR POCT			3.2
1	POCT TOTAL HEMOGLOBIN	9.2	g/dL	▼					10.0-15.5	TELCOR POCT			9.2
1	OPERATOR NAME	Peavler, Brittany								TELCOR POCT			Peavler...
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD			
1	CRITICAL NOTIFY TIME									MANUAL METHOD			
1	DEVICE SERIAL NUMBER	092R0425N002D								TELCOR POCT			092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			-SELECT-





**133**

**Fifteenthirty Beaker**  
 Legal: Fifteenthirty Beaker  
 Male, 4 wk.o., 3/15/2023  
 MRN: 926300594  
 Code: Assume Full (no ACP docs)

**FIRST CALL PROVIDER: None**

**PRIMARY NURSE: None**

Search

COVID-19 Vaccine: Unknown  
 COVID-19: Unknown

No attending provider

Allergies: Not on File  
 Opioid Use Disorder/Overdose Risk: N/A  
 Pain Agreement: Not on File  
 Dosing Weight: None

ED ROOMED: 11/22/2021 (508 D)  
 Patient Class: Emergency  
 No active principal problem

Length: —  
 Last Wt: 4.536 kg (10 lb) > 1 day  
 BMI: —

Social Determinants:

Specimen Inquiry: 237-104PC0010

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	I	A	L	E	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH MIXED VENOUS	7.31		▼					7.32-7.43	TELCOR POCT			
1	POCT PCO2 MIXED VENOUS	50	mmHg	▲					33-45	TELCOR POCT			
1	POCT PO2 MIXED VENOUS	72	mmHg	▲					25-40	TELCOR POCT			
1	POCT SO2 MIXED VENOUS	94	%	▲					65-80	TELCOR POCT			
1	POCT BASE EXCESS	-1.7	mmol/L	✓					-7.0--1.0	TELCOR POCT			-1.1
1	POCT BICARBONATE CALCULATED	25	mmol/L	▲					19-24	TELCOR POCT			25
1	POCT SODIUM	150	mmol/L	▲					133-144	TELCOR POCT			149
1	POCT POTASSIUM	4.0	mmol/L	✓					3.7-6.1	TELCOR POCT			4.0
1	POCT CHLORIDE	115	mmol/L	▲					96-110	TELCOR POCT			115
1	POCT GLUCOSE	68	mg/dL	▲					50-80	TELCOR POCT			69
1	POCT IONIZED CALCIUM	4.5	mg/dL	▼					4.6-5.1	TELCOR POCT			4.4
1	POCT HEMATOCRIT	34.7	%	✓					30.2-45.0	TELCOR POCT			28.1
1	POCT OXYHEMOGLOBIN, MIXED VENOUS		%							MANUAL METHOD			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	5.6								TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	11.3	g/dL	✓					10.2-15.3	TELCOR POCT			9.2
1	OPERATOR NAME	Peaver, Brittany								TELCOR POCT			Peaver...
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD			
1	CRITICAL NOTIFY TIME									MANUAL METHOD			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
<p>Comments:</p> <p>Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.</p>													
1	POCT SAMPLE SITE	PA								TELCOR POCT			-SELECT-

Method: TELCOR POCT

Last received: 4/14/2023 0951

Last verified: 4/14/2023 0951 by Lab. Background User





GirlLabor Test

Legal: GirlLabor Test

Female, 5 wks., 3/4/2023

MRN: 926300431

Unit/Bed: CH KCH NEONATAL  
ICU-161A

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Rhoda A Akafuah, MD  
Attending

Allergies: No Known Allergies  
Opioid Use Disorder/Overdose  
Risk: N/A

Pain Agreement: Not on File  
Dosing Weight: None

ADMIT TO ICU: 3/13/2023  
(32D 1H)

Patient Class: Inpatient  
No active principal problem

Length: —

Last Wt: —

3M: —

Social Determinants:

Specimen Inquiry: 23H-104PC0019

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

Specimen Inquiry

POCT ABL90 Blood Gas wi

Res	Component	Value	Units		Δ	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, VENOUS	7.25		↓					7.32-7.43	TELCOR POCT			
1	POCT PCO2 VENOUS	56		↑					33-43	TELCOR POCT			
1	POCT PO2 VENOUS	66	mmHg	↑					25-40	TELCOR POCT			
1	POCT SO2 VENOUS	92	%	↑					65-80	TELCOR POCT			
1	POCT BASE EXCESS	-3.0	mmol/L						-7.0-1.0	TELCOR POCT			-6.2
1	POCT BICARBONATE CALCULATED	24	mmol/L						19-24	TELCOR POCT			21
1	POCT SODIUM	134	mmol/L						133-144	TELCOR POCT			152
1	POCT POTASSIUM	4.0	mmol/L						3.7-6.1	TELCOR POCT			4.0
1	POCT CHLORIDE	99	mmol/L						96-110	TELCOR POCT			122
1	POCT GLUCOSE	69	mg/dL						50-80	TELCOR POCT			128
1	POCT IONIZED CALCIUM	4.2	mg/dL	↓					4.6-5.1	TELCOR POCT			4.6
1	POCT HEMATOCRIT	25.7	%	↓					27.0-38.0	TELCOR POCT			25.3
1	POCT LACTATE VENOUS	2.7	mmol/L	↑					0.5-2.2	TELCOR POCT			
1	POCT OXYHEMOGLOBIN, VENOUS	58.0	%							TELCOR POCT			
1	POCT HEMOGLOBIN REDUCED, VENOUS	7.1	%							TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	8.4	g/dL	↓					6.9-12.7	TELCOR POCT			8.2
1	OPERATOR NAME	Peavler, Brittany								TELCOR POCT			Peavler...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414110400								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
	Comment:	Testing performed by Cash Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			PA

Method: TELCOR POCT

Last received: 4/14/2023 11:23

Last verified: 4/14/2023 11:23 by Lab, Background User





GirlLabor Test

Legal: GirlLabor Test

Female, 5 wks., 3/4/2023

MRN: 926300431

Unit/Bed: CH KCH NEONATAL  
ICU-161A

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown



Rhoda A Akafuah, MD  
Attending

Allergies: No Known Allergies

Opioid Use Disorder/Overdose  
Risk: N/A

Pain Agreement: Not on File

Dosing Weight: None

ADMIT TO ICU: 3/13/2023  
(32D 1H)

Patient Class: Inpatient

No active principal problem

Length: —

Last Wt: —

BMI: —

Social Determinants:

Specimen Inquiry: 23H-104PC0020

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

Specimen Inquiry

POCT Arterial Blood Gas

Res	Component	Value	Units		Δ	L	IE	R	Ref Range	Method	Chart	Trend	PV
1	POCT PH, ARTERIAL	7.22		↓					7.35-7.45	TELCOR POCT			
1	POCT PCO2, ARTERIAL	58	mmHg	↑					27-41	TELCOR POCT			
1	POCT PO2, ARTERIAL	92	mmHg						83-108	TELCOR POCT			
1	POCT SO2, ARTERIAL	96	%						94-98	TELCOR POCT			
1	POCT BASE EXCESS	-4.8	mmol/L						-7.0--1.0	TELCOR POCT			-3.0
1	POCT BICARBONATE CALCULATED	24	mmol/L						19-24	TELCOR POCT			24
1	POCT SODIUM	141	mmol/L						133-144	TELCOR POCT			134
1	POCT POTASSIUM	4.0	mmol/L						3.7-6.1	TELCOR POCT			4.0
1	POCT CHLORIDE	102	mmol/L						96-110	TELCOR POCT			99
1	POCT GLUCOSE	105	mg/dL	↑					50-80	TELCOR POCT			69
1	POCT IONIZED CALCIUM	3.8	mg/dL	↓					4.6-5.1	TELCOR POCT			4.2
1	POCT HEMATOCRIT	34.5	%						27.0-58.0	TELCOR POCT			25.7
1	POCT LACTATE ARTERIAL	6.5	mmol/L	↑					0.5-1.6	TELCOR POCT			
1	POCT OXYHEMOGLOBIN, ARTERIAL	94.0	%							TELCOR POCT			
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	3.5	%						<4.1	TELCOR POCT			
1	POCT-TOTAL HEMOGLOBIN	11.2	g/dL						8.9-12.7	TELCOR POCT			6.4
1	OPERATOR NAME	Peaver, Brittany								TELCOR POCT			Peaver...
1	ACKNOWLEDGED, NOTIFIED BY									TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414113700								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
1	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			-SELECT-





**GirlLabor Test**

Legal: GirlLabor Test

Female, 5 wks., 3/4/2023

MRN: 926300431

Unit/Bed: CH KCH NEONATAL ICU-161A

Code: Assume Full (no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Rhoda A Akafuah, MD  
Attending

Allergies: No Known Allergies

Opioid Use Disorder/Overdose Risk: N/A

Pain Agreement: Not on File

Dosing Weight: None

ADMIT TO ICU: 3/13/2023 (32D 1H)

Patient Class: Inpatient

No active principal problem

Length: —

Last Wt: —

BMI: —

Social Determinants

**Specimen Inquiry: 23H-104PC0015**

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	T	A	L	E	R	Ref Range	Method	Chart	PV
1115	Collection Updated									Interface, Results From Lab Instruments - To Beaker, Poct In	CHHLAB FSINTF	
1115	Specimen Created									Interface, Results From Lab Instruments - To Beaker, Poct In	CHHLAB FSINTF	

**POCT ABL90 Blood Gas wi**

Res	Component	Value	Units	T	A	L	E	R	Ref Range	Method	Chart	PV
1	POCT PH MIXED VENOUS	7.22		▼					7.32-7.43	TELCOR POCT	7.22	
1	POCT PCO2 MIXED VENOUS	52	mmHg	▲					33-45	TELCOR POCT	52	
1	POCT PO2 MIXED VENOUS	32	mmHg	▼					25-40	TELCOR POCT	32	
1	POCT SO2 MIXED VENOUS	47	%	▼					65-80	TELCOR POCT	47	
1	POCT BASE EXCESS	-6.2	mmol/L	▼					-7.0--1.0	TELCOR POCT	-6.2	
1	POCT BICARBONATE CALCULATED	21	mmol/L	▼					19-24	TELCOR POCT	21	
1	POCT SODIUM	152	mmol/L	▲					133-144	TELCOR POCT	152	
1	POCT POTASSIUM	4.0	mmol/L	▼					3.7-6.1	TELCOR POCT	4.0	
1	POCT CHLORIDE	122	mmol/L	▲					96-110	TELCOR POCT	122	
1	POCT GLUCOSE	126	mg/dL	▲					50-80	TELCOR POCT	126	
1	POCT IONIZED CALCIUM	4.6	mg/dL	▼					4.6-5.1	TELCOR POCT	4.6	
1	POCT HEMATOCRIT	25.3	%	▼					27.0-38.0	TELCOR POCT	25.3	
1	POCT OXYHEMOGLOBIN, MIXED VENOUS		%							MANUAL METHOD		
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	51.4								TELCOR POCT	51.4	
1	POCT TOTAL HEMOGLOBIN	6.2	g/dL	▼					8.9-12.7	TELCOR POCT	6.2	
1	OPERATOR NAME	Peaver, Brittany								TELCOR POCT	Peaver...	
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT		
1	CRITICAL NOTIFY TIME									TELCOR POCT		
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT	092R042...	
1	Comment:	Testing performed by Cash Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.										
1	POCT SAMPLE SITE	PA								TELCOR POCT	PA	





BB

303

Babytoday Beaker

Legal: Babytoday Beaker  
Female, 4 m.o., 12/9/2022  
MRN: 800000849  
Coder: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Philip A Bernard, MD  
Attending

Allergies: Not on File  
Ipioid Use Disorder/Overdose  
risk: N/A  
Main Agreement: Not on File  
Losing Weight: None

ROOMED: 12/9/2022 (126 D)  
Patient Class: Emergency  
No active principal problem

Length: —

Last Wt: —

MI: —

Social Determinants:



Specimen Inquiry: 23H-104PC0017

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry  
1122 Specimen Created From interface queue 334353  
Beaker, Poct In  
Interface, Results From Lab Instruments - To Beaker, Poct In  
CHHLAB FSINTF

POCT ABL90 Blood Gas wI

Res	Component	Value	Units	I	Δ	L	IE	R	Ref. Range	Method	Chart	Trend	PV	
1	POCT PH, VENOUS	7.30		↓					7.32-7.43	TELCOR POCT			7.24	
1	POCT PCO2 VENOUS	46		↔					33-45	TELCOR POCT			23	
1	POCT PO2 VENOUS	61	mmHg	↑					25-40	TELCOR POCT			100	
1	POCT SO2 VENOUS	88	%	↑					65-80	TELCOR POCT			99.3	
1	POCT BASE EXCESS	-4.0	mmol/L	↔					-7.0--1.0	TELCOR POCT			-6.6	
1	POCT BICARBONATE CALCULATED	23	mmol/L	↔					16-24	TELCOR POCT			21	
1	POCT SODIUM	148	mmol/L	↑					133-144	TELCOR POCT			152	
1	POCT POTASSIUM	4.0	mmol/L	↔					3.7-6.1	TELCOR POCT			4.0	
1	POCT CHLORIDE	113	mmol/L	↑					96-110	TELCOR POCT			122	
1	POCT GLUCOSE	82	mg/dL	↑					50-80	TELCOR POCT			126	
1	POCT IONIZED CALCIUM	4.2	mg/dL	↓					4.6-5.1	TELCOR POCT			4.6	
1	POCT HEMATOCRIT	40.4	%	↑					29.0-37.0	TELCOR POCT			25.4	
1	POCT LACTATE VENOUS	5.3	mmol/L	↑					0.5-2.2	TELCOR POCT			7.7	
1	POCT OXYHEMOGLOBIN, VENOUS	86.0	%	↑					40.0-70.0	TELCOR POCT			95.0	
1	POCT HEMOGLOBIN REDUCED, VENOUS	12.1	%	↔					<2.4000	TELCOR POCT				
1	POCT TOTAL HEMOGLOBIN	13.2	g/dL	↑					9.6-12.4	TELCOR POCT			8.3	
1	OPERATOR NAME	Peavier, Brittany									TELCOR POCT			Peavier...
1	ACKNOWLEDGED, NOTIFIED BY										MANUAL METHOD			
1	CRITICAL NOTIFY TIME										MANUAL METHOD			
1	DEVICE SERIAL NUMBER	092R0425N0020									TELCOR POCT			092R042...

Comment:  
Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.







BB



Chart Review

Specimen Inquiry



Order Inquiry

Orders

Media Manager

Patient Station

23H-104PC0021

23H-104PC0017

23H-104PC0018

303

## Babytoday Beaker

Legal: Babytoday Beaker

Female, 4 m.o., 12/9/2022

MRN: 800000849

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Philip A Bernard, MD  
Attending

Allergies: Not on File

Opioid Use Disorder/Overdose  
Risk: N/A

Pain Agreement: Not on File

Dosing Weight: None

ID ROOMED: 12/9/2022 (126 D)

Patient Class: Emergency

No active principal problem

Length: —

Last Wt: —

BMI: —

Social Determinants:



## Specimen Inquiry: 23H-104PC0018

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	!	Δ	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, ARTERIAL	7.30		▼					7.35-7.45	TELCOR POCT			7.26
1	POCT PCO2, ARTERIAL	46	mmHg	▲					27-41	TELCOR POCT			52
1	POCT PO2, ARTERIAL	62	mmHg	▼					83-106	TELCOR POCT			88
1	POCT SO2, ARTERIAL	88	%	▼					94-98	TELCOR POCT			96.3
1	POCT BASE EXCESS	-4.1	mmol/L	✓					-7.0--1.0	TELCOR POCT			-4.0
1	POCT BICARBONATE CALCULATED	22	mmol/L	✓					16-24	TELCOR POCT			23
1	POCT SODIUM	148	mmol/L	▲					133-144	TELCOR POCT			148
1	POCT POTASSIUM	4.0	mmol/L	✓					3.7-6.1	TELCOR POCT			4.0
1	POCT CHLORIDE	113	mmol/L	▲					96-110	TELCOR POCT			113
1	POCT GLUCOSE	81	mg/dL	▲					50-80	TELCOR POCT			82
1	POCT IONIZED CALCIUM	4.2	mg/dL	▼					4.6-5.1	TELCOR POCT			4.2
1	POCT HEMATOCRIT	39.9	%	▲					29.0-37.0	TELCOR POCT			40.4
1	POCT LACTATE ARTERIAL	5.6	mmol/L	▲					0.5-1.6	TELCOR POCT			3.3
1	POCT OXYHEMOGLOBIN, ARTERIAL	87.0	%	▼					94.0-97.0	TELCOR POCT			93.0
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	11.4	%	▲					<4.1	TELCOR POCT			3.5
1	POCT TOTAL HEMOGLOBIN	13.0	g/dL	▲					9.6-12.4	TELCOR POCT			13.2
1	OPERATOR NAME	Peavler, Brittany								TELCOR POCT			Peavler...
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD			
1	CRITICAL NOTIFY TIME									MANUAL METHOD			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
Comment: Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.													
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			-SELECT-
Method: TELCOR POCT													
Last received: 4/14/2023 11:22													
Last verified: 4/14/2023 11:22 by Lab, Background User													






**303**

**Babytoday Beaker**  
 Legal: **Babytoday Beaker**  
 Female, 4 m.o., 12/9/2022  
 MRN: 80000849  
 Code: Assume Full (no ACP docs)

**FIRST CALL PROVIDER: None**  
**PRIMARY NURSE: None**

Search


COVID-19 Vaccine: Unknown  
 COVID-19: Unknown

 **Philip A Bernard, MD**  
 Attending

Allergies: Not on File  
 Opioid Use Disorder/Overdose Risk: N/A  
 Pain Agreement: Not on File  
 Dosing Weight: None







































ED ROOMED: 12/9/2022 (126 D)  
 Patient Class: Emergency  
 No active principal problem

Length: —  
 Last Wt: —  
 BMI: —

Social Determinants: 

**Specimen Inquiry: 23H-104PC0028**

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	▲	▼	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH MIXED VENOUS	7.21		▼				7.32-7.43	TELCOR POCT			7.21
1	POCT PCO2 MIXED VENOUS	52	mmHg	▲				33-48	TELCOR POCT			52
1	POCT PO2 MIXED VENOUS	34	mmHg	▼				25-40	TELCOR POCT			34
1	POCT SO2 MIXED VENOUS	49	%	▼				65-80	TELCOR POCT			49
1	POCT BASE EXCESS	-6.6	mmol/L	▼				-7.0--1.0	TELCOR POCT			-6.6
1	POCT BICARBONATE CALCULATED	21	mmol/L	▼				16-24	TELCOR POCT			21
1	POCT SODIUM	152	mmol/L	▲				133-144	TELCOR POCT			152
1	POCT POTASSIUM	4.0	mmol/L	▼				3.7-6.1	TELCOR POCT			4.0
1	POCT CHLORIDE	122	mmol/L	▲				96-110	TELCOR POCT			122
1	POCT GLUCOSE	126	mg/dL	▲				50-50	TELCOR POCT			126
1	POCT IONIZED CALCIUM	4.6	mg/dL	▼				4.6-5.1	TELCOR POCT			4.6
1	POCT HEMATOCRIT	25.4	%	▼				29.0-37.0	TELCOR POCT			25.4
1	POCT OXYHEMOGLOBIN, MIXED VENOUS	47.0	%	▼					TELCOR POCT			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	50.1		▼					TELCOR POCT			50.1
1	POCT TOTAL HEMOGLOBIN	6.3	g/dL	▼				9.6-12.4	TELCOR POCT			6.3
1	OPERATOR NAME	Peavler, Brittany							TELCOR POCT			Peavler...
1	ACKNOWLEDGED, NOTIFIED BY	BP							TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414120000							TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020							TELCOR POCT			092R042...
	Comments:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.										
1	POCT SAMPLE SITE	PA							TELCOR POCT			PA





**Baby G. Timeless**  
 Legat: **Baby G. Timeless**  
 Female, 23 m.o., 5/5/2021  
 MRN: 800000369  
 Jnit/Bed: CH PAVH 6 EAST-634B  
 Code: Assume Full (no ACP docs)  
**FIRST CALL PROVIDER: None**  
**PRIMARY NURSE: None**

Search

COVID-19 Vaccine: Unknown  
 COVID-19: Unknown  
**Infection: Monkeypox rule-out, Cystic Fibrosis**

**Romil Chadha, MD**  
 Attending

Allergies: Not on File  
 Opioid Use Disorder/Overdose Risk: N/A  
 Pain Agreement: Not on File  
 Losing Weight: None

ADMITTED: 7/15/2022 (273 D)  
 Patient Class: Inpatient  
 Expected Discharge: 171 d ago  
 To active principal problem

Length: —  
 Last Wt: —  
 BMI: —

**Specimen Inquiry: 23H-104PC0022**

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

1125 Specimen Created From Interface queue 334353

Beaker, Poct In  
 Interface, Results From Lab Instruments - To CHHLAB FSINTF  
 Beaker, Poct In

**POCT ABL90 Blood Gas wi**

Res	Component	Value	Units	I	A	L	SE	R	Ref. Range	Method	Chart	PU
1	POCT PH, VENOUS	7.26		▼					7.32-7.43	TELCOR POCT		
1	POCT PCO2 VENOUS	53		▲					33-48	TELCOR POCT		
1	POCT PO2 VENOUS	124	mmHg	▲					25-40	TELCOR POCT		
1	POCT SO2 VENOUS	99	%	▲					65-80	TELCOR POCT		
1	POCT BASE EXCESS	-1.2	mmol/L	▼					-7.0-1.0	TELCOR POCT		
1	POCT BICARBONATE CALCULATED	26	mmol/L	▲					16-24	TELCOR POCT		
1	POCT SODIUM	144	mmol/L	▼					133-144	TELCOR POCT		
1	POCT POTASSIUM	4.0	mmol/L	▼					3.6-4.9	TELCOR POCT		
1	POCT CHLORIDE	103	mmol/L	▼					97-107	TELCOR POCT		
1	POCT GLUCOSE	185	mg/dL	▲					60-99	TELCOR POCT		
1	POCT IONIZED CALCIUM	4.0	mg/dL	▼					4.6-5.1	TELCOR POCT		
1	POCT HEMATOCRIT	24.4	%	▼					31.0-35.0	TELCOR POCT		
1	POCT LACTATE VENOUS	3.4	mmol/L	▲					0.5-2.2	TELCOR POCT		
1	POCT OXYHEMOGLOBIN, VENOUS	97.0	%	▲					42.0-70.0	TELCOR POCT		
1	POCT HEMOGLOBIN REDUCED, VENOUS	<2.4	%							TELCOR POCT		
1	POCT TOTAL HEMOGLOBIN	5.0	g/dL	▼					10.1-12.7	TELCOR POCT		
1	OPERATOR NAME	Peavler, Brittany								TELCOR POCT		
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD		
1	CRITICAL NOTIFY TIME									MANUAL METHOD		
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT		
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.										
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT		

Method: TELCOR POCT Last received: 4/14/2023 1125 Last verified: 4/14/2023 1125 by Lab, Background User





BT

Baby G. Timeless

Legal: Baby G. Timeless

Female, 23 m.o., 5/5/2021

MRN: 80000369

Unit/Bed: CH PAVH 6 EAST-6348

Code: Assume Full (no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

OVID-19 Vaccine: Unknown

OVID-19: Unknown

Infection: Monkeypox rule-out, Cystic Fibrosis

Romil Chadha, MD Attending

Allergies: Not on File  
opioid Use Disorder/Overdose Risk: N/A

Informed Consent Agreement: Not on File  
Estimated Weight: None

ADMITTED: 7/15/2022 (273 D)

Patient Class: Inpatient  
Expected Discharge: 171 d ago  
No active principal problem

Length: —

Height: —

Weight: —

MI: —

### Specimen Inquiry: 23H-104PC0023

Specimen Update Documents Labels Patient Inquiry

#### Specimen Inquiry

#### Specimen Inquiry

1125 Specimen Created

From interface queue 334353

Beaker, POCT In  
Interface, Results From Lab Instruments - To CH-LAB FSINTF  
Beaker, POCT In

#### POCT Arterial Blood Gas

Res	Component	Value	Units	I	A	L	E	R	Ref. Range	Method	Chart	PV
1	POCT PH, ARTERIAL	7.30		▼					7.35-7.45	TELCOR POCT	📄	
1	POCT PCO2, ARTERIAL	52	mmHg	▲					27-41	TELCOR POCT	📄	
1	POCT PO2, ARTERIAL	136	mmHg	▲					83-108	TELCOR POCT	📄	
1	POCT SO2, ARTERIAL	100	%	▲					94-98	TELCOR POCT	📄	
1	POCT BASE EXCESS	-0.5	mmol/L	▲					-7.0..-1.0	TELCOR POCT	📄	-1.2
1	POCT BICARBONATE CALCULATED	26	mmol/L	▲					15-24	TELCOR POCT	📄	26
1	POCT SODIUM	141	mmol/L	↔					133-144	TELCOR POCT	📄	144
1	POCT POTASSIUM	4.0	mmol/L	↔					3.6-4.9	TELCOR POCT	📄	4.0
1	POCT CHLORIDE	106	mmol/L	↔					97-107	TELCOR POCT	📄	103
1	POCT GLUCOSE	184	mg/dL	▲					60-99	TELCOR POCT	📄	165
1	POCT IONIZED CALCIUM	3.8	mg/dL	▼					4.6-5.1	TELCOR POCT	📄	4.0
1	POCT HEMATOCRIT	24.2	%	▼					31.0-38.0	TELCOR POCT	📄	24.4
1	POCT LACTATE ARTERIAL	3.5	mmol/L	▲					0.5-1.6	TELCOR POCT	📄	
1	POCT OXYHEMOGLOBIN, ARTERIAL	96.0	%	↔					94.0-97.0	TELCOR POCT	📄	
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	<2.4	%	↔					<4.1	TELCOR POCT	📄	
1	POCT TOTAL HEMOGLOBIN	7.9	g/dL	▼					10.1-12.7	TELCOR POCT	📄	8.0
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT	📄	Peaver...
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD	📄	
1	CRITICAL NOTIFY TIME									MANUAL METHOD	📄	
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT	📄	092R042...
<p>Comments:</p> <p>Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.</p>												
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT	📄	-SELECT-
<p>Method: TELCOR POCT      Last received: 4/14/2023 11:25      Last verified: 4/14/2023 11:25 by Lab, Background User</p>												





BT

Baby G. Timeless

Legal: Baby G. Timeless

Female, 23 m.o., 5/5/2021

MRN: 800000369

Unit/Bed: CH PAVH 6 EAST-634B

Code: Assume Full (no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Infection: Monkeypox rule-out, Cystic Fibrosis

Romil Chadha, MD Attending

Allergies: Not on File

Opioid Use Disorder/Overdose Risk: N/A

Pain Agreement: Not on File

Dosing Weight: None

ADMITTED: 7/15/2022 (273 D)

Patient Class: Inpatient

Expected Discharge: 171 d ago

No active principal problem

Length: —

Last Wt: —

BMI: —

Social Determinants

Specimen Inquiry: 23H-104PC0024

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

1136 Specimen Created From Interface queue 334353

Beaker, Poct In Interface, Results From Lab Instruments - To CHHLAB FSINTF Beaker, Poct In

POCT ABL90 Blood Gas wi

Res	Component	Value	Units	!	Δ	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH MIXED VENOUS	7.31		▼					7.32-7.43	TELCOR POCT			
1	POCT PCO2 MIXED VENOUS	52	mmHg	▲					33-48	TELCOR POCT			
1	POCT PO2 MIXED VENOUS	156	mmHg	▲					25-40	TELCOR POCT			
1	POCT SO2 MIXED VENOUS	100	%	▲					65-80	TELCOR POCT			
1	POCT BASE EXCESS	-0.5	mmol/L	▲					-7.0--1.0	TELCOR POCT			-0.5
1	POCT BICARBONATE CALCULATED	26	mmol/L	▲					16-24	TELCOR POCT			26
1	POCT SODIUM	141	mmol/L	✓					133-144	TELCOR POCT			141
1	POCT POTASSIUM	4.0	mmol/L	✓					3.6-4.9	TELCOR POCT			4.0
1	POCT CHLORIDE	106	mmol/L	✓					97-107	TELCOR POCT			106
1	POCT GLUCOSE	184	mg/dL	▲					60-99	TELCOR POCT			184
1	POCT IONIZED CALCIUM	3.8	mg/dL	▼					4.6-5.1	TELCOR POCT			3.8
1	POCT HEMATOCRIT	24.4	%	▼					31.0-38.0	TELCOR POCT			24.2
1	POCT OXYHEMOGLOBIN, MIXED VENOUS		%							MANUAL METHOD			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	<2.4								TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	8.0	g/dL	▼					10.1-12.7	TELCOR POCT			7.9
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD			
1	CRITICAL NOTIFY TIME									MANUAL METHOD			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...

Comment: Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.





FT

### Specimen Inquiry: 23H-104PC0025

Specimen Update Documents Labels Patient Inquiry

**NONE**

Femaleone Telcor  
 Legal: Femaleone Telcor  
 Female, 3 y.o., 1/1/2020  
 MRN: 800000373  
 Coder: Assume Full  
 (no ACP docs)

FIRST CALL PROVIDER: None  
 PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown  
COVID-19: Unknown

**Roberto Cardarelli, DO**  
Attending

Allergies: Not on File  
Opioid Use Disorder/Overdose Risk: N/A  
Pain Agreement: Not on File  
Dosing Weight: None

ED ROOMED: 7/5/2022 (283 D)  
Patient Class: Emergency  
No active principal problem

Height: —  
Last Wt: —  
BMI: —

Social Determinants:



Res	Component	Value	Units		A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, VENOUS	7.29							7.32-7.43	TELCOR POCT			7.31
1	POCT PCO2 VENOUS	70							37-52	TELCOR POCT			20
1	POCT PO2 VENOUS	41	mmHg						35-40	TELCOR POCT			165
1	POCT SO2 VENOUS	60	%						65-90	TELCOR POCT			99.6
1	POCT BASE EXCESS	-1.5	mmol/L						-4.0-2.0	TELCOR POCT			-13.1
1	POCT BICARBONATE CALCULATED	27	mmol/L						22-26	TELCOR POCT			10
1	POCT SODIUM	144	mmol/L						133-144	TELCOR POCT			116
1	POCT POTASSIUM	4.0	mmol/L						3.6-4.9	TELCOR POCT			9.0
1	POCT CHLORIDE	105	mmol/L						97-107	TELCOR POCT			97
1	POCT GLUCOSE	25	mg/dL						60-99	TELCOR POCT			47
1	POCT IONIZED CALCIUM	3.6	mg/dL						4.6-5.1	TELCOR POCT			2.9
1	POCT HEMATOCRIT	26.6	%						31.0-38.0	TELCOR POCT			53.4
1	POCT LACTATE VENOUS	5.4	mmol/L						0.5-2.2	TELCOR POCT			7.7
1	POCT OXYHEMOGLOBIN, VENOUS	59.0	%						40.0-70.0	TELCOR POCT			96.0
1	POCT HEMOGLOBIN REDUCED, VENOUS	36.5	%							TELCOR POCT			<2.4
1	POCT TOTAL HEMOGLOBIN	9.4	g/dL						10.2-12.7	TELCOR POCT			17.4
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			Peaver...
1	ACKNOWLEDGED, NOTIFIED BY	BF								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230714112808								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
1	Comment:	Testing performed by Cash Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			HIGH RA





**NONE**

Femaleone Telcor  
 Legal: Femaleone Telcor  
 Female, 3 y.o., 1/1/2020  
 MRN: 800000373  
 Code: Assume Full (no ACP docs)

FIRST CALL PROVIDER: None  
 PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown  
 COVID-19: Unknown

**Roberto Cardarelli, DO**  
 Attending

Allergies: Not on File  
 Opioid Use Disorder/Overdose Risk N/A  
 Pain Agreement: Not on File  
 Dosing Weight: None

ED ROOMED: 7/5/2022 (263 D)  
 Patient Class: Emergency  
 No active principal problem

Height: —  
 Last Wt: —  
 BMI: —

Social Determinants: [Icons]

**Specimen Inquiry: 23H-104PC0026**

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

1136 Specimen Created From Interface queue 334353 Beaker, Poct In: Interface, Results From Lab Instruments - To Beaker, Poct In: CHHLAB FSINTF

**POCT Arterial Blood Gas**

Res	Component	Value	Units	Δ	L	IE	R	Ref. Range	Method	Chart	Trend	Pv
1	POCT PH, ARTERIAL	7.20		⬇				7.35-7.45	TELCOR POCT	📄		7.31
1	POCT PCO2, ARTERIAL	70	mmHg	⬇				32-45	TELCOR POCT	📄		45
1	POCT PO2, ARTERIAL	42	mmHg	⬇				63-106	TELCOR POCT	📄		46
1	POCT SO2, ARTERIAL	62	%	⬇				94-96	TELCOR POCT	📄		76.4
1	POCT BASE EXCESS	-1.6	mmol/L	⬇				-4.0-2.0	TELCOR POCT	📄		-1.5
1	POCT BICARBONATE CALCULATED	27	mmol/L	⬆				22-26	TELCOR POCT	📄		27
1	POCT SODIUM	144	mmol/L	⬆				133-144	TELCOR POCT	📄		144
1	POCT POTASSIUM	4.0	mmol/L	⬆				3.6-4.9	TELCOR POCT	📄		4.0
1	POCT CHLORIDE	104	mmol/L	⬆				97-107	TELCOR POCT	📄		105
1	POCT GLUCOSE	25	mg/dL	⬇				60-99	TELCOR POCT	📄		25
1	POCT IONIZED CALCIUM	3.5	mg/dL	⬇				4.6-5.1	TELCOR POCT	📄		3.6
1	POCT HEMATOCRIT	28.7	%	⬇				31.0-38.0	TELCOR POCT	📄		28.6
1	POCT LACTATE ARTERIAL	3.5	mmol/L	⬆				0.5-1.6	TELCOR POCT	📄		6.8
1	POCT OXYHEMOGLOBIN, ARTERIAL	60.0	%	⬇				94.0-97.0	TELCOR POCT	📄		77.0
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	36.6	%	⬆				<4.1	TELCOR POCT	📄		21.3
1	POCT TOTAL HEMOGLOBIN	9.4	g/dL	⬇				10.2-12.7	TELCOR POCT	📄		9.4
1	OPERATOR NAME	PHELPS, APRIL							TELCOR POCT	📄		PHELPS,
1	ACKNOWLEDGED, NOTIFIED BY	BF							TELCOR POCT	📄		
1	CRITICAL NOTIFY TIME	20230414115130							TELCOR POCT	📄		





FT

NONE

Femaleone Telcor

Legal: Femaleone Telcor

Female, 3 y.o., 1/1/2020

MRN: 800000373

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown



Roberto Cardarelli, DO  
Attending

Allergies: Not on File

Opicoid Use Disorder/Overdose  
Risk: N/A

Pain Agreement: Not on File  
Dosing Weight: None

ROOMED: 7/5/2022 (263 D)

Patient Class: Emergency

No active principal problem

Height: —

Last Wt: —

BMI: —

Social Determinants:



Specimen Inquiry: 23H-104PC0027

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units		Δ	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH MIXED VENOUS	7.19		↓					7.32-7.43	TELCOR POCT			
1	POCT PCO2 MIXED VENOUS	53	mmHg	↑					37-52	TELCOR POCT			
1	POCT PO2 MIXED VENOUS	34	mmHg	↔					25-40	TELCOR POCT			
1	POCT SO2 MIXED VENOUS	48	%	↓					65-80	TELCOR POCT			
1	POCT BASE EXCESS	-7.2	mmol/L	↓					-4.0-2.0	TELCOR POCT			-1.6
1	POCT BICARBONATE CALCULATED	21	mmol/L	↓					22-26	TELCOR POCT			27
1	POCT SODIUM	152	mmol/L	↑					133-144	TELCOR POCT			144
1	POCT POTASSIUM	4.0	mmol/L	↔					3.6-4.9	TELCOR POCT			4.0
1	POCT CHLORIDE	122	mmol/L	↑					97-107	TELCOR POCT			104
1	POCT GLUCOSE	121	mg/dL	↑					60-99	TELCOR POCT			25
1	POCT IONIZED CALCIUM	4.5	mg/dL	↓					4.6-5.1	TELCOR POCT			3.5
1	POCT HEMATOCRIT	25.2	%	↓					31.0-38.0	TELCOR POCT			28.7
1	POCT OXYHEMOGLOBIN, MIXED VENOUS		%							MANUAL METHOD			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	50.6								TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	8.2	g/dL	↓					10.2-12.7	TELCOR POCT			9.4
1	OPERATOR NAME	PHELPS APREL								TELCOR POCT			PHELPS, ...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414113500								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0423N0020								TELCOR POCT			092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	PA								TELCOR POCT			-SELECT-

Method: TELCOR POCT

Last received: 4/14/2023 11:36

Last verified: 4/14/2023 11:36 by Lab, Background User





FT

23H-104PC0029

Specimen Inquiry: 23H-104PC0029

Specimen Update Documents Labels Patient Inquiry

**Femalethree Telcor**  
 Legal: **Femalethree Telcor**  
 Female, 8 y.o., 1/1/2015  
 MRN: 800000375  
 Unit/Bed: CH PAVA 10 T1 ICU-132B  
 Code: Assume Full (no ACP docs)

**FIRST CALL PROVIDER: None**

**PRIMARY NURSE: None**

Search

COVID-19 Vaccine: Unknown  
COVID-19: Unknown

**Roberto Cardarelli, DO**  
Attending

Allergies: Not on File  
Opioid Use Disorder/Overdose Risk: N/A  
Pain Agreement: Not on File  
Dosing Weight: None

ADMIT TO ICU: 7/5/2022 282D 23H)  
Patient Class: Inpatient  
No active principal problem

Height: —  
Last Wt: —  
BMI: —

Social Determinants:  
Icons for sun, person, graduation cap, person walking

Res	Component	Value	Units	↓	Δ	L	IE	R	Ref Range	Method	Chart	Trend	PV
1	POCT PH, VENOUS	7.10		↓					7.32-7.43	TELCOR POCT			7.24
1	POCT PCO2 VENOUS	60		↓					37-52	TELCOR POCT			53
1	POCT PO2 VENOUS	37	mmHg	↔					25-40	TELCOR POCT			106
1	POCT SO2 VENOUS	53	%	↓					65-80	TELCOR POCT			97.6
1	POCT BASE EXCESS	-6.6	mmol/L	↓					-4.0-2.0	TELCOR POCT			-5.1
1	POCT BICARBONATE CALCULATED	25	mmol/L	↔					22-26	TELCOR POCT			23
1	POCT SODIUM	144	mmol/L	↔					133-144	TELCOR POCT			141
1	POCT POTASSIUM	3.0	mmol/L	↓					3.6-4.9	TELCOR POCT			4.0
1	POCT CHLORIDE	101	mmol/L	↔					97-107	TELCOR POCT			105
1	POCT GLUCOSE	106	mg/dL	↑					60-99	TELCOR POCT			33
1	POCT IONIZED CALCIUM	3.4	mg/dL	↓					4.6-5.1	TELCOR POCT			4.3
1	POCT HEMATOCRIT	40.4	%	↑					32.0-40.0	TELCOR POCT			29.6
1	POCT LACTATE VENOUS	6.3	mmol/L	↓					0.5-2.2	TELCOR POCT			6.9
1	POCT OXYHEMOGLOBIN, VENOUS	32.0	%	↔					40.0-70.0	TELCOR POCT			94.0
1	POCT HEMOGLOBIN REDUCED, VENOUS	46.0	%	↔						TELCOR POCT			<2.4
1	POCT TOTAL HEMOGLOBIN	13.2	g/dL	↔					10.6-13.4	TELCOR POCT			9.7
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			Peaver...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	2023041413000								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
1	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			HIGH IVC





FT

Specimen Inquiry: 23H-104PC0030

**Femalethree Telcor**  
 Legal: Femalethree Telcor  
 Female, 8 y.o., 1/1/2015  
 MRN: 800000375  
 Unit/Bed: CH PAVA 10 T1 ICU-132B  
 Code: Assume Full (no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown



**Roberto Cardarelli, DO**  
 Attending

Allergies: Not on File  
 Opioid Use Disorder/Overdose Risk: N/A

Pain Agreement: Not on File  
 Dosing Weight: None

ADMIT TO ICU: 7/5/2022 (282D 23H)

Patient Class: Inpatient

No active principal problem

Height: —

Last Wt: —

BMI: —

Social Determinants:



Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units		A	L	E	R	Ref Range	Method	Chart	Trend	PV
1	POCT PH, ARTERIAL	7.10		↓					7.35-7.45	TELCOR POCT	☑		6.86
1	POCT PCO2, ARTERIAL	50	mmHg	⬆					32-45	TELCOR POCT	☑		>115
1	POCT PO2, ARTERIAL	57	mmHg	↓					83-106	TELCOR POCT	☑		30
1	POCT SO2, ARTERIAL	54	%	↓					94-98	TELCOR POCT	☑		35.6
1	POCT BASE EXCESS	-6.7	mmol/L	↓					-4.0-2.0	TELCOR POCT	☑		-6.6
1	POCT BICARBONATE CALCULATED	25	mmol/L	↔					22-26	TELCOR POCT	☑		25
7	POCT SODIUM	144	mmol/L	↔					133-144	TELCOR POCT	☑		144
1	POCT POTASSIUM	3.0	mmol/L	↓					3.6-4.9	TELCOR POCT	☑		3.0
1	POCT CHLORIDE	101	mmol/L	↔					97-107	TELCOR POCT	☑		101
1	POCT GLUCOSE	107	mg/dL	↑					60-99	TELCOR POCT	☑		108
1	POCT IONIZED CALCIUM	3.4	mg/dL	↓					4.6-5.1	TELCOR POCT	☑		3.4
1	POCT HEMATOCRIT	40.4	%	↑					32.0-40.0	TELCOR POCT	☑		40.4
1	POCT LACTATE ARTERIAL	6.5	mmol/L	⬆					0.5-1.6	TELCOR POCT	☑		12.6
1	POCT OXYHEMOGLOBIN, ARTERIAL	53.0	%	↓					94.0-97.0	TELCOR POCT	☑		35.0
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	44.6	%	↑					<4.1	TELCOR POCT	☑		63.0
1	POCT TOTAL HEMOGLOBIN	13.2	g/dL	↔					10.6-13.4	TELCOR POCT	☑		13.2
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT	☑		PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY	BF								TELCOR POCT	☑		
1	CRITICAL NOTIFY TIME	20230414114100								TELCOR POCT	☑		
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT	☑		092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT	☑		-SELECT-





FT



Chart Review

Specimen Inquiry

Order Inquiry

Orders

Media Manager

Patient Station

23H-104PC0029

23H-104PC0030

23H-104PC0031

Specimen Inquiry: 23H-104PC0031

Specimen Update Documents Labels Patient Inquiry

Femalethree Telcor  
 Legal: Femalethree Telcor  
 Female, 8 y.o., 1/1/2015  
 MRN: 80000375  
 Unit/Bed: CH PAVA 10 T1 ICU-1328  
 Code: Assume Full (no ACP docs)  
 FIRST CALL PROVIDER: None  
 PRIMARY NURSE: None

COVID-19 Vaccine: Unknown  
 COVID-19: Unknown

Roberto Cardarelli, DO  
 Attending

Allergies: Not on File  
 Opioid Use Disorder/Overdose Risk: N/A  
 Pain Agreement: Not on File  
 Dosing Weight: None

ADMIT TO ICU: 7/5/2022 (262D 23H)  
 Patient Class: Inpatient  
 No active principal problem

Height: —  
 Last Wt: —  
 BMI: —

Social Determinants

Res	Component	Value	Units	Δ	L	H	Ref. Range	Method	Chart	Trend	Pv
1	POCT PH MIXED VENOUS	7.10					7.32-7.43	TELCOR POCT			
1	POCT PCO2 MIXED VENOUS	79	mmHg				37-52	TELCOR POCT			
1	POCT PO2 MIXED VENOUS	38	mmHg				25-40	TELCOR POCT			
1	POCT SO2 MIXED VENOUS	56	%				65-90	TELCOR POCT			
1	POCT BASE EXCESS	-6.9	mmol/L				-4.0-2.0	TELCOR POCT			-6.7
1	POCT BICARBONATE CALCULATED	24	mmol/L				22-26	TELCOR POCT			25
1	POCT SODIUM	144	mmol/L				135-144	TELCOR POCT			144
1	POCT POTASSIUM	3.0	mmol/L				3.6-4.9	TELCOR POCT			3.0
1	POCT CHLORIDE	101	mmol/L				97-107	TELCOR POCT			101
1	POCT GLUCOSE	106	mg/dL				60-99	TELCOR POCT			107
1	POCT IONIZED CALCIUM	3.4	mg/dL				4.6-5.1	TELCOR POCT			3.4
1	POCT HEMATOCRIT	40.2	%				32.0-40.0	TELCOR POCT			40.4
1	POCT OXYHEMOGLOBIN, MIXED VENOUS	54.0	%					TELCOR POCT			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	43.6						TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	13.1	g/dL				10.6-13.4	TELCOR POCT			13.2
1	OPERATOR NAME	PHELPS, APRIL						TELCOR POCT			PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY	BP						TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414114500						TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020						TELCOR POCT			092R042...
1	Comment:	Testing performed by Cash Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.									
1	POCT SAMPLE SITE	PA						TELCOR POCT			-SELECT-

Method: TELCOR POCT

Last received: 4/14/2023 11:50

Last verified: 4/14/2023 11:50 by Lab, Background User







Specimen Inquiry: 23H-104PC0034

Specimen Update Documents Labels Patient Inquiry

**Amy Test**  
 Legal: **Amy Test**  
 Female, 14 y.o., 2/20/2009  
 MRN: 110067089  
 Unit/Bed: CH PAVA 10 T2 ICU-242A  
 Cur Location: LEX SHRINERS OPHTHALMOLOGY  
 Code: Assume Full (no ACP docs)  
**FIRST CALL PROVIDER: None**  
**PRIMARY NURSE: None**

Search  
 COVID-19 Vaccine: Unknown  
 COVID-19: Unknown  
 Infection: **Human Metapneumovirus, Campylobacter**

**Joseph L Bobadilla, MD**  
 Attending

Allergies: No Known Allergies  
 Opioid Use Disorder/Overdose Risk: 3  
 Pain Agreement: Not on File  
 Losing Weight: None  
 ADMIT TO ICU: 11/6/2022 157D 1H  
 Patient Class: Inpatient  
 No active principal problem

Height: 162.6 cm (5' 4")  
 >30 days (68%)  
 Last Wt: 112 lbs (246 lb 14.6 pct)

Res	Component	Value	Units		A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, VENOUS	7.17		↓					7.32-7.45	TELCOR POCT			7.26
1	POCT PCO2 VENOUS	56		↑					37-52	TELCOR POCT			55
1	POCT PO2 VENOUS	34	mmHg	↔					25-40	TELCOR POCT			75
1	POCT SO2 VENOUS	46	%	↓					65-80	TELCOR POCT			91.0
1	POCT BASE EXCESS	-7.5	mmol/L	↓					-2.0-3.0	TELCOR POCT			-21.5
1	POCT BICARBONATE CALCULATED	21	mmol/L	↓					22-26	TELCOR POCT			25
1	POCT SODIUM	152	mmol/L	↑					133-144	TELCOR POCT			153
1	POCT POTASSIUM	4.0	mmol/L	↔					3.6-4.9	TELCOR POCT			4.0
1	POCT CHLORIDE	122	mmol/L	↑					97-107	TELCOR POCT			117
1	POCT GLUCOSE	119	mg/dL	↑					60-99	TELCOR POCT			110
1	POCT IONIZED CALCIUM	4.5	mg/dL	↓					4.6-5.1	TELCOR POCT			4.2
1	POCT HEMATOCRIT	25.2	%	↓					33.0-44.0	TELCOR POCT			14.6
1	POCT LACTATE VENOUS	4.6	mmol/L	↑					0.5-2.2	TELCOR POCT			4.7
1	POCT OXYHEMOGLOBIN, VENOUS	47.0	%	↔					40.0-70.0	TELCOR POCT			65.0
1	POCT HEMOGLOBIN REDUCED, VENOUS	50.3	%							TELCOR POCT			6.5
1	POCT TOTAL HEMOGLOBIN	8.2	g/dL	↓					10.0-14.5	TELCOR POCT			4.8
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY	SP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414115500								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			-SELECT-

Specimen Inquiry





AT



Chart Review

Specimen Inquiry



Order Inquiry

Orders

Media Manager

Patient Station

23H-104PC0032

23H-104PC0034

23H-104PC0035

## Specimen Inquiry: 23H-104PC0035

Specimen Update Documents Labels Patient Inquiry

Amy Test

Legal: Amy Test

Female, 14 yo., 2/20/2009

MRN: 110067089

Unit/Bed: CH PAVA 10 T2 ICU-242A

Cur Location: LEX SHRINERS  
OPHTHALMOLOGYCode: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Infection: Human  
Metapneumovirus,  
Campylobacter Joseph L Bobadilla,  
MD  
Attending

Allergies: No Known Allergies

Opioid Use Disorder/Overdose  
Risk: 3

Pain Agreement: Not on File

Dosing Weight: None

ADMIT TO ICU: 11/8/2022  
(157D 1H)

Patient Class: Inpatient

No active principal problem

Height: 162.6 cm (5' 4")  
>30 days (68%)

Last Wt: 112 kg (246 lb 14.6 oz)

## Specimen Inquiry

## Specimen Inquiry

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, ARTERIAL	7.17		↓					7.35-7.45	TELCOR POCT			7.31
1	POCT PCO2, ARTERIAL	57	mmHg	↑					32-45	TELCOR POCT			45
1	POCT PO2, ARTERIAL	34	mmHg	↓					63-105	TELCOR POCT			46
1	POCT SO2, ARTERIAL	48	%	↓					94-98	TELCOR POCT			76.4
1	POCT BASE EXCESS	-7.6	mmol/L	↓					-2.0-3.0	TELCOR POCT			-7.5
1	POCT BICARBONATE CALCULATED	21	mmol/L	↓					22-26	TELCOR POCT			21
1	POCT SODIUM	152	mmol/L	↑					133-144	TELCOR POCT			152
1	POCT POTASSIUM	4.0	mmol/L	↔					3.6-4.9	TELCOR POCT			4.0
1	POCT CHLORIDE	122	mmol/L	↑					97-107	TELCOR POCT			122
1	POCT GLUCOSE	117	mg/dL	↑					60-99	TELCOR POCT			119
1	POCT IONIZED CALCIUM	4.5	mg/dL	↓					4.6-5.1	TELCOR POCT			4.5
1	POCT HEMATOCRIT	25.7	%	↓					33.0-44.0	TELCOR POCT			25.2
1	POCT LACTATE ARTERIAL	4.6	mmol/L	↑					0.5-1.6	TELCOR POCT			6.8
1	POCT OXYHEMOGLOBIN, ARTERIAL	47.0	%	↓					94.0-97.0	TELCOR POCT			77.0
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	30.4	%	↑					<4.1	TELCOR POCT			21.3
1	POCT TOTAL HEMOGLOBIN	8.4	g/dL	↓					10.5-14.5	TELCOR POCT			8.2
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			PHELPS_
1	ACKNOWLEDGED, NOTIFIED BY	SP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414115900								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			-SELECT-





POCT ABL90 Blood Gas wi



Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH MIXED VENOUS	7.17		⬇️					7.32-7.43	TELCOR POCT			
1	POCT PCO2 MIXED VENOUS	56	mmHg	⬆️					37-52	TELCOR POCT			
1	POCT PO2 MIXED VENOUS	35	mmHg	⬇️					25-40	TELCOR POCT			
1	POCT SO2 MIXED VENOUS	50	%	⬇️					65-80	TELCOR POCT			
1	POCT BASE EXCESS	-7.6	mmol/L	⬇️					-2.0-3.0	TELCOR POCT			-7.6
1	POCT BICARBONATE CALCULATED	21	mmol/L	⬇️					22-26	TELCOR POCT			21
1	POCT SODIUM	152	mmol/L	⬆️					133-144	TELCOR POCT			152
1	POCT POTASSIUM	4.0	mmol/L	⬆️					3.6-4.9	TELCOR POCT			4.0
1	POCT CHLORIDE	122	mmol/L	⬆️					97-107	TELCOR POCT			122
1	POCT GLUCOSE	117	mg/dL	⬆️					60-99	TELCOR POCT			117
1	POCT IONIZED CALCIUM	4.5	mg/dL	⬇️					4.6-5.1	TELCOR POCT			4.5
1	POCT HEMATOCRIT	25.1	%	⬇️					33.0-44.0	TELCOR POCT			25.7
1	POCT OXYHEMOGLOBIN, MIXED VENOUS	48.0	%							TELCOR POCT			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	49.0								TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	8.2	g/dL	⬇️					10.8-14.5	TELCOR POCT			8.4
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY									TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414120200								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...

Comment: Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the







AT

Andrea Test

Legal: Andrea Test

Male 38 y.o., 4/8/1985

MRN: 110077189

Unit/Bed: CH PAVA 5 T2 ICU-231A

Cur Location: CHANDLER HOSPITAL

Code: Prior (no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: History 6/16/2021

Infection: Tuberculosis, MRSA, COVID-19 Rule-Out, Meningitis Rule-Out, Legionellosis, Salmonella

Isolation: Airborne

Attending Physician  
Inpatient, MD  
Attending

Allergies: No Known Allergies

Active Treatment/Therapy Plans

Opioid Use Disorder/Overdose Risk: 4

Pain Agreement: Not on File

## Specimen Inquiry: 23H-104PC0040

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	PV
1	POCT PH, VENOUS	7.20		⬇					7.32-7.43	TELCOR POCT		
1	POCT PCO2 VENOUS	62								TELCOR POCT		
1	POCT PO2 VENOUS	68	mmHg	⬆					25-40	TELCOR POCT		
1	POCT SO2 VENOUS	92	%	⬆					65-80	TELCOR POCT		
1	POCT BASE EXCESS	-4.4	mmol/L	⬇					-2.0-3.0	TELCOR POCT		
1	POCT BICARBONATE CALCULATED	24	mmol/L	⬇					22-26	TELCOR POCT		
1	POCT SODIUM	134	mmol/L	⬇					136-145	TELCOR POCT		
1	POCT POTASSIUM	4.0	mmol/L	⬇					3.6-4.9	TELCOR POCT		
1	POCT CHLORIDE	98	mmol/L	⬇					97-107	TELCOR POCT		
1	POCT GLUCOSE	56	mg/dL	⬇					74-99	TELCOR POCT		
1	POCT IONIZED CALCIUM	4.1	mg/dL	⬇					4.6-5.1	TELCOR POCT		
1	POCT HEMATOCRIT	26.0	%	⬆						TELCOR POCT		
1	POCT LACTATE VENOUS	4.0	mmol/L	⬆					0.5-2.2	TELCOR POCT		
1	POCT OXYHEMOGLOBIN, VENOUS	88.0	%	⬆					40.0-70.0	TELCOR POCT		
1	POCT HEMOGLOBIN REDUCED, VENOUS	7.5	%							TELCOR POCT		
1	POCT TOTAL HEMOGLOBIN	8.5	g/dL							TELCOR POCT		
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT		
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT		
1	CRITICAL NOTIFY TIME	20230414124700								TELCOR POCT		
1	DEVICE SERIAL NUMBER	D92R0425N0020								TELCOR POCT		
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.										
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT		
	Method: TELCOR POCT	Last received: 4/14/2023 1259								Last verified: 4/14/2023 1259 by Lab, Background User		







AT

### Specimen Inquiry: 23H-104PC0041

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

**Andrea Test**  
 Legal: Andrea Test  
 Male 38 y.o., 4/8/1985  
 MRN: 110077189  
 Unit/Bed: CH PAVA 5 T2 ICU-231A  
 Cur Location: CHANDLER HOSPITAL  
 Code: Prior (no ACP docs)  
**FIRST CALL PROVIDER: None**  
**PRIMARY NURSE: None**

Search

COVID-19 Vaccine: Unknown  
 COVID-19: History 6/16/2021  
 Infection: Tuberculosis, MRSA, COVID-19 Rule-Out, Meningitis Rule-Out, Legionellosis, Salmonella  
 Isolation: Airborne

Attending Physician  
 Inpatient, MD  
 Attending

Allergies: No Known Allergies  
 Active Treatment/Therapy Plans  
 Opioid Use Disorder/Overdose Risk: 4  
 Pain Agreement: Not on File  
 Dosing Weight: None  
 ADMIT TO ICU: 6/27/2022 291D 4H)

Res	Component	Value	Units						Ref. Range	Method	Chart
1259	Specimen Created	From Interface queue 334353									
<b>POCT Arterial Blood Gas</b>											
1	POCT PH, ARTERIAL	7.20							7.35-7.45	TELCOR POCT	
1	POCT PCO2, ARTERIAL	61	mmHg						83-108	TELCOR POCT	
1	POCT PO2, ARTERIAL	69	mmHg						94-98	TELCOR POCT	
1	POCT SO2, ARTERIAL	93	%						-2.0-3.0	TELCOR POCT	
1	POCT BASE EXCESS	-4.6	mmol/L						22-26	TELCOR POCT	
1	POCT BICARBONATE CALCULATED	24	mmol/L						136-145	TELCOR POCT	
1	POCT SODIUM	134	mmol/L						3.6-4.9	TELCOR POCT	
1	POCT POTASSIUM	4.0	mmol/L						97-107	TELCOR POCT	
1	POCT CHLORIDE	99	mmol/L						74-99	TELCOR POCT	
1	POCT GLUCOSE	57	mg/dL						4.6-5.1	TELCOR POCT	
1	POCT IONIZED CALCIUM	4.1	mg/dL							TELCOR POCT	
1	POCT HEMATOCRIT	27.3	%							TELCOR POCT	
1	POCT LACTATE ARTERIAL	4.0	mmol/L						0.5-1.6	TELCOR POCT	
1	POCT OXYHEMOGLOBIN, ARTERIAL	68.0	%						94.0-97.0	TELCOR POCT	
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	6.8	%						<4.1	TELCOR POCT	
1	POCT TOTAL HEMOGLOBIN	8.9	g/dL							TELCOR POCT	
1	OPERATOR NAME	PHELPS, APRIL									
1	ACKNOWLEDGED, NOTIFIED BY	BP									
1	CRITICAL NOTIFY TIME	20230414125100									
1	DEVICE SERIAL NUMBER	092R0425N0020									
Comment: Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-									

Beaker, Poct In  
 Interface, Results From Lab Instruments - To  
 Beaker, Poct In

TELCOR POCT

Method: TELCOR POCT

Last Received: 6/14/2022 12:00

Last Modified: 6/14/2022 12:00 by Lab, Barbara and Lisa







AT



Chart Review

Specimen Inquiry

Order Inquiry

Orders

Media Manager

Patient Station

23H-104PC0040

23H-104PC0041

23H-104PC0042

## Andrea Test

Legal: Andrea Test

Male 38 y.o., 4/8/1985

MRN: 110077189

Unit/Bed: CH PAVA 5 T2 ICU-231A

Cur Location: CHANDLER HOSPITAL

Code: Prior (no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: History 6/16/2021

Infection: Tuberculosis, MRSA, COVID-19 Rule-Out, Meningitis Rule-Out, Legionellosis, Salmonella

Isolation: Airborne

Attending Physician  
Inpatient, MD  
Attending

Allergies: No Known Allergies

Active Treatment/Therapy Plans

Opioid Use Disorder/Overdose Risk: 4

Pain Agreement: Not on File

Dosing Weight: None

ADMIT TO ICU: 6/27/2022 (291D 4H)

Patient Class: Inpatient

## Specimen Inquiry: 23H-104PC0042

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend --	PV
1	POCT PH MIXED VENOUS	7.26							7.32-7.43	TELCOR POCT			
1	POCT PCO2 MIXED VENOUS	67	mmHg							TELCOR POCT			
1	POCT PO2 MIXED VENOUS	43	mmHg					25-40		TELCOR POCT			
1	POCT SO2 MIXED VENOUS	68	%					65-80		TELCOR POCT			
1	POCT BASE EXCESS	2.3	mmol/L					-2.0-3.0		TELCOR POCT			-4.6
1	POCT BICARBONATE CALCULATED	30	mmol/L					22-26		TELCOR POCT			24
1	POCT SODIUM	143	mmol/L					136-145		TELCOR POCT			134
1	POCT POTASSIUM	4.0	mmol/L					3.6-4.9		TELCOR POCT			4.0
1	POCT CHLORIDE	99	mmol/L					97-107		TELCOR POCT			99
1	POCT GLUCOSE	130	mg/dL					74-99		TELCOR POCT			57
1	POCT IONIZED CALCIUM	4.0	mg/dL					4.6-5.1		TELCOR POCT			4.1
1	POCT HEMATOCRIT	28.2	%							TELCOR POCT			27.3
1	POCT OXYHEMOGLOBIN, MIXED VENOUS	66.0	%							TELCOR POCT			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	30.7								TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	9.2	g/dL							TELCOR POCT			8.9
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414125400								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	PA								TELCOR POCT			-SELECT-
	Method: TELCOR POCT	Last received: 4/14/2023 1259										Last verified: 4/14/2023 1259 by Lab, Background User	





AT

Specimen Inquiry: 23H-104PC0037

Specimen Update Documents Labels Patient Inquiry

Discharged

Adtone Test

Legal: Adtone Test

Male, 43 y.o., 1/1/1980

MRN: 110077061

Code: Assume Full (no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

No attending provider

Allergies: Not on File

Opioid Use Disorder/Overdose Risk: 5

Pain Agreement: Not on File

Dosing Weight: None

DISCHARGED: TODAY

Patient Class: Inpatient

STEMI (ST elevation myocardial infarction) (CMS/HCC)

Height: —

Last Wt: —

Specimen Inquiry

Res	Component	Value	Units	!	Δ	L	IE	R	Ref. Range	Method	Chart	PV
1	POCT PH, VENOUS	7.26		▼					7.32-7.43	TELCOR POCT		
1	POCT PCO2 VENOUS	50		✓					40-55	TELCOR POCT		
1	POCT PO2 VENOUS	171	mmHg	▲					25-40	TELCOR POCT		
1	POCT SO2 VENOUS	98	%	▲					65-80	TELCOR POCT		
1	POCT BASE EXCESS	-4.6	mmol/L	▼					-2.0-3.0	TELCOR POCT		
1	POCT BICARBONATE CALCULATED	23	mmol/L	✓					22-26	TELCOR POCT		
1	POCT SODIUM	140	mmol/L	✓					136-145	TELCOR POCT		
1	POCT POTASSIUM	4.0	mmol/L	✓					3.6-4.9	TELCOR POCT		
1	POCT CHLORIDE	104	mmol/L	✓					97-107	TELCOR POCT		
1	POCT GLUCOSE	86	mg/dL	✓					74-99	TELCOR POCT		
1	POCT IONIZED CALCIUM	3.3	mg/dL	▼					4.6-5.1	TELCOR POCT		
1	POCT HEMATOCRIT	31.1	%	▼					40.0-51.0	TELCOR POCT		
1	POCT LACTATE VENOUS	7.2	mmol/L	▲					0.5-2.2	TELCOR POCT		
1	POCT OXYHEMOGLOBIN, VENOUS	96.0	%	▲					40.0-70.0	TELCOR POCT		
1	POCT HEMOGLOBIN REDUCED, VENOUS	<2.4	%							TELCOR POCT		
1	POCT TOTAL HEMOGLOBIN	10.1	g/dL	▼					13.7-17.5	TELCOR POCT		
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT		
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD		
1	CRITICAL NOTIFY TIME									MANUAL METHOD		
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT		

Comment: Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.

1 POCT SAMPLE SITE -SELECT-  
Method: TELCOR POCT Last received: 4/14/2023 1259

Last verified: 4/14/2023 1259 by Lab, Background User







AT



Chart Review

Specimen Inquiry



Order Inquiry

Media Manager

Flowsheets

Patient Station

23H-104PC0037

23H-104PC0038

## Specimen Inquiry: 23H-104PC0038

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

Specimen Inquiry

Res	Component	Value	Units	I	Δ	L	IE	R	Ref. Range	Method	Chart	PV
1	POCT PH, ARTERIAL	7.26		▼					7.35-7.45	TELCOR POCT		
1	POCT PCO2, ARTERIAL	49	mmHg	▲					35-48	TELCOR POCT		
1	POCT PO2, ARTERIAL	188	mmHg	▲					63-108	TELCOR POCT		
1	POCT SO2, ARTERIAL	98	%	↔					94-98	TELCOR POCT		
1	POCT BASE EXCESS	-5.0	mmol/L	▼					-2.0-3.0	TELCOR POCT		-4.6
1	POCT BICARBONATE CALCULATED	22	mmol/L	↔					22-26	TELCOR POCT		23
1	POCT SODIUM	141	mmol/L	↔					136-145	TELCOR POCT		140
1	POCT POTASSIUM	4.0	mmol/L	↔					3.6-4.9	TELCOR POCT		4.0
1	POCT CHLORIDE	104	mmol/L	↔					97-107	TELCOR POCT		104
1	POCT GLUCOSE	84	mg/dL	↔					74-99	TELCOR POCT		86
1	POCT IONIZED CALCIUM	3.3	mg/dL	▼					4.6-5.1	TELCOR POCT		3.3
1	POCT HEMATOCRIT	30.6	%	▼					40.0-51.0	TELCOR POCT		31.1
1	POCT LACTATE ARTERIAL	7.4	mmol/L	▲					0.5-1.6	TELCOR POCT		
1	POCT OXYHEMOGLOBIN, ARTERIAL	97.0	%	↔					94.0-97.0	TELCOR POCT		
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	<2.4	%	↔					<4.1	TELCOR POCT		
1	POCT TOTAL HEMOGLOBIN	10.0	g/dL	▼					13.7-17.5	TELCOR POCT		10.1
1	OPERATOR NAME	PHELPS, APRIL										
1	ACKNOWLEDGED, NOTIFIED BY											
1	CRITICAL NOTIFY TIME											
1	DEVICE SERIAL NUMBER	092R0425N0020										
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.										
1	POCT SAMPLE SITE	-SELECT-										
	Method: TELCOR POCT	Last received: 4/14/2023 1259										
		Last verified: 4/14/2023 1259 by Lao, Background User										

Discharged

Adtone Test

Legal: Adtone Test

Male, 43 y.o., 1/1/1980

MRN: 110077061

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

No attending provider

Allergies: Not on File

Opioid Use Disorder/Overdose  
Risk: 5

Pain Agreement: Not on File

Dosing Weight: None

DISCHARGED: TODAY

Patient Class: Inpatient

STEMI (ST elevation myocardial  
infarction) (CMS/HCC)

Height: —

Last Wt: —

BMI: —







AT

Chart Review

Specimen Inquiry

Order Inquiry

Media Manager

Flowsheets

Patient Station

23H-104PC0037

23H-104PC0038

23H-104PC0039

Discharged

Adtone Test

Legal: Adtone Test

Male, 43 y.o., 1/1/1980

MRN: 110077061

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

No attending provider

Allergies: Not on File

Opioid Use Disorder/Overdose  
Risk: 5

Pain Agreement: Not on File

Dosing Weight: None

DISCHARGED: TODAY

Patient Class: Inpatient

STEMI (ST elevation myocardial  
infarction) (CMS/HCC)

Height: —

Last Wt: —

BMI: —

Social Determinants:



## Specimen Inquiry: 23H-104PC0039

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH MIXED VENOUS	7.12		✓					7.32-7.43	TELCOR POCT	📊		
1	POCT PCO2 MIXED VENOUS	53	mmHg	✓					40-55	TELCOR POCT	📊		
1	POCT PO2 MIXED VENOUS	58	mmHg	▲					25-40	TELCOR POCT	📊		
1	POCT SO2 MIXED VENOUS	85	%	▲					65-80	TELCOR POCT	📊		
1	POCT BASE EXCESS	-11.6	mmol/L	▼					-2.0-3.0	TELCOR POCT	📊		
1	POCT BICARBONATE CALCULATED	17	mmol/L	▼					22-26	TELCOR POCT	📊		-5.0
1	POCT SODIUM	143	mmol/L	✓					136-145	TELCOR POCT	📊		22
1	POCT POTASSIUM	4.0	mmol/L	✓					3.6-4.9	TELCOR POCT	📊		141
1	POCT CHLORIDE	105	mmol/L	✓					97-107	TELCOR POCT	📊		4.0
1	POCT GLUCOSE	58	mg/dL	▼					74-99	TELCOR POCT	📊		104
1	POCT IONIZED CALCIUM	4.3	mg/dL	▼					4.6-5.1	TELCOR POCT	📊		84
1	POCT HEMATOCRIT	24.4	%	▼					40.0-51.0	TELCOR POCT	📊		3.3
1	POCT OXYHEMOGLOBIN, MIXED VENOUS	83.0	%							TELCOR POCT	📊		30.6
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	14.6								TELCOR POCT	📊		
1	POCT TOTAL HEMOGLOBIN	6.0	g/dL	▼					13.7-17.5	TELCOR POCT	📊		10.0
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT	📊		PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT	📊		
1	CRITICAL NOTIFY TIME	20230414124400								TELCOR POCT	📊		
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT	📊		092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	PA								TELCOR POCT	📊		-SELECT-

Method: TELCOR POCT

Last received: 4/14/2023 1259

Last verified: 4/14/2023 1259 by Lab, Background User







AT

Specimen Inquiry: 23H-104PC0043

Specimen Update Documents Labels Patient Inquiry

**Anna Test**  
 Legal: Anna Test  
 Female, 65 y.o., 4/11/1958  
 MRN: 926300445  
 Unit/Bed: CH PAVA 8 T1 UNI-120A  
 Code: Assume Full (no ACP docs)  
**FIRST CALL PROVIDER: None**  
**PRIMARY NURSE: None**

Search

COVID-19 Vaccine: Unknown  
 COVID-19: Unknown

Attending Physician  
 Inpatient, MD  
 Attending

Allergies: No Known Allergies  
 Opioid Use Disorder/Overdose Risk: 2  
 Pain Agreement: Not on File  
 Dosing Weight: None

ADMITTED: 1/4/2023 (100 D)  
 Patient Class: Inpatient  
 No active principal problem

Height: —  
 Last Wt: 74.8 kg (165 lb)  
 BMI: —

Social Determinants:

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH MIXED VENOUS	7.28							7.32-7.43	TELCOR POCT			
1	POCT PCO2 MIXED VENOUS	42	mmHg						37-52	TELCOR POCT			
1	POCT PO2 MIXED VENOUS	64	mmHg						25-40	TELCOR POCT			
1	POCT SO2 MIXED VENOUS	91	%						65-80	TELCOR POCT			
1	POCT BASE EXCESS	-6.7	mmol/L						-2.0-3.0	TELCOR POCT			-6.8
1	POCT BICARBONATE CALCULATED	20	mmol/L						22-26	TELCOR POCT			22
1	POCT SODIUM	146	mmol/L						136-145	TELCOR POCT			140
1	POCT POTASSIUM	4.0	mmol/L						3.6-4.9	TELCOR POCT			3.0
1	POCT CHLORIDE	115	mmol/L						97-107	TELCOR POCT			106
1	POCT GLUCOSE	70	mg/dL						74-99	TELCOR POCT			115
1	POCT IONIZED CALCIUM	3.6	mg/dL						4.6-5.1	TELCOR POCT			3.7
1	POCT HEMATOCRIT	27.6	%						34.0-45.0	TELCOR POCT			27.6
1	POCT OXYHEMOGLOBIN, MIXED VENOUS	90.0	%							TELCOR POCT			
1	POCT HEMOGLOBIN REDUCED, MIXED VENOUS	6.5								TELCOR POCT			
1	POCT TOTAL HEMOGLOBIN	9.0	g/dL						11.2-15.7	TELCOR POCT			9.0
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY									MANUAL METHOD			
1	CRITICAL NOTIFY TIME									MANUAL METHOD			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
Comments: Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.													
1	POCT SAMPLE SITE	PA								TELCOR POCT			-SELECT-
Method: TELCOR POCT      Last received: 4/14/2023 1306      Last verified: 4/14/2023 1306 by Lab, Background User													







AT



Chart Review

Specimen Inquiry

Order Inquiry

Orders

Media Manager

Patient Station

23H-104PC0044

23H-104PC0045

Anna Test

Legal: Anna Test

Female, 65 y.o., 4/11/1958

MRN: 926300445

Unit/Bed: CH PAVA 8 T1 UNI-120A

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Attending Physician  
Inpatient, MD  
Attending

Allergies: No Known Allergies

Opioid Use Disorder/Overdose  
Risk: 2Pain Agreement: Not on File  
Dosing Weight: None

ADMITTED: 1/4/2023 (100 D)

Patient Class: Inpatient

No active principal problem

Height: —

Last Wt: 74.8 kg (165 lb)

BMI: —

Social Determinants



## Specimen Inquiry: 23H-104PC0045

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, ARTERIAL	7.16		↓					7.31-7.42	TELCOR POCT			7.07
1	POCT PCO2, ARTERIAL	61	mmHg	↓					32-45	TELCOR POCT			22
1	POCT PO2, ARTERIAL	56	mmHg	↓					>80	TELCOR POCT			68
1	POCT SO2, ARTERIAL	82	%	↓					94-98	TELCOR POCT			91.0
1	POCT BASE EXCESS	-6.8	mmol/L	↓					-2.0-3.0	TELCOR POCT			-6.8
1	POCT BICARBONATE CALCULATED	22	mmol/L	✓					22-26	TELCOR POCT			22
1	POCT SODIUM	140	mmol/L	✓					136-145	TELCOR POCT			140
1	POCT POTASSIUM	3.0	mmol/L	↓					3.6-4.9	TELCOR POCT			3.0
1	POCT CHLORIDE	106	mmol/L	✓					97-107	TELCOR POCT			106
1	POCT GLUCOSE	115	mg/dL	↑					74-99	TELCOR POCT			115
1	POCT IONIZED CALCIUM	3.7	mg/dL	↓					4.6-5.1	TELCOR POCT			3.7
1	POCT HEMATOCRIT	27.6	%	↓					34.0-45.0	TELCOR POCT			27.8
1	POCT LACTATE ARTERIAL	7.9	mmol/L	↑					0.5-1.6	TELCOR POCT			5.8
1	POCT OXYHEMOGLOBIN, ARTERIAL	80.0	%	↓					94.0-97.0	TELCOR POCT			85.0
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	17.6	%	↑					<4.1	TELCOR POCT			6.5
1	POCT TOTAL HEMOGLOBIN	9.0	g/dL	↓					11.2-15.7	TELCOR POCT			9.1
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			PHELPS,...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414130100								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			-SELECT-







AT

Anna Test

Legal: Anna Test

Female, 65 y.o., 4/11/1958

MRN: 926300445

Unit/Bed: CH PAVA 8 T1 UNI-120A

Code: Assume Full (no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

Attending Physician  
Inpatient, MD  
Attending

Allergies: No Known Allergies

Opioid Use Disorder/Overdose Risk: 2

Pain Agreement: Not on File

Dosing Weight: None

ADMITTED: 1/4/2023 (100 D)

Patient Class: Inpatient

No active principal problem

Height: —

Last Wt: 74.8 kg (165 lb)

BMI: —

Social Determinants:



Specimen Inquiry: 23H-104PC0044

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units	I	A	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, VENOUS	7.16		↓					7.32-7.43	TELCOR POCT			7.40
1	POCT PCO2 VENOUS	61		↓					37-52	TELCOR POCT			34
1	POCT PO2 VENOUS	55	mmHg	↑					25-40	TELCOR POCT			212
1	POCT SO2 VENOUS	82	%	↑					65-80	TELCOR POCT			>100.0
1	POCT BASE EXCESS	-6.8	mmol/L	↓					-2.0-3.0	TELCOR POCT			-3.6
1	POCT BICARBONATE CALCULATED	22	mmol/L	✓					22-26	TELCOR POCT			21
1	POCT SODIUM	140	mmol/L	✓					136-145	TELCOR POCT			141
1	POCT POTASSIUM	3.0	mmol/L	↓					3.6-4.9	TELCOR POCT			4.0
1	POCT CHLORIDE	106	mmol/L	✓					97-107	TELCOR POCT			105
1	POCT GLUCOSE	115	mg/dL	↑					74-99	TELCOR POCT			51
1	POCT IONIZED CALCIUM	3.7	mg/dL	↓					4.6-5.1	TELCOR POCT			4.5
1	POCT HEMATOCRIT	27.8	%	↓					34.0-45.0	TELCOR POCT			33.9
1	POCT LACTATE VENOUS	7.7	mmol/L	↑					0.5-2.2	TELCOR POCT			4.0
1	POCT OXYHEMOGLOBIN, VENOUS	80.0	%	↑					40.0-70.0	TELCOR POCT			97.0
1	POCT HEMOGLOBIN REDUCED, VENOUS	17.8	%							TELCOR POCT			<2.4
1	POCT TOTAL HEMOGLOBIN	9.1	g/dL	↓					11.2-15.7	TELCOR POCT			11.0
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			Peavie...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414125800								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
	Comments:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			CONDUIT

Method: TELCOR POCT

Last received: 4/14/2023 12:14

Last verified: 4/14/2023 12:14 by: Cath Lab Background User







DT



Chart Review

Specimen Inquiry



Order Inquiry

Orders

Media Manager

Patient Station

23H-104PC0047

## Delay Test

Legal: Delay Test

Female, 71 y.o., 2/1/1952

MRN: 80000796

Unit/Bed: CH PAVA OR--

Cur Location: Exam Rm 1

Code: Assume Full  
(no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

 Joseph L Bobadilla,  
MD  
Attending

Allergies: Not on File

Opioid Use Disorder/Overdose  
Risk: 2Pain Agreement: Not on File  
Dosing Weight: None

ADMITTED: 11/14/2022 (151 D)

Patient Class: Hospital  
Outpatient Surgery

No active principal problem

Height: —

Last Wt: —

BMI: —

Social Determinants:



## Specimen Inquiry: 23H-104PC0047

Specimen Update Documents Labels Patient Inquiry

Res	Component	Value	Units		Δ	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, ARTERIAL	7.14		↓					7.31-7.42	TELCOR POCT			7.31
1	POCT PCO2, ARTERIAL	81	mmHg	↓					32-45	TELCOR POCT			45
1	POCT PO2, ARTERIAL	73	mmHg	↔					>70	TELCOR POCT			46
1	POCT SO2, ARTERIAL	90	%	↓					94-98	TELCOR POCT			78.4
1	POCT BASE EXCESS	-2.0	mmol/L	↔					-2.0-3.0	TELCOR POCT			1.6
1	POCT BICARBONATE CALCULATED	27	mmol/L	↑					22-26	TELCOR POCT			30
1	POCT SODIUM	147	mmol/L	↑					136-145	TELCOR POCT			144
1	POCT POTASSIUM	4.0	mmol/L	↔					3.6-4.9	TELCOR POCT			4.0
1	POCT CHLORIDE	109	mmol/L	↑					97-107	TELCOR POCT			99
1	POCT GLUCOSE	87	mg/dL	↔					74-99	TELCOR POCT			128
1	POCT IONIZED CALCIUM	4.1	mg/dL	↓					4.6-5.1	TELCOR POCT			3.9
1	POCT HEMATOCRIT	22.0	%	↓					34.0-45.0	TELCOR POCT			29.0
1	POCT LACTATE ARTERIAL	5.8	mmol/L	↑					0.5-1.6	TELCOR POCT			6.8
1	POCT OXYHEMOGLOBIN, ARTERIAL	87.0	%	↓					94.0-97.0	TELCOR POCT			77.0
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	9.8	%	↑					<4.1	TELCOR POCT			21.3
1	POCT TOTAL HEMOGLOBIN	7.2	g/dL	↓					11.2-15.7	TELCOR POCT			9.5
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY	BP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414131200								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425N0020								TELCOR POCT			092R042...
	Comment:	Testing performed by Cath Lab staff. All results are immediately given to the physician. Results have not been confirmed by the Clinical Laboratory. It is the responsibility of the physician to confirm results.											
1	POCT SAMPLE SITE	-SELECT-								TELCOR POCT			-SELECT-

Method: TELCOR POCT

Last received: 4/14/2023 1315

Last verified: 4/14/2023 1315 by Lab, Background User







Discharged

Avs Test

Legal: Avs Test  
 Male, 123 y.o., 1/1/1900  
 MRN: 926300635  
 Code: Assume Full  
 (no ACP docs)

FIRST CALL PROVIDER: None

PRIMARY NURSE: None

Search

COVID-19 Vaccine: Unknown

COVID-19: Unknown

No attending provider

Allergies: Not on File  
 Opioid Use Disorder/Overdose  
 Risk: 5

Pain Agreement: Not on File  
 Dosing Weight: None

DISCHARGED: TODAY  
 Patient Class: Emergency  
 No active principal problem

Height: —

Last Wt: —

BMI: —

Social Determinants:



Specimen Inquiry: 23H-104PC0050

Specimen Update Documents Labels Patient Inquiry

Specimen Inquiry

Specimen Inquiry

1337 Specimen Created From Interface queue 334353

Beaker, Poct In  
 Interface, Results From Lab Instruments - To  
 Beaker, Poct In CHHLAB FSINTF

POCT Arterial Blood Gas

Res	Component	Value	Units	!	Δ	L	IE	R	Ref. Range	Method	Chart	Trend	PV
1	POCT PH, ARTERIAL	7.10		!					7.26-7.43	TELCOR POCT			7.16
1	POCT PCO2, ARTERIAL	80	mmHg	!					35-48	TELCOR POCT			59
1	POCT PO2, ARTERIAL	47	mmHg	!					>60	TELCOR POCT			49
1	POCT SO2, ARTERIAL	70	%	!					94-98	TELCOR POCT			72.7
1	POCT BASE EXCESS	-6.7	mmol/L	!					-2.0-3.0	TELCOR POCT			-7.4
1	POCT BICARBONATE CALCULATED	25	mmol/L						22-26	TELCOR POCT			23
1	POCT SODIUM	144	mmol/L						136-145	TELCOR POCT			152
1	POCT POTASSIUM	3.0	mmol/L	!					3.6-4.9	TELCOR POCT			4.0
1	POCT CHLORIDE	101	mmol/L						97-107	TELCOR POCT			112
1	POCT GLUCOSE	131	mg/dL	!					74-99	TELCOR POCT			30
1	POCT IONIZED CALCIUM	3.5	mg/dL	!					4.5-5.3	TELCOR POCT			3.1
1	POCT HEMATOCRIT	39.3	%	!					40.0-51.0	TELCOR POCT			19.7
1	POCT LACTATE ARTERIAL	8.6	mmol/L	!					0.5-1.6	TELCOR POCT			3.5
1	POCT OXYHEMOGLOBIN, ARTERIAL	69.0	%	!					94.0-97.0	TELCOR POCT			70.0
1	POCT HEMOGLOBIN REDUCED, ARTERIAL	29.0	%	!					<4.1	TELCOR POCT			26.5
1	POCT TOTAL HEMOGLOBIN	12.6	g/dL	!					13.7-17.5	TELCOR POCT			6.4
1	OPERATOR NAME	PHELPS, APRIL								TELCOR POCT			PHELPS...
1	ACKNOWLEDGED, NOTIFIED BY	SP								TELCOR POCT			
1	CRITICAL NOTIFY TIME	20230414132100								TELCOR POCT			
1	DEVICE SERIAL NUMBER	092R0425ND020								TELCOR POCT			092R042...