

UK HealthCare Clinical Laboratories Reference Ranges Export - October 2023

Procedure [EAP]	Test [OVT]	Component Name	Abbrev	Units	Decimal Places/Precision (N)	External Name	LOINC	Parameter Summary	Sex	Age (From)	Age Units (From)	Age (To)	Age Units (To)	Result Checking Type	Low (N)	High (N)	Numeric Range (N)	Values (CIS)	Ref Range Display Text
PH, PLEURAL FLUID [LAB110]	pH Pleural Fluid [1230100013]	PH, PLEURAL FLUID			2	pH, Pleural Fluid	2748-2		~	~	~	~	~	Reference Range	7.60	7.66	7.60-7.66		
PH, PLEURAL FLUID [LAB110]	pH Pleural Fluid [1230100013]	PH, PLEURAL FLUID			2	pH, Pleural Fluid	2748-2		~	~	~	~	~	Valid Checking [1.1]	7.00	7.60	7.00-7.60		
PH, PLEURAL FLUID [LAB110]	pH Pleural Fluid [1230100013]	PH, PLEURAL FLUID			2	pH, Pleural Fluid	2748-2		~	~	~	~	~	Abnormality - Abnormal [2.2]	7.60	7.66	<7.60 or >7.66		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	0 up to 1 Years	~	0		1	Years	Reference Range	4.4	5.9	4.4-5.9		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	0 up to 1 Years	~	0		1	Years	Valid Checking [1.1]	0.8	8.0	0.8-8.0		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	0 up to 1 Years	~	0		1	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	0 up to 1 Years	~	0		1	Years	Abnormality - Abnormal [2.2]	4.4	5.9	<4.4 or >5.9		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	0 up to 1 Years	~	0		1	Years	Delta Checking [8.1]					
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	1 Years up to 18 Years	~	1	Years	18	Years	Reference Range	4.8	5.5	4.8-5.5		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	1 Years up to 18 Years	~	1	Years	18	Years	Valid Checking [1.1]	0.8	8.0	0.8-8.0		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	4.8	5.5	<4.8 or >5.5		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	4.6	5.3	4.6-5.3		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	0.8	8.0	0.8-8.0		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		
IONIZED CALCIUM, SERUM [LAB120027]	Ionized Calcium, Serum [1230100379]	IONIZED CALCIUM, SERUM	ICAS	mg/dL	1	Ionized Calcium, Serum	17864-0	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	4.6	5.3	<4.6 or >5.3		
CARBOXYHEMOGLOBIN [LAB56]	Carboxyhemoglobin [1230100381]	CARBOXYHEMOGLOBIN	COHB	%	1	Carboxyhemoglobin	20563-3		~	~	~	~	~	Reference Range	0.0	3.0	0.0-3.0		
CARBOXYHEMOGLOBIN [LAB56]	Carboxyhemoglobin [1230100381]	CARBOXYHEMOGLOBIN	COHB	%	1	Carboxyhemoglobin	20563-3		~	~	~	~	~	Valid Checking [1.1]	0.2	52.0	0.2-52.0		
CARBOXYHEMOGLOBIN [LAB56]	Carboxyhemoglobin [1230100381]	CARBOXYHEMOGLOBIN	COHB	%	1	Carboxyhemoglobin	20563-3		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.0	3.0	<0.0 or >3.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days	~	0		1	Days	Reference Range	7.26	7.49	7.26-7.49		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days	~	0		1	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80		

BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	0 up to 4 Days	~	0		4	Days	Abnormality - Abnormal [2.2]	-10.0	-2.0	<-10.0 or >-2.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Reference Range	-7.0	-1.0	-7.0-1.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Abnormality - Abnormal [2.2]	-7.0	-1.0	<-7.0 or >-1.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Reference Range	-4.0	2.0	-4.0-2.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Abnormality - Abnormal [2.2]	-4.0	2.0	<-4.0 or >2.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	12 Years up to unspecified	~	12	Years	unspecified		Reference Range	-2.0	3.0	-2.0-3.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	12 Years up to unspecified	~	12	Years	unspecified		Abnormality - Abnormal [2.2]	-2.0	3.0	<-2.0 or >3.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	0 up to 14 Days	~	0		14	Days	Reference Range	17	24	17-24		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	0 up to 14 Days	~	0		14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified		Reference Range	22	26	22-26		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified		Abnormality - Abnormal [2.2]	22	26	<22 or >26		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Reference Range	7.26	7.49	7.26-7.49		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	7.29	7.45	7.29-7.45		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80		

BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2,2]	29.0	37.0	<29.0 or >37.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2,1]	19.5		<19.5		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2,2]	31.0	38.0	<31.0 or >38.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2,1]	19.5		<19.5		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2,2]	31.0	38.0	<31.0 or >38.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2,1]	19.5		<19.5		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2,2]	32.0	40.0	<32.0 or >40.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2,1]	19.5		<19.5		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2,2]	33.0	44.0	<33.0 or >44.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2,1]	19.5		<19.5		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2,2]	40.0	51.0	<40.0 or >51.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2,2]	0.5	1.6	<0.5 or >1.6		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	~	Linearity Checking [9,1]	0.4	24.0	<0.4 or >24.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Abnormality - Critical [2,1]		8.0	>8.0		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Abnormality - Abnormal [2,2]	0.5	1.6	<0.5 or >1.6		
BLOOD GAS PANEL, ARTERIAL [LAB76] ARTERIAL BLOOD STICK (PFT LAB PERFORMED) [LAB10700]	Blood Gas Panel Arterial [1230100403]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Linearity Checking [9,1]	0.4	24.0	<0.4 or >24.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PH, VENOUS	VPH		2	pH, Venous	2746-6		~	~	~	~	~	Reference Range	7.32	7.43	7.32-7.43		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PH, VENOUS	VPH		2	pH, Venous	2746-6		~	~	~	~	~	Abnormality - Critical [2,1]	7.25	7.60	<=7.25 or >=7.60		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PH, VENOUS	VPH		2	pH, Venous	2746-6		~	~	~	~	~	Abnormality - Abnormal [2,2]	7.32	7.43	<7.32 or >7.43		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PH, VENOUS	VPH		2	pH, Venous	2746-6		~	~	~	~	~	Linearity Checking [9,1]	6.70	7.80	<6.70 or >7.80		

BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months Lab Patient	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Reference Range	40	55	40-55	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	40	55	40-55	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PO2, VENOUS	VPO2	mmHg	0	pO2, Venous	2705-2		~	~	~	~	~	Reference Range	25	40	25-40	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PO2, VENOUS	VPO2	mmHg	0	pO2, Venous	2705-2		~	~	~	~	~	Abnormality - Abnormal [2.2]	25	40	<25 or >40	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PO2, VENOUS	VPO2	mmHg	0	pO2, Venous	2705-2		~	~	~	~	~	Linearity Checking [9.1]	15	550	<15 or >550	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	0 up to 4 Days	~	0		4	Days	Reference Range	40	85	40-85	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	0 up to 4 Days	~	0		4	Days	Valid Checking [1.1]	0	100	0-100	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	0 up to 4 Days	~	0		4	Days	Abnormality - Abnormal [2.2]	40	85	<40 or >85	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	0 up to 4 Days	~	0		4	Days	Linearity Checking [9.1]	0	100	<0 or >100	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified		Reference Range	65	80	65-80	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified		Valid Checking [1.1]	0	100	0-100	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified		Abnormality - Abnormal [2.2]	65	80	<65 or >80	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified		Linearity Checking [9.1]	0	100	<0 or >100	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	0 up to 4 Days	~	0		4	Days	Reference Range	-10.0	-2.0	-10.0-2.0	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	0 up to 4 Days	~	0		4	Days	Abnormality - Abnormal [2.2]	-10.0	-2.0	<-10.0 or >-2.0	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	4 Days up to 24 Months	~	4	Days	24	Months	Reference Range	-7.0	-1.0	-7.0-1.0	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	4 Days up to 24 Months	~	4	Days	24	Months	Abnormality - Abnormal [2.2]	-7.0	-1.0	<-7.0 or >-1.0	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	24 Months up to 12 Years	~	24	Months	12	Years	Reference Range	-4.0	2.0	-4.0-2.0	
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	24 Months up to 12 Years	~	24	Months	12	Years	Abnormality - Abnormal [2.2]	-4.0	2.0	<-4.0 or >2.0	

BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	12 Years up to unspecified	~	12	Years	unspecified	Reference Range	-2.0	3.0	-2.0-3.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	12 Years up to unspecified	~	12	Years	unspecified	Abnormality - Abnormal [2.2]	-2.0	3.0	<-2.0 or >3.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	0 up to 14 Days	~	0		14 Days	Reference Range	17	24	17-24		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	0 up to 14 Days	~	0		14 Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2 Months	Reference Range	19	24	19-24		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2 Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2 Years	Reference Range	16	24	16-24		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2 Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified	Reference Range	22	26	22-26		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified	Abnormality - Abnormal [2.2]	22	26	<22 or >26		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PH, TEMP CORRECTED, VENOUS	VTPH		2	pH, Temp Corrected, Venous	39486-6		~	~	~	~	Reference Range	7.32	7.43	7.32-7.43		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PH, TEMP CORRECTED, VENOUS	VTPH		2	pH, Temp Corrected, Venous	39486-6		~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PH, TEMP CORRECTED, VENOUS	VTPH		2	pH, Temp Corrected, Venous	39486-6		~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PH, TEMP CORRECTED, VENOUS	VTPH		2	pH, Temp Corrected, Venous	39486-6		~	~	~	~	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days Lab Patient Dep	Female	0		4 Days	Reference Range	33	47	33-47		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days Lab Patient Dep	Female	0		4 Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days Lab Patient Dep	Female	0		4 Days	Linearity Checking [9.1]	9	115	<9 or >115		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days	Female	0		4 Days	Reference Range	33	47	33-47		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days	Female	0		4 Days	Abnormality - Critical [2.1]		60	>=60		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days	Female	0		4 Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days	Female	0		4 Days	Linearity Checking [9.1]	9	115	<9 or >115		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24 Months	Reference Range	33	48	33-48		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24 Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48		

BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Reference Range	40	55	40-55	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified	Male	24	Months	unspecified	Reference Range	40	55	40-55	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Critical [2.1]		60	>=60	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified	Male	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PO2, TEMP CORRECTED, VENOUS	VT02	mmHg	0	pO2, Temp Corrected, Venous	19258-3	0 up to 1 Days	~	0	1	Days	Linearity Checking [9.1]	15	550	<15 or >550	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PO2, TEMP CORRECTED, VENOUS	VT02	mmHg	0	pO2, Temp Corrected, Venous	19258-3	1 Days up to unspecified	~	1	Days	unspecified	Reference Range	25	40	25-40	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PO2, TEMP CORRECTED, VENOUS	VT02	mmHg	0	pO2, Temp Corrected, Venous	19258-3	1 Days up to unspecified	~	1	Days	unspecified	Abnormality - Abnormal [2.2]	25	40	<25 or >40	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	PO2, TEMP CORRECTED, VENOUS	VT02	mmHg	0	pO2, Temp Corrected, Venous	19258-3	1 Days up to unspecified	~	1	Days	unspecified	Linearity Checking [9.1]	15	550	<15 or >550	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Reference Range	133	146	133-146	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Linearity Checking [9.1]	100	200	<100 or >200	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Linearity Checking [9.1]	100	200	<100 or >200
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Reference Range	136	145	136-145	

BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Reference Range	74	99	74-99		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Critical [2.1]	50		<=50		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department	~	0		1	Days	Reference Range	4.3	5.1	4.3-5.1		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department	~	0		1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department	~	0		1	Days	Delta Checking [8.1]					
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department	~	0		1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Reference Range	4.3	5.1	4.3-5.1		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Delta Checking [8.1]					
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Delta Checking [8.1]					
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7		
BLOOD GAS PANEL_VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		

BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Delta Checking [8.1]			
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Delta Checking [8.1]			
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Delta Checking [8.1]			
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Reference Range	4.5	5.3	4.5-5.3	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Delta Checking [8.1]				
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Reference Range	4.5	5.3	4.5-5.3	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Delta Checking [8.1]				
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	40.0	57.0	40.0-57.0

BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2		

BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9								Abnormality - Critical [2.1]	8.0	>8.0		
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9								Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2	
BLOOD GAS PANEL, VENOUS [LAB79]	Blood Gas Panel Venous [1230100406]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9								Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0	
METHEMOGLOBIN [LAB91]	Methemoglobin [1230100419]	METHEMOGLOBIN	METHB	%	1	Methemoglobin	2614-6								Reference Range	0.0	1.5	0.0-1.5	
METHEMOGLOBIN [LAB91]	Methemoglobin [1230100419]	METHEMOGLOBIN	METHB	%	1	Methemoglobin	2614-6								Valid Checking [1.1]	0.2	31.0	0.2-31.0	
METHEMOGLOBIN [LAB91]	Methemoglobin [1230100419]	METHEMOGLOBIN	METHB	%	1	Methemoglobin	2614-6								Abnormality - Abnormal [2.2]	0.0	1.5	<0.0 or >1.5	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days							Reference Range	7.26	7.49	7.26-7.49	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days							Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days							Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days							Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	1 Days up to 2 Days							Reference Range	7.29	7.45	7.29-7.45	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	1 Days up to 2 Days							Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	1 Days up to 2 Days							Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	1 Days up to 2 Days							Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	2 Days up to 60 Years							Reference Range	7.35	7.45	7.35-7.45	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	2 Days up to 60 Years							Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	2 Days up to 60 Years							Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	2 Days up to 60 Years							Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	60 Years up to 90 Years							Reference Range	7.31	7.42	7.31-7.42	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	60 Years up to 90 Years							Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	7.26	7.43	7.26-7.43	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	7.26	7.43	<7.26 or >7.43	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified		Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Reference Range	27	40	27-40	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Reference Range	27	40	27-40	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Critical [2.1]		60	>=60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years Lab Patient Dep	Female	4	Days	2	Years	Reference Range	27	41	27-41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years Lab Patient Dep	Female	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years Lab Patient Dep	Female	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Reference Range	27	41	27-41

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Abnormality - Critical [2.1]	60	>=60			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years Lab Pat	Female	2	Years	150	Years	Reference Range	32	45	32-45		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years Lab Pat	Female	2	Years	150	Years	Abnormality - Abnormal [2.2]	32	45	<32 or >45		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years Lab Pat	Female	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Reference Range	32	45	32-45		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Abnormality - Critical [2.1]	60	>=60			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Abnormality - Abnormal [2.2]	32	45	<32 or >45		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days		Reference Range	27	40	27-40		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days		Abnormality - Abnormal [2.2]	27	40	<27 or >40		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days		Linearity Checking [9.1]	9	115	<=9 or >115		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0	4	Days		Reference Range	27	40	27-40		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0	4	Days		Abnormality - Critical [2.1]	60	>=60			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0	4	Days		Abnormality - Abnormal [2.2]	27	40	<27 or >40		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) (1230102222)	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0	4	Days		Linearity Checking [9.1]	9	115	<=9 or >115		

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Reference Range	27	41	27-41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Reference Range	27	41	27-41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Abnormality - Critical [2.1]		60	>=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years Lab Patient	Male	2	Years	150	Years	Reference Range	35	48	35-48
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years Lab Patient	Male	2	Years	150	Years	Abnormality - Abnormal [2.2]	35	48	<35 or >48
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years Lab Patient	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Reference Range	35	48	35-48
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Critical [2.1]		60	>=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Abnormal [2.2]	35	48	<35 or >48
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days Lab Patient Department is ~		0	1	Days		Reference Range	31	85	31-85
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days Lab Patient Department is ~		0	1	Days		Abnormality - Abnormal [2.2]	31	85	<31 or >85
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days Lab Patient Department is ~		0	1	Days		Linearity Checking [9.1]	15	550	<15 or >550

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days	Reference Range	50	85	>50-85	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days	Abnormality - Abnormal [2.2]	31	85	<31 or >85	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days	Linearity Checking [9.1]	15	550	<15 or >550	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Reference Range	54	95	54-95
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	54	95	54-95
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Reference Range	83	108	83-108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Reference Range	83	108	83-108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Critical [2.1]	50	300	<=50 or >=300
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years Lab Patient Dep	~	2	Months	60	Years	Reference Range	83	108	83-108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years Lab Patient Dep	~	2	Months	60	Years	Abnormality - Abnormal [2.2]	83	108	<83 or >108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years Lab Patient Dep	~	2	Months	60	Years	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Reference Range	83	108	83-108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Abnormality - Critical [2.1]	60		<=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Abnormality - Abnormal [2.2]	83	108	<83 or >108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Reference Range	80		>80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Abnormality - Abnormal [2.2]	80		<=80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Reference Range	80		>80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Abnormality - Critical [2.1]	60		<=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Abnormality - Abnormal [2.2]	80		<=80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Reference Range	70		>70
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70		<=70

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Reference Range	70		>70
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Critical [2.1]	60		<=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70		<=70
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Reference Range	60		>60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Abnormality - Abnormal [2.2]	60		<=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified		Reference Range	60		>60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified		Abnormality - Critical [2.1]	60		<=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified		Abnormality - Abnormal [2.2]	60		<=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified		Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	0 up to 4 Days	~	0		4	Days	Reference Range	40	90	40-90
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	0 up to 4 Days	~	0		4	Days	Valid Checking [1.1]	0	100	0-100
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	0 up to 4 Days	~	0		4	Days	Abnormality - Abnormal [2.2]	40	90	<40 or >90
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	0 up to 4 Days	~	0		4	Days	Linearity Checking [9.1]	0	100	<0 or >100
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	4 Days up to unspecified	~	4	Days	unspecified		Reference Range	94	98	94-98

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SO2, ARTERIAL MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	4 Days up to unspecified	~	4	Days	unspecified		Valid Checking [1.1]	0	100	0-100
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SO2, ARTERIAL MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	4 Days up to unspecified	~	4	Days	unspecified		Abnormality - Abnormal [2.2]	94	98	<94 or >98
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SO2, ARTERIAL MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	4 Days up to unspecified	~	4	Days	unspecified		Linearity Checking [9.1]	0	100	<0 or >100
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	0 up to 4 Days	~	0	4	Days		Reference Range	-10.0	-2.0	-10.0-2.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	0 up to 4 Days	~	0	4	Days		Abnormality - Abnormal [2.2]	-10.0	-2.0	<-10.0 or >-2.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Reference Range	-7.0	-1.0	-7.0-1.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Abnormality - Abnormal [2.2]	-7.0	-1.0	<-7.0 or >-1.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Reference Range	-4.0	2.0	-4.0-2.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Abnormality - Abnormal [2.2]	-4.0	2.0	<-4.0 or >2.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	12 Years up to unspecified	~	12	Years	unspecified		Reference Range	-2.0	3.0	-2.0-3.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	12 Years up to unspecified	~	12	Years	unspecified		Abnormality - Abnormal [2.2]	-2.0	3.0	<-2.0 or >3.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	0 up to 14 Days	~	0	14	Days		Reference Range	17	24	17-24
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	0 up to 14 Days	~	0	14	Days		Abnormality - Abnormal [2.2]	17	24	<17 or >24
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BICARBONATE CALCULATED, ARTERIAL				Bicarbonat e, Calculated, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified		Reference Range	22	26	22-26
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonat e, Calculated, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified		Abnormality - Abnormal [2.2]	22	26	<22 or >26
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL			2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Reference Range	7.26	7.49	7.26-7.49
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	7.29	7.45	7.29-7.45
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	7.31	7.42	7.31-7.42
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	60 Years up to 90 Years	~	60	Years	90	Years	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	7.26	7.43	7.26-7.43
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	7.26	7.43	<7.26 or >7.43
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	90 Years up to unspecified	~	90	Years	unspecified		Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	27	40	27-40
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	27	40	27-40
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Critical [2.1]		60	>=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 0 up to 4 Days	Female	0		4	Days	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 4 Days up to 2 Years Lab Patient Dep	Female	4	Days	2	Years	Reference Range	27	41	27-41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 4 Days up to 2 Years Lab Patient Dep	Female	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 4 Days up to 2 Years Lab Patient Dep	Female	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Reference Range	27	41	27-41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Abnormality - Critical [2.1]		60	>=60

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years Lab Pat	Female	2	Years	150	Years	Reference Range	32	45	32-45
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years Lab Pat	Female	2	Years	150	Years	Abnormality - Abnormal [2.2]	32	45	<32 or >45
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years Lab Pat	Female	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Reference Range	32	45	32-45
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Abnormality - Critical [2.1]	60	>=60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Abnormality - Abnormal [2.2]	32	45	<32 or >45
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days		Reference Range	27	40	27-40
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days		Abnormality - Abnormal [2.2]	27	40	<27 or >40
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days		Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days	Male	0	4	Days		Reference Range	27	40	27-40
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days	Male	0	4	Days		Abnormality - Critical [2.1]	60	>=60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days	Male	0	4	Days		Abnormality - Abnormal [2.2]	27	40	<27 or >40
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days	Male	0	4	Days		Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Reference Range	27	41	27-41

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Reference Range	27	41	27-41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Abnormality - Critical [2.1]	60		>=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years Lab Patie	Male	2	Years	150	Years	Reference Range	35	48	35-48
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years Lab Patie	Male	2	Years	150	Years	Abnormality - Abnormal [2.2]	35	48	<35 or >48
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years Lab Patie	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Reference Range	35	48	35-48
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Critical [2.1]	60		>=60
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Abnormal [2.2]	35	48	<35 or >48
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days Lab Patient Department is ~		0	1	Days	Reference Range	31	85	31-85	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days Lab Patient Department is ~		0	1	Days	Abnormality - Abnormal [2.2]	31	85	<31 or >85	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days Lab Patient Department is ~		0	1	Days	Linearity Checking [9.1]	15	550	<15 or >550	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days	~	0	1	Days	Reference Range	50	85	>50-85	

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days	~	0	1	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days	~	0	1	Days	Abnormality - Abnormal [2.2]	31	85	<31 or >85	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days	~	0	1	Days	Linearity Checking [9.1]	15	550	<15 or >550	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Reference Range	54	95	54-95
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	54	95	54-95
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days	~	1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Reference Range	83	108	83-108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Linearity Checking [9.1]	15	550	<15 or >550
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months	~	2	Days	2	Months	Reference Range	83	108	83-108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Critical [2.1]	50	300	<=50 or >=300
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months	~	2	Days	2	Months	Linearity Checking [9.1]	15	550	<15 or >550

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Reference Range	70	>70			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Critical [2.1]	60	<=60			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70	<=70			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Linearity Checking [9.1]	15	550	<15 or >550		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Reference Range	60	>60			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Abnormality - Abnormal [2.2]	60	<=60			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Linearity Checking [9.1]	15	550	<15 or >550		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified		Reference Range	60	>60			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified		Abnormality - Critical [2.1]	60	<=60			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified		Abnormality - Abnormal [2.2]	60	<=60			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified		Linearity Checking [9.1]	15	550	<15 or >550		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Reference Range	133	146	133-146			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Linearity Checking [9.1]	100	200	<100 or >200			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165		

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Linearity Checking [9.1]	100	200	<100 or >200
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Reference Range	136	145	136-145	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Linearity Checking [9.1]	100	200	<100 or >200	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9	

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	Lab Patient De	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified		~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified		~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified		~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified		~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days		~	0	8	Days	Reference Range	96	111	96-111	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days		~	0	8	Days	Valid Checking [1.1]	50	140	50-140	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days		~	0	8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days		~	0	8	Days	Linearity Checking [9.1]	50	140	<50 or >140	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months		~	8	Days	7	Months	Reference Range	96	110	96-110
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months		~	8	Days	7	Months	Valid Checking [1.1]	50	140	50-140
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months		~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months		~	8	Days	7	Months	Linearity Checking [9.1]	50	140	<50 or >140
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years		~	7	Months	1	Years	Reference Range	96	108	96-108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years		~	7	Months	1	Years	Valid Checking [1.1]	50	140	50-140
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years		~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years		~	7	Months	1	Years	Linearity Checking [9.1]	50	140	<50 or >140

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	97	107	97-107	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	50	140	50-140	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	97	107	<97 or >107	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	50	140	<50 or >140	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Reference Range	41	60	41-60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Critical [2.1]	40		<=40	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Reference Range	41	60	41-60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Reference Range	60	99	60-99
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Abnormality - Critical [2.1]	50		<=50
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient Depart	~	17	Years	unspecified		Reference Range	74	99	74-99
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient Depart	~	17	Years	unspecified		Abnormality - Critical [2.1]	50		<=50
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient Depart	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient Depart	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Abnormal [2.2]	74	99	<74 or >99	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified	Linearity Checking [9.1]	10	700	<10 or >700	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0		1	Days	Reference Range	4.3	5.1	4.3-5.1
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0		1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0		1	Days	Delta Checking [8.1]			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0		1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Reference Range	4.3	5.1	4.3-5.1
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Delta Checking [8.1]			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0		1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Delta Checking [8.1]			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Delta Checking [8.1]			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Delta Checking [8.1]			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Delta Checking [8.1]			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Delta Checking [8.1]			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Delta Checking [8.1]				
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	40.0	57.0	40.0-57.0	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Critical [2.1]	19.5		<19.5	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0	
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5	<19.5			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5	<19.5			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5	<19.5			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	19.5	<19.5			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	19.5	<19.5			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0	15	Days		Reference Range	40.0	57.0	40.0-57.0		
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0	15	Days		Abnormality - Critical [2.1]	19.5	<19.5			
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0	15	Days		Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0		

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY (LAB11333)	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5

ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
ARTERIAL BLOOD STICK (PFT LAB PERFORMED) STUDY [LAB11333]	Blood Gas Arterial Blood Stick (PFT - Study) [1230102222]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0		1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0		1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5

POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
POTASSIUM, WHOLE BLOOD [LAB120029]	Potassium, Whole Blood [1230111108]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
LACTATE, VENOUS [LAB120031]	Lactate, Venous [1230111109]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2
LACTATE, VENOUS [LAB120031]	Lactate, Venous [1230111109]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2
LACTATE, VENOUS [LAB120031]	Lactate, Venous [1230111109]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
LACTATE, VENOUS [LAB120031]	Lactate, Venous [1230111109]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	Reference Range	0.5	2.2	0.5-2.2
LACTATE, VENOUS [LAB120031]	Lactate, Venous [1230111109]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	Abnormality - Critical [2.1]	8.0	>8.0	
LACTATE, VENOUS [LAB120031]	Lactate, Venous [1230111109]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2
LACTATE, VENOUS [LAB120031]	Lactate, Venous [1230111109]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
IONIZED CALCIUM, PRISMA [LAB54]	Ionized Calcium, Prisma [1230111112]	IONIZED CALCIUM, OTHER, WHOLE BLOOD		mg/dL	1	Ionized Calcium, Other, Whole Blood			~	~	~	~	Valid Checking [1.1]	0.8	8.0	0.8-8.0
IONIZED CALCIUM, PRISMA [LAB54]	Ionized Calcium, Prisma [1230111112]	IONIZED CALCIUM, OTHER, WHOLE BLOOD		mg/dL	1	Ionized Calcium, Other, Whole Blood			~	~	~	~	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
IONIZED CALCIUM, PRISMA [LAB54]	Ionized Calcium, Prisma [1230111112]	SPECIMEN SOURCE				Specimen Source			~	~	~	~	Valid Checking [1.1]			[, ,]
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days	~	0	1	Days	Reference Range	7.26	7.49	7.26-7.49
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days	~	0	1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH		2	pH, Arterial	2744-1	0 up to 1 Days	~	0	1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	0 up to 1 Days	~	0	1	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	7.29	7.45	7.29-7.45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	7.31	7.42	7.31-7.42
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified	Reference Range	7.26	7.43	7.26-7.43	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	7.26	7.43	<7.26 or >7.43	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, ARTERIAL	PH	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Reference Range	27	40	27-40	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Reference Range	27	40	27-40	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Critical [2.1]	60	>=60		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years Lab Patient Dep	Female	4	Days	2	Years	Reference Range	27	41	27-41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years Lab Patient Dep	Female	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years Lab Patient Dep	Female	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Reference Range	27	41	27-41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Abnormality - Critical [2.1]	60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 4 Days up to 2 Years	Female	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years Lab Patient Dep	Female	2	Years	150	Years	Reference Range	32	45	32-45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years Lab Patient Dep	Female	2	Years	150	Years	Abnormality - Abnormal [2.2]	32	45	<32 or >45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years Lab Patient Dep	Female	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Reference Range	32	45	32-45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Abnormality - Abnormal [2.2]	32	45	<32 or >45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days Lab Patient Depart	Male	0		4	Days	Reference Range	27	40	27-40
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days Lab Patient Depart	Male	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days Lab Patient Depart	Male	0		4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0		4	Days	Reference Range	27	40	27-40
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0		4	Days	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0		4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Reference Range	27	41	27-41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Reference Range	27	41	27-41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years Lab Patie	Male	2	Years	150	Years	Reference Range	35	48	35-48
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years Lab Patie	Male	2	Years	150	Years	Abnormality - Abnormal [2.2]	35	48	<35 or >48
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years Lab Patie	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Reference Range	35	48	35-48
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Abnormal [2.2]	35	48	<35 or >48
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, ARTERIAL	PCO2	mmHg	0	pCO2, Arterial	2019-8	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days Lab Patient Department is ~		0	1	Days		Reference Range	31	85	31-85
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days Lab Patient Department is ~		0	1	Days		Abnormality - Abnormal [2.2]	31	85	<31 or >85
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days Lab Patient Department is ~		0	1	Days		Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days		Reference Range	50	85	>50-85
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days		Abnormality - Critical [2.1]	50	300	<=50 or >=300
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days		Abnormality - Abnormal [2.2]	31	85	<31 or >85
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days		Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Reference Range	54	95	54-95
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	54	95	54-95
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Reference Range	83	108	83-108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Reference Range	83	108	83-108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Critical [2.1]	50	300	<=50 or >=300
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years Lab Patient Dep	~	2	Months	60	Years	Reference Range	83	108	83-108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years Lab Patient Dep	~	2	Months	60	Years	Abnormality - Abnormal [2.2]	83	108	<83 or >108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years Lab Patient Dep	~	2	Months	60	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Reference Range	83	108	83-108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Abnormality - Critical [2.1]	60		<=60

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Abnormality - Abnormal [2.2]	83	108	<83 or >108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Reference Range	80		>80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Abnormality - Abnormal [2.2]	80		<=80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Reference Range	80		>80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Abnormality - Critical [2.1]	60		<=60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Abnormality - Abnormal [2.2]	80		<=80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Reference Range	70		>70
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70		<=70
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Reference Range	70		>70
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Critical [2.1]	60		<=60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70		<=70
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Reference Range	60		>60

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60	<=60			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified	Linearity Checking [9.1]	15	550	<15 or >550		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified	Reference Range	60	>60			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified	Abnormality - Critical [2.1]	60	<=60			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60	<=60			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, ARTERIAL	PO2	mmHg	0	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified	Linearity Checking [9.1]	15	550	<15 or >550		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	0 up to 4 Days	~	0	4	Days	Reference Range	40	90	40-90		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	0 up to 4 Days	~	0	4	Days	Valid Checking [1.1]	0	100	0-100		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	0 up to 4 Days	~	0	4	Days	Abnormality - Abnormal [2.2]	40	90	<40 or >90		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	0 up to 4 Days	~	0	4	Days	Linearity Checking [9.1]	0	100	<0 or >100		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	4 Days up to unspecified	~	4	Days	unspecified	Reference Range	94	98	94-98		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	4 Days up to unspecified	~	4	Days	unspecified	Valid Checking [1.1]	0	100	0-100		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	4 Days up to unspecified	~	4	Days	unspecified	Abnormality - Abnormal [2.2]	94	98	<94 or >98		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SO2, ARTERIAL, MEASURED	ASATM	%	0	SO2, Measured, Arterial	20564-1	4 Days up to unspecified	~	4	Days	unspecified	Linearity Checking [9.1]	0	100	<0 or >100		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	0 up to 4 Days	~	0	4	Days	Reference Range	-10.0	-2.0	-10.0-2.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	0 up to 4 Days	~	0	4	Days	Abnormality - Abnormal [2.2]	-10.0	-2.0	<-10.0 or >-2.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Reference Range	-7.0	-1.0	-7.0-1.0	

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Abnormality - Abnormal [2.2]	-7.0	-1.0	<-7.0 or >-1.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Reference Range	-4.0	2.0	-4.0-2.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Abnormality - Abnormal [2.2]	-4.0	2.0	<-4.0 or >2.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	12 Years up to unspecified	~	12	Years	unspecified	Reference Range	-2.0	3.0	-2.0-3.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BASE EXCESS, ARTERIAL		mmol/L	1	Base Excess, Arterial	1925-7	12 Years up to unspecified	~	12	Years	unspecified	Abnormality - Abnormal [2.2]	-2.0	3.0	<-2.0 or >3.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	0 up to 14 Days	~	0		14	Days	Reference Range	17	24	17-24
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	0 up to 14 Days	~	0		14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified	Reference Range	22	26	22-26	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	BICARBONATE CALCULATED, ARTERIAL	HCO3	mmol/L	0	Bicarbonate, Calculated, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified	Abnormality - Abnormal [2.2]	22	26	<22 or >26	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Reference Range	7.26	7.49	7.26-7.49
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	7.29	7.45	7.29-7.45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	7.31	7.42	7.31-7.42
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	60 Years up to 90 Years	~	60	Years	90	Years	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	7.26	7.43	7.26-7.43
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	7.26	7.43	<7.26 or >7.43
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PH, TEMP CORRECTED, ARTERIAL	OTPH		2	pH, Temp Corrected, Arterial	49701-6	90 Years up to unspecified	~	90	Years	unspecified		Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	27	40	27-40

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Abnormality - Critical [2.1]	60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Abnormality - Abnormal [2.2]	32	45	<32 or >45
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Female 2 Years up to 150 Years	Female	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Reference Range	27	40	27-40	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days	Male	0	4	Days	Reference Range	27	40	27-40	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Critical [2.1]	60	>=60		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 0 up to 4 Days	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Reference Range	27	41	27-41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years Lab Patient	Male	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Reference Range	27	41	27-41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Abnormality - Critical [2.1]	60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Abnormality - Abnormal [2.2]	27	41	<27 or >41
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 4 Days up to 2 Years	Male	4	Days	2	Years	Linearity Checking [9.1]	9	115	<9 or >115

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years Lab Patie	Male	2	Years	150	Years	Reference Range	35	48	35-48
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years Lab Patie	Male	2	Years	150	Years	Abnormality - Abnormal [2.2]	35	48	<35 or >48
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years Lab Patie	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Reference Range	35	48	35-48
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Abnormal [2.2]	35	48	<35 or >48
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days Lab Patient Department is ~		0		1	Days	Reference Range	31	85	31-85
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days Lab Patient Department is ~		0		1	Days	Abnormality - Abnormal [2.2]	31	85	<31 or >85
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days Lab Patient Department is ~		0		1	Days	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days	~	0		1	Days	Reference Range	50	85	>50-85
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	31	85	<31 or >85
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days	~	0		1	Days	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days Lab Patient Departm ~		1	Days	2	Days	Reference Range	54	95	54-95
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days Lab Patient Departm ~		1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days Lab Patient Departm ~		1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	54	95	54-95		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days	~	1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Reference Range	83	108	83-108		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Linearity Checking [9.1]	15	550	<15 or >550		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months	~	2	Days	2	Months	Reference Range	83	108	83-108		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Critical [2.1]	50	300	<=50 or >=300		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months	~	2	Days	2	Months	Linearity Checking [9.1]	15	550	<15 or >550		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Months up to 60 Years Lab Patient Depar	~	2	Months	60	Years	Reference Range	83	108	83-108		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Months up to 60 Years Lab Patient Depar	~	2	Months	60	Years	Abnormality - Abnormal [2.2]	83	108	<83 or >108		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Months up to 60 Years Lab Patient Depar	~	2	Months	60	Years	Linearity Checking [9.1]	15	550	<15 or >550		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Months up to 60 Years	~	2	Months	60	Years	Reference Range	83	108	83-108		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Months up to 60 Years	~	2	Months	60	Years	Abnormality - Critical [2.1]	60		<=60		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Months up to 60 Years	~	2	Months	60	Years	Abnormality - Abnormal [2.2]	83	108	<83 or >108		

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Months up to 60 Years	~	2	Months	60	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Reference Range	80		>80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Abnormality - Abnormal [2.2]	80		<=80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	60 Years up to 70 Years	~	60	Years	70	Years	Reference Range	80		>80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	60 Years up to 70 Years	~	60	Years	70	Years	Abnormality - Critical [2.1]	60		<=60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	60 Years up to 70 Years	~	60	Years	70	Years	Abnormality - Abnormal [2.2]	80		<=80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	60 Years up to 70 Years	~	60	Years	70	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Reference Range	70		>70
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70		<=70
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Reference Range	70		>70
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Critical [2.1]	60		<=60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70		<=70
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Reference Range	60		>60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Abnormality - Abnormal [2.2]	60		<=60

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified	Linearity Checking [9.1]	15	550	<15 or >550	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified	Reference Range	60		>60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified	Abnormality - Critical [2.1]	60		<=60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60		<=60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified	Linearity Checking [9.1]	15	550	<15 or >550	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Reference Range	133	146	133-146	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Linearity Checking [9.1]	100	200	<100 or >200	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Linearity Checking [9.1]	100	200	<100 or >200
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Reference Range	136	145	136-145	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Linearity Checking [9.1]	100	200	<100 or >200	

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Reference Range	96	111	96-111

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Reference Range	96	110	96-110
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Reference Range	96	108	96-108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	97	107	97-107
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	97	107	<97 or >107
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Reference Range	41	60	41-60
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Critical [2.1]	40		<=40

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Reference Range	41	60	41-60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Reference Range	60	99	60-99
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Abnormality - Critical [2.1]	50		<=50
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Reference Range	74	99	74-99
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Critical [2.1]	50		<=50
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days		Reference Range	4.3	5.1	4.3-5.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days		Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days		Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days		Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Reference Range	4.3	5.1	4.3-5.1	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Delta Checking [8.1]				
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Delta Checking [8.1]			

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Years	Reference Range	4.5	5.3	4.5-5.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Years	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Years	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Years	Reference Range	4.5	5.3	4.5-5.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Years	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Years	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0	15	Days	Days	Reference Range	40.0	57.0	40.0-57.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0	15	Days	Days	Abnormality - Critical [2.1]	19.5		<19.5

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	40.0	57.0	40.0-57.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0		

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified	Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	Reference Range	0.5	1.6	0.5-1.6
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	OXYHEMOGLOBIN, ARTERIAL, WHOLE BLOOD		%	1	Oxyhemoglobin, Arterial, Whole Blood	2714-4	0 up to 3 Months	~	0	3	Months	Valid Checking [1.1]	0.2	100.0	0.2-100.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	OXYHEMOGLOBIN, ARTERIAL, WHOLE BLOOD		%	1	Oxyhemoglobin, Arterial, Whole Blood	2714-4	0 up to 3 Months	~	0	3	Months	Linearity Checking [9.1]	0.2	100.0	<0.2 or >100.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	OXYHEMOGLOBIN, ARTERIAL, WHOLE BLOOD		%	1	Oxyhemoglobin, Arterial, Whole Blood	2714-4	3 Months up to unspecified	~	3	Months	unspecified	Reference Range	94.0	97.0	94.0-97.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	OXYHEMOGLOBIN, ARTERIAL, WHOLE BLOOD		%	1	Oxyhemoglobin, Arterial, Whole Blood	2714-4	3 Months up to unspecified	~	3	Months	unspecified	Valid Checking [1.1]	0.2	100.0	0.2-100.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	OXYHEMOGLOBIN, ARTERIAL, WHOLE BLOOD		%	1	Oxyhemoglobin, Arterial, Whole Blood	2714-4	3 Months up to unspecified	~	3	Months	unspecified	Abnormality - Abnormal [2.2]	94.0	97.0	<94.0 or >97.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	OXYHEMOGLOBIN, ARTERIAL, WHOLE BLOOD		%	1	Oxyhemoglobin, Arterial, Whole Blood	2714-4	3 Months up to unspecified	~	3	Months	unspecified	Linearity Checking [9.1]	0.2	100.0	<0.2 or >100.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMOGLOBIN REDUCED, ARTERIAL, WHOLE BLOOD	RHGB	%	1	Hemoglobin Reduced, Arterial, Whole Blood	4536-9		~	~	~	~	Reference Range		4.1	<4.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	HEMOGLOBIN REDUCED, ARTERIAL, WHOLE BLOOD	RHGB	%	1	Hemoglobin Reduced, Arterial, Whole Blood	4536-9		~	~	~	~	Abnormality - Abnormal [2.2]		4.1	>=4.1
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood		Female 0 up to 15 Days Lab Patient Dept	Female	0	15	Days	Reference Range	13.4	20.0	13.4-20.0

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	13.4	20.0	13.4-20.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 0 up to 15 Days	Female	0	15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Critical [2.1]	6.5		<6.5	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 0 up to 15 Days	Female	0	15	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	6.5	<6.5	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	6.5	<6.5	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Critical [2.1]	6.5		<6.5

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 2 Years up to 6 Years Lab Patient	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 2 Years up to 6 Years Lab Patient	Female	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 2 Years up to 6 Years Lab Patient	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 2 Years up to 6 Years Lab Patient	Female	2	Years	6	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 6 Years up to 12 Years Lab Patient	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 6 Years up to 12 Years Lab Patient	Female	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 6 Years up to 12 Years Lab Patient	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 6 Years up to 12 Years Lab Pat	Female	6	Years	12	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified		Reference Range	11.2	15.7	11.2-15.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified		Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	11.2	15.7	11.2-15.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 17 Years up to unspecified	Female	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Female 17 Years up to unspecified	Female	17	Years	unspecified		Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 0 up to 15 Days	Male	0	15	Days	Reference Range	13.4	20.0	13.4-20.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 0 up to 15 Days	Male	0	15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Critical [2.1]	6.5	<6.5		
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 0 up to 15 Days	Male	0	15	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 15 Days up to 31 Days Lab Patient	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 15 Days up to 31 Days Lab Patient	Male	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 15 Days up to 31 Days Lab Patient	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 15 Days up to 31 Days Lab Patient	Male	15	Days	31	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	6.5	<6.5	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 31 Days up to 61 Days Lab Patient	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 31 Days up to 61 Days Lab Patient	Male	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 31 Days up to 61 Days Lab Patient	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 31 Days up to 61 Days Lab Patient	Male	31	Days	61	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 61 Days up to 180 Days Lab Patient	Male	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 61 Days up to 180 Days Lab Patient	Male	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 61 Days up to 180 Days Lab Patient	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 61 Days up to 180 Days Lab Patient	Male	61	Days	180	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 180 Days up to 2 Years Lab Patient	Male	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 180 Days up to 2 Years Lab Patient	Male	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 180 Days up to 2 Years Lab Patient	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 180 Days up to 2 Years Lab Patient	Male	180	Days	2	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 6 Years up to 12 Years Lab Patient	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 6 Years up to 12 Years Lab Patient	Male	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 6 Years up to 12 Years Lab Patient	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 6 Years up to 12 Years Lab Patient	Male	6	Years	12	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5	<6.5				
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	6.5	<6.5				
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5			
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0			

BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified	Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 17 Years up to unspecified	Male	17	Years	unspecified	Reference Range	13.7	17.5	13.7-17.5	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 17 Years up to unspecified	Male	17	Years	unspecified	Valid Checking [1.1]	0.2	24.0	0.2-24.0	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 17 Years up to unspecified	Male	17	Years	unspecified	Abnormality - Critical [2.1]	6.5		<6.5	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 17 Years up to unspecified	Male	17	Years	unspecified	Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5	
BLOOD GAS PANEL WITH OXIMETRY, ARTERIAL [LAB10720]	Blood Gas Panel with Oximetry Arterial [1230155101]	TOTAL HEMOGLOBIN, ARTERIAL, WHOLE BLOOD	HGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	Male 17 Years up to unspecified	Male	17	Years	unspecified	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PH, MIXED VENOUS			2	pH, Mixed Venous		~	~	~	~	Reference Range	7.32	7.43	7.32-7.43	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PH, MIXED VENOUS			2	pH, Mixed Venous		~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PH, MIXED VENOUS			2	pH, Mixed Venous		~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PH, MIXED VENOUS			2	pH, Mixed Venous		~	~	~	~	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	33	47	33-47
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	33	47	33-47
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Critical [2.1]	60		>=60
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous	Female 0 up to 4 Days	Female	0		4	Days	Linearity Checking [9.1]	9	115	<9 or >115

BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Reference Range	40	55	40-55
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	40	55	40-55
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, MIXED VENOUS	.	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PO2, MIXED VENOUS	.	mmHg	0	pO2, Mixed Venous		~	~	~	~	~	Reference Range	25	40	25-40
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PO2, MIXED VENOUS	.	mmHg	0	pO2, Mixed Venous		~	~	~	~	~	Abnormality - Abnormal [2.2]	25	40	<25 or >40
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PO2, MIXED VENOUS	.	mmHg	0	pO2, Mixed Venous		~	~	~	~	~	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SO2, MEASURED, MIXED VENOUS	.	%	0	SO2, Measured, Mixed Venous	0 up to 4 Days	~	0	4	Days	Reference Range	40	85	40-85	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SO2, MEASURED, MIXED VENOUS	.	%	0	SO2, Measured, Mixed Venous	0 up to 4 Days	~	0	4	Days	Valid Checking [1.1]	0	100	0-100	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SO2, MEASURED, MIXED VENOUS	.	%	0	SO2, Measured, Mixed Venous	0 up to 4 Days	~	0	4	Days	Abnormality - Abnormal [2.2]	40	85	<40 or >85	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SO2, MEASURED, MIXED VENOUS	.	%	0	SO2, Measured, Mixed Venous	0 up to 4 Days	~	0	4	Days	Linearity Checking [9.1]	0	100	<0 or >100	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SO2, MEASURED, MIXED VENOUS	.	%	0	SO2, Measured, Mixed Venous	4 Days up to unspecified	~	4	Days	unspecified	Reference Range	65	80	65-80	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SO2, MEASURED, MIXED VENOUS	.	%	0	SO2, Measured, Mixed Venous	4 Days up to unspecified	~	4	Days	unspecified	Valid Checking [1.1]	0	100	0-100	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SO2, MEASURED, MIXED VENOUS	.	%	0	SO2, Measured, Mixed Venous	4 Days up to unspecified	~	4	Days	unspecified	Abnormality - Abnormal [2.2]	65	80	<65 or >80	

BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SO2, MEASURED, MIXED VENOUS	%	0	SO2, Measured, Mixed Venous	4 Days up to unspecified	~	4	Days	unspecified	Linearity Checking [9.1]	0	100	<0 or >100
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BASE EXCESS, MIXED VENOUS	mmol/L	1	Base Excess, Mixed Venous	0 up to 4 Days	~	0	4	Days	Reference Range	-10.0	-2.0	-10.0-2.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BASE EXCESS, MIXED VENOUS	mmol/L	1	Base Excess, Mixed Venous	0 up to 4 Days	~	0	4	Days	Abnormality - Abnormal [2.2]	-10.0	-2.0	<-10.0 or >-2.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BASE EXCESS, MIXED VENOUS	mmol/L	1	Base Excess, Mixed Venous	4 Days up to 24 Months	~	4	Days	24 Months	Reference Range	-7.0	-1.0	-7.0-1.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BASE EXCESS, MIXED VENOUS	mmol/L	1	Base Excess, Mixed Venous	4 Days up to 24 Months	~	4	Days	24 Months	Abnormality - Abnormal [2.2]	-7.0	-1.0	<-7.0 or >-1.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BASE EXCESS, MIXED VENOUS	mmol/L	1	Base Excess, Mixed Venous	24 Months up to 12 Years	~	24	Months	12 Years	Reference Range	-4.0	2.0	-4.0-2.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BASE EXCESS, MIXED VENOUS	mmol/L	1	Base Excess, Mixed Venous	24 Months up to 12 Years	~	24	Months	12 Years	Abnormality - Abnormal [2.2]	-4.0	2.0	<-4.0 or >2.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BASE EXCESS, MIXED VENOUS	mmol/L	1	Base Excess, Mixed Venous	12 Years up to unspecified	~	12	Years	unspecified	Reference Range	-2.0	3.0	-2.0-3.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BASE EXCESS, MIXED VENOUS	mmol/L	1	Base Excess, Mixed Venous	12 Years up to unspecified	~	12	Years	unspecified	Abnormality - Abnormal [2.2]	-2.0	3.0	<-2.0 or >3.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BICARBONATE, CALCULATED, MIXED VENOUS	mmol/L	0	Bicarbonate, Calculated, Mixed Venous	0 up to 14 Days	~	0	14	Days	Reference Range	17	24	17-24
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BICARBONATE, CALCULATED, MIXED VENOUS	mmol/L	0	Bicarbonate, Calculated, Mixed Venous	0 up to 14 Days	~	0	14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BICARBONATE, CALCULATED, MIXED VENOUS	mmol/L	0	Bicarbonate, Calculated, Mixed Venous	14 Days up to 2 Months	~	14	Days	2 Months	Reference Range	19	24	19-24
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BICARBONATE, CALCULATED, MIXED VENOUS	mmol/L	0	Bicarbonate, Calculated, Mixed Venous	14 Days up to 2 Months	~	14	Days	2 Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BICARBONATE, CALCULATED, MIXED VENOUS	mmol/L	0	Bicarbonate, Calculated, Mixed Venous	2 Months up to 2 Years	~	2	Months	2 Years	Reference Range	16	24	16-24
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BICARBONATE, CALCULATED, MIXED VENOUS	mmol/L	0	Bicarbonate, Calculated, Mixed Venous	2 Months up to 2 Years	~	2	Months	2 Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BICARBONATE, CALCULATED, MIXED VENOUS	mmol/L	0	Bicarbonate, Calculated, Mixed Venous	2 Years up to unspecified	~	2	Years	unspecified	Reference Range	22	26	22-26
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	BICARBONATE, CALCULATED, MIXED VENOUS	mmol/L	0	Bicarbonate, Calculated, Mixed Venous	2 Years up to unspecified	~	2	Years	unspecified	Abnormality - Abnormal [2.2]	22	26	<22 or >26
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PH, TEMP CORRECTED, MIXED VENOUS		2	pH, Temp Corrected, Mixed Venous		~	~	~	~	Reference Range	7.32	7.43	7.32-7.43
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PH, TEMP CORRECTED, MIXED VENOUS		2	pH, Temp Corrected, Mixed Venous		~	~	~	~	Abnormality - Critical [1.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PH, TEMP CORRECTED, MIXED VENOUS		2	pH, Temp Corrected, Mixed Venous		~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43

BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PH, TEMP CORRECTED, MIXED VENOUS			2	pH, Temp Corrected, Mixed Venous										Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Reference Range	33	47	33-47		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Abnormality - Abnormal [2.2]	33	47	<33 or >47		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Linearity Checking [9.1]	9	115	<9 or >115		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 0 up to 4 Days	Female	0		4	Days		Reference Range	33	47	33-47		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 0 up to 4 Days	Female	0		4	Days		Abnormality - Critical [2.1]		60	>=60		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 0 up to 4 Days	Female	0		4	Days		Abnormality - Abnormal [2.2]	33	47	<33 or >47		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 0 up to 4 Days	Female	0		4	Days		Linearity Checking [9.1]	9	115	<9 or >115		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months		Reference Range	33	48	33-48		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months		Abnormality - Abnormal [2.2]	33	48	<33 or >48		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months		Linearity Checking [9.1]	9	115	<9 or >115		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 4 Days up to 24 Months	Female	4	Days	24	Months		Reference Range	33	48	33-48		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 4 Days up to 24 Months	Female	4	Days	24	Months		Abnormality - Critical [2.1]		60	>=60		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 4 Days up to 24 Months	Female	4	Days	24	Months		Abnormality - Abnormal [2.2]	33	48	<33 or >48		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 4 Days up to 24 Months	Female	4	Days	24	Months		Linearity Checking [9.1]	9	115	<9 or >115		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified La	Female	24	Months	unspecified			Reference Range	37	52	37-52		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified La	Female	24	Months	unspecified			Abnormality - Abnormal [2.2]	37	52	<37 or >52		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS		mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified La	Female	24	Months	unspecified			Linearity Checking [9.1]	9	115	<9 or >115		

BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified	Reference Range	37	52	37-52	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Critical [2.1]		60	>=60	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Abnormal [2.2]	37	52	<37 or >52	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Reference Range	33	47	33-47	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days	Reference Range	33	47	33-47	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Critical [2.1]		60	>=60	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48

BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Reference Range	40	55	40-55
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	40	55	40-55
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pO2, Temp Corrected, Mixed Venous		~	~	~	~	~	Reference Range	25	40	25-40
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pO2, Temp Corrected, Mixed Venous		~	~	~	~	~	Valid Checking [1.1]	15	550	15-550
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	PO2, TEMP CORRECTED, MIXED VENOUS	.	mmHg	0	pO2, Temp Corrected, Mixed Venous		~	~	~	~	~	Abnormality - Abnormal [2.2]	25	40	<25 or >40
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1 0 up to 8 Days	~	0		8	Days	Reference Range	133	146	133-146
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1 0 up to 8 Days	~	0		8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1 0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1 0 up to 8 Days	~	0		8	Days	Linearity Checking [9.1]	100	200	<100 or >200
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1 8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1 8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1 8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1 8 Days up to 17 Years	~	8	Days	17	Years	Linearity Checking [9.1]	100	200	<100 or >200

BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Reference Range	136	145	136-145
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Linearity Checking [9.1]	100	200	<100 or >200
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Reference Range	96	111	96-111
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	50	140	50-140

BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Reference Range	96	110	96-110
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Reference Range	96	108	96-108
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	97	107	97-107
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	97	107	<97 or >107
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Reference Range	4.3	5.1	4.3-5.1
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Delta Checking [8.1]			
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Reference Range	4.3	5.1	4.3-5.1
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Delta Checking [8.1]			

BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Linearity Checking [9.1]	0.8	8.0	<-0.8 or >8.0	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Reference Range	4.5	5.3	4.5-5.3	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Delta Checking [8.1]				
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Linearity Checking [9.1]	0.8	8.0	<-0.8 or >8.0	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Reference Range	41	60	41-60	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Critical [2.1]	40		<=40	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Reference Range	41	60	41-60	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700

BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Reference Range	60	99	60-99
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Abnormality - Critical [2.1]	50		<=50
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient Depart	~	17	Years	unspecified		Reference Range	74	99	74-99
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient Depart	~	17	Years	unspecified		Abnormality - Critical [2.1]	50		<=50
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient Depart	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient Depart	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	40.0	57.0	40.0-57.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0

BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	40.0	57.0	40.0-57.0

BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0		
BLOOD GAS PANEL, MIXED VENOUS (LAB10719)	Blood Gas Panel Mixed Venous (1230155102)	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5	<19.5			

BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL, MIXED VENOUS [LAB10719]	Blood Gas Panel Mixed Venous [1230155102]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PH, MIXED VENOUS			2	pH, Mixed Venous			~	~	~	~	~	Reference Range	7.32	7.43	7.32-7.43
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PH, MIXED VENOUS			2	pH, Mixed Venous			~	~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PH, MIXED VENOUS			2	pH, Mixed Venous			~	~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PH, MIXED VENOUS			2	pH, Mixed Venous			~	~	~	~	~	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	33	47	33-47
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 0 up to 4 Days	Female	0		4	Days	Reference Range	33	47	33-47
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 0 up to 4 Days	Female	0		4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS		mmHg	0	pCO2, Mixed Venous		Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 24 Months up to unspecified L	Female	24	Months	unspecified		Reference Range	37	52	37-52
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 24 Months up to unspecified L	Female	24	Months	unspecified		Abnormality - Abnormal [2.2]	37	52	<37 or >52
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified		Reference Range	37	52	37-52
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified		Abnormality - Abnormal [2.2]	37	52	<37 or >52
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days		Reference Range	33	47	33-47
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days		Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days		Reference Range	33	47	33-47
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days		Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days		Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days		Linearity Checking [9.1]	9	115	<9 or >115

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Reference Range	40	55	40-55
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	40	55	40-55
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, MIXED VENOUS	mmHg	0	pCO2, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PO2, MIXED VENOUS	mmHg	0	pO2, Mixed Venous							Reference Range	25	40	25-40
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PO2, MIXED VENOUS	mmHg	0	pO2, Mixed Venous							Abnormality - Abnormal [2.2]	25	40	<25 or >40
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PO2, MIXED VENOUS	mmHg	0	pO2, Mixed Venous							Linearity Checking [9.1]	15	550	<15 or >550

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BICARBONATE, CALCULATED, MIXED VENOUS	.	.	mmol/L	0	Bicarbonat e, Calculated, Mixed Venous	0 up to 14 Days	~	0	.	.	14	Days	Reference Range	17	24	17-24	.	.
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BICARBONATE, CALCULATED, MIXED VENOUS	.	.	mmol/L	0	Bicarbonat e, Calculated, Mixed Venous	0 up to 14 Days	~	0	.	.	14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24	.	.
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BICARBONATE, CALCULATED, MIXED VENOUS	.	.	mmol/L	0	Bicarbonat e, Calculated, Mixed Venous	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BICARBONATE, CALCULATED, MIXED VENOUS	.	.	mmol/L	0	Bicarbonat e, Calculated, Mixed Venous	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BICARBONATE, CALCULATED, MIXED VENOUS	.	.	mmol/L	0	Bicarbonat e, Calculated, Mixed Venous	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BICARBONATE, CALCULATED, MIXED VENOUS	.	.	mmol/L	0	Bicarbonat e, Calculated, Mixed Venous	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BICARBONATE, CALCULATED, MIXED VENOUS	.	.	mmol/L	0	Bicarbonat e, Calculated, Mixed Venous	2 Years up to unspecified	~	2	Years	unspecified		Reference Range	22	26	22-26	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BICARBONATE, CALCULATED, MIXED VENOUS	.	.	mmol/L	0	Bicarbonat e, Calculated, Mixed Venous	2 Years up to unspecified	~	2	Years	unspecified		Abnormality - Abnormal [2.2]	22	26	<22 or >26	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BASE EXCESS, MIXED VENOUS	.	.	mmol/L	1	Base Excess, Mixed Venous	0 up to 4 Days	~	0	.	.	4	Days	Reference Range	-10.0	-2.0	-10.0-2.0	.	.
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BASE EXCESS, MIXED VENOUS	.	.	mmol/L	1	Base Excess, Mixed Venous	0 up to 4 Days	~	0	.	.	4	Days	Abnormality - Abnormal [2.2]	-10.0	-2.0	<-10.0 or >-2.0	.	.
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BASE EXCESS, MIXED VENOUS	.	.	mmol/L	1	Base Excess, Mixed Venous	4 Days up to 24 Months	~	4	Days	24	Months	Reference Range	-7.0	-1.0	-7.0-1.0	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BASE EXCESS, MIXED VENOUS	.	.	mmol/L	1	Base Excess, Mixed Venous	4 Days up to 24 Months	~	4	Days	24	Months	Abnormality - Abnormal [2.2]	-7.0	-1.0	<-7.0 or >-1.0	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BASE EXCESS, MIXED VENOUS	.	.	mmol/L	1	Base Excess, Mixed Venous	24 Months up to 12 Years	~	24	Months	12	Years	Reference Range	-4.0	2.0	-4.0-2.0	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BASE EXCESS, MIXED VENOUS	.	.	mmol/L	1	Base Excess, Mixed Venous	24 Months up to 12 Years	~	24	Months	12	Years	Abnormality - Abnormal [2.2]	-4.0	2.0	<-4.0 or >2.0	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BASE EXCESS, MIXED VENOUS	.	.	mmol/L	1	Base Excess, Mixed Venous	12 Years up to unspecified	~	12	Years	unspecified		Reference Range	-2.0	3.0	-2.0-3.0	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	BASE EXCESS, MIXED VENOUS	.	.	mmol/L	1	Base Excess, Mixed Venous	12 Years up to unspecified	~	12	Years	unspecified		Abnormality - Abnormal [2.2]	-2.0	3.0	<-2.0 or >3.0	.	.	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1		Hematocrit, Whole Blood	20570-8 Female 0 up to 15 Days	Female	0	.	.	15	Days	Reference Range	40.0	57.0	40.0-57.0	.	.

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	19.5	<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0 <40.0 or >57.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.0	45.0 30.0-45.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	19.5	<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0 <30.0 or >45.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	27.0	38.0 27.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	19.5	<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0 <27.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	29.0	37.0 29.0-37.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	19.5	<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0 <29.0 or >37.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	31.0	38.0 31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5	<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0 <31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.0	38.0 31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5	<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0 <31.0 or >38.0

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	40.0	57.0	40.0-57.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		40.0	51.0	40.0-51.0	

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified	Abnormality - Critical [2.1]	19.5	<19.5		
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified	Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Reference Range	133	146	133-146	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Linearity Checking [9.1]	100	200	<100 or >200	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Linearity Checking [9.1]	100	200	<100 or >200
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Reference Range	136	145	136-145	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Linearity Checking [9.1]	100	200	<100 or >200	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Reference Range	96	111	96-111
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Linearity Checking [9.1]	50	140	<50 or >140

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7	Months	Reference Range	96	110	96-110
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7	Months	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7	Months	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108	96-108
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1	Years	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	97	107	97-107	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	50	140	50-140	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	97	107	<97 or >107	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	50	140	<50 or >140	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Reference Range	4.3	5.1	4.3-5.1	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Delta Checking [8.1]				
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Reference Range	4.3	5.1	4.3-5.1	

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Delta Checking [8.1]				
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	~	0	1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Reference Range	4.5	5.3	4.5-5.3	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Delta Checking [8.1]				
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Reference Range	4.5	5.3	4.5-5.3	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Delta Checking [8.1]				
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Reference Range	41	60	41-60	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Critical [2.1]	40		<=40	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Reference Range	41	60	41-60	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Reference Range	60	99	60-99
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Abnormality - Critical [2.1]	50		<=50
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Reference Range	74	99	74-99
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Critical [2.1]	50		<=50
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	OXYHEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD		%	1	Oxyhemogl obin, Mixed Venous, Whole Blood		0 up to 3 Months	~	0		3	Months	Valid Checking [1.1]	0.2	100.0	0.2-100.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	OXYHEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD		%	1	Oxyhemogl obin, Mixed Venous, Whole Blood		3 Months up to unspecified	~	3	Months	unspecified		Reference Range	40.0	70.0	40.0-70.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	OXYHEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD		%	1	Oxyhemogl obin, Mixed Venous, Whole Blood		3 Months up to unspecified	~	3	Months	unspecified		Valid Checking [1.1]	0.2	100.0	0.2-100.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	OXYHEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD		%	1	Oxyhemogl obin, Mixed Venous, Whole Blood		3 Months up to unspecified	~	3	Months	unspecified		Abnormality - Abnormal [2.2]	40.0	70.0	<40.0 or >70.0

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 0 up to 15 Days	Female	0		15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 6 Years up to 12 Years Lab Pati	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 6 Years up to 12 Years Lab Pati	Female	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 6 Years up to 12 Years Lab Pati	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified	Reference Range	11.2	15.7	11.2-15.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified	Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 17 Years up to unspecified	Female	17	Years	unspecified	Reference Range	11.2	15.7	11.2-15.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 17 Years up to unspecified	Female	17	Years	unspecified	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 17 Years up to unspecified	Female	17	Years	unspecified	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Female 17 Years up to unspecified	Female	17	Years	unspecified	Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Reference Range	13.4	20.0	13.4-20.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 0 up to 15 Days	Male	0	15	Days	Reference Range	13.4	20.0	13.4-20.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 0 up to 15 Days	Male	0	15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dL	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 61 Days up to 180 Days Lab Patie	Male	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 61 Days up to 180 Days Lab Patie	Male	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 61 Days up to 180 Days Lab Patie	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 180 Days up to 2 Years Lab Patie	Male	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 180 Days up to 2 Years Lab Patie	Male	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 180 Days up to 2 Years Lab Patie	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD	g/dl	1	Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 17 Years up to unspecified	Male	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	TOTAL HEMOGLOBIN, MIXED VENOUS, WHOLE BLOOD				Total Hemoglobi n, Mixed Venous, Whole Blood	30351-1	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PH, TEMP CORRECTED, MIXED VENOUS				pH, Temp Corrected, Mixed Venous	30351-1	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	7.32	7.43	7.32-7.43

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PH, TEMP CORRECTED, MIXED VENOUS	.	.	2	pH, Temp Corrected, Mixed Venous	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PH, TEMP CORRECTED, MIXED VENOUS	.	.	2	pH, Temp Corrected, Mixed Venous	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PH, TEMP CORRECTED, MIXED VENOUS	.	.	2	pH, Temp Corrected, Mixed Venous	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Reference Range	33	47	33-47	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 0 up to 4 Days	Female	0	4	Days	Reference Range	33	47	33-47	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Critical [2.1]	60		>=60	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 0 up to 4 Days	Female	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Critical [2.1]	60		>=60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	.	.	0	pCO2, Temp Corrected, Mixed Venous	mmHg	0	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Reference Range	37	52	37-52	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Abnormality - Abnormal [2.2]	37	52	<37 or >52	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified	Reference Range	37	52	37-52	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Critical [2.1]	60	>=60		
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Abnormal [2.2]	37	52	<37 or >52	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Female 24 Months up to unspecified	Female	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Reference Range	33	47	33-47	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days	Reference Range	33	47	33-47	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Critical [2.1]	60	>=60		
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 0 up to 4 Days	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Reference Range	40	55	40-55
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	40	55	40-55
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PCO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pCO2, Temp Corrected, Mixed Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pO2, Temp Corrected, Mixed Venous	~	~	~	~	~	~	Reference Range	25	40	25-40
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pO2, Temp Corrected, Mixed Venous	~	~	~	~	~	~	Valid Checking [1.1]	15	550	15-550
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	PO2, TEMP CORRECTED, MIXED VENOUS	mmHg	0	pO2, Temp Corrected, Mixed Venous	~	~	~	~	~	~	Abnormality - Abnormal [2.2]	25	40	<25 or >40
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SO2, MEASURED, MIXED VENOUS	%	0	SO2, Measured, Mixed Venous	0 up to 4 Days	~	0	4	Days		Reference Range	40	85	40-85
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SO2, MEASURED, MIXED VENOUS	%	0	SO2, Measured, Mixed Venous	0 up to 4 Days	~	0	4	Days		Valid Checking [1.1]	0	100	0-100
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SO2, MEASURED, MIXED VENOUS	%	0	SO2, Measured, Mixed Venous	0 up to 4 Days	~	0	4	Days		Abnormality - Abnormal [2.2]	40	85	<40 or >85

BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SO2, MEASURED, MIXED VENOUS		%	0	SO2, Measured, Mixed Venous		0 up to 4 Days	~	0		4	Days	Linearity Checking [9.1]	0	100	<0 or >100
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SO2, MEASURED, MIXED VENOUS		%	0	SO2, Measured, Mixed Venous		4 Days up to unspecified	~	4	Days	unspecified		Reference Range	65	80	65-80
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SO2, MEASURED, MIXED VENOUS		%	0	SO2, Measured, Mixed Venous		4 Days up to unspecified	~	4	Days	unspecified		Valid Checking [1.1]	0	100	0-100
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SO2, MEASURED, MIXED VENOUS		%	0	SO2, Measured, Mixed Venous		4 Days up to unspecified	~	4	Days	unspecified		Abnormality - Abnormal [2.2]	65	80	<65 or >80
BLOOD GAS PANEL WITH OXIMETRY, MIXED VENOUS [LAB10722]	Blood Gas Panel with Oximetry Mixed Venous [1230155103]	SO2, MEASURED, MIXED VENOUS		%	0	SO2, Measured, Mixed Venous		4 Days up to unspecified	~	4	Days	unspecified		Linearity Checking [9.1]	0	100	<0 or >100
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PH, VENOUS	VPH		2	pH, Venous 2746-6			~	~	~	~	~	Reference Range	7.32	7.43	7.32-7.43
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PH, VENOUS	VPH		2	pH, Venous 2746-6			~	~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PH, VENOUS	VPH		2	pH, Venous 2746-6			~	~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PH, VENOUS	VPH		2	pH, Venous 2746-6			~	~	~	~	~	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous 2020-6	Female 0 up to 4 Days Lab Patient Dep	Female 0				4	Days	Reference Range	33	47	33-47
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous 2020-6	Female 0 up to 4 Days Lab Patient Dep	Female 0				4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous 2020-6	Female 0 up to 4 Days Lab Patient Dep	Female 0				4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous 2020-6	Female 0 up to 4 Days	Female 0				4	Days	Reference Range	33	47	33-47
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous 2020-6	Female 0 up to 4 Days	Female 0				4	Days	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous 2020-6	Female 0 up to 4 Days	Female 0				4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous 2020-6	Female 0 up to 4 Days	Female 0				4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous 2020-6	Female 4 Days up to 24 Months Lab Pa	Female 4	Days	24	Months			Reference Range	33	48	33-48

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Reference Range	37	52	37-52	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Abnormality - Abnormal [2.2]	37	52	<37 or >52	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 24 Months up to unspecified	Female	24	Months	unspecified	Reference Range	37	52	37-52	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Critical [2.1]		60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Abnormal [2.2]	37	52	<37 or >52	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Female 24 Months up to unspecified	Female	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Reference Range	33	47	33-47	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 0 up to 4 Days	Male	0	4	Days	Reference Range	33	47	33-47	

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 0 up to 4 Days	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]	60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Reference Range	40	55	40-55	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified	Male	24	Months	unspecified	Reference Range	40	55	40-55	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Critical [2.1]	60	>=60		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, VENOUS	VPCO2	mmHg	0	pCO2, Venous	2020-6	Male 24 Months up to unspecified	Male	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PO2, VENOUS	VPO2	mmHg	0	pO2, Venous	2705-2		~	~	~	~	Reference Range	25	40	25-40	

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PO2, VENOUS	VPO2	mmHg	0	pO2, Venous	2705-2								Abnormality - Abnormal [2.2]	25	40	<25 or >40
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PO2, VENOUS	VPO2	mmHg	0	pO2, Venous	2705-2								Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	0 up to 4 Days							Reference Range	40	85	40-85
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	0 up to 4 Days							Valid Checking [1.1]	0	100	0-100
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	0 up to 4 Days							Abnormality - Abnormal [2.2]	40	85	<40 or >85
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	0 up to 4 Days							Linearity Checking [9.1]	0	100	<0 or >100
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	4 Days up to unspecified							Reference Range	65	80	65-80
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	4 Days up to unspecified							Valid Checking [1.1]	0	100	0-100
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	4 Days up to unspecified							Abnormality - Abnormal [2.2]	65	80	<65 or >80
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SO2, VENOUS, MEASURED	VSATM	%	0	SO2, Measured, Venous	2711-0	4 Days up to unspecified							Linearity Checking [9.1]	0	100	<0 or >100
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	0 up to 4 Days							Reference Range	-10.0	-2.0	-10.0-2.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	0 up to 4 Days							Abnormality - Abnormal [2.2]	-10.0	-2.0	<-10.0 or >-2.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	4 Days up to 24 Months							Reference Range	-7.0	-1.0	-7.0-1.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	4 Days up to 24 Months							Abnormality - Abnormal [2.2]	-7.0	-1.0	<-7.0 or >-1.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	24 Months up to 12 Years							Reference Range	-4.0	2.0	-4.0-2.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	24 Months up to 12 Years							Abnormality - Abnormal [2.2]	-4.0	2.0	<-4.0 or >2.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	12 Years up to unspecified							Reference Range	-2.0	3.0	-2.0-3.0

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	12 Years up to unspecified	~	12	Years	unspecified	Abnormality - Abnormal [2.2]	-2.0	3.0	<-2.0 or >3.0	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	0 up to 14 Days	~	0	14	Days	Reference Range	17	24	17-24	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	0 up to 14 Days	~	0	14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified	Reference Range	22	26	22-26	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified	Abnormality - Abnormal [2.2]	22	26	<22 or >26	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PH, TEMP CORRECTED, VENOUS	VTPH		2	pH, Temp Corrected, Venous	39486-6		~	~	~	~	Reference Range	7.32	7.43	7.32-7.43	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PH, TEMP CORRECTED, VENOUS	VTPH		2	pH, Temp Corrected, Venous	39486-6		~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PH, TEMP CORRECTED, VENOUS	VTPH		2	pH, Temp Corrected, Venous	39486-6		~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PH, TEMP CORRECTED, VENOUS	VTPH		2	pH, Temp Corrected, Venous	39486-6		~	~	~	~	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Reference Range	33	47	33-47	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days	Female	0	4	Days	Reference Range	33	47	33-47	

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Critical [2.1]	60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 0 up to 4 Days	Female	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24 Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24 Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24 Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 4 Days up to 24 Months	Female	4	Days	24 Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 4 Days up to 24 Months	Female	4	Days	24 Months	Abnormality - Critical [2.1]	60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 4 Days up to 24 Months	Female	4	Days	24 Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 4 Days up to 24 Months	Female	4	Days	24 Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Reference Range	37	52	37-52
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Abnormality - Abnormal [2.2]	37	52	<37 or >52
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Reference Range	37	52	37-52
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Critical [2.1]	60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Abnormal [2.2]	37	52	<37 or >52
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Reference Range	33	47	33-47
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 0 up to 4 Days	Male	0	4	Days	Reference Range	33	47	33-47
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Critical [2.1]	60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 0 up to 4 Days	Male	0	4	Days	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months Lab Patient Depart	Male	4	Days	24 Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months Lab Patient Depart	Male	4	Days	24 Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months Lab Patient Depart	Male	4	Days	24 Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months	Male	4	Days	24 Months	Reference Range	33	48	33-48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months	Male	4	Days	24 Months	Abnormality - Critical [2.1]	60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months	Male	4	Days	24 Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 4 Days up to 24 Months	Male	4	Days	24 Months	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified Lab Patient Depart	Male	24	Months	unspecified	Reference Range	40	55	40-55
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified Lab Patient Depart	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified Lab Patient Depart	Male	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified	Male	24	Months	unspecified	Reference Range	40	55	40-55	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Critical [2.1]		60	>=60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PCO2, TEMP CORRECTED, VENOUS	PCO2	mmHg	0	PCO2, Temp Corrected, Venous	32771-8	Male 24 Months up to unspecified	Male	24	Months	unspecified	Linearity Checking [9.1]	9	115	<9 or >115	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PO2, TEMP CORRECTED, VENOUS	VT02	mmHg	0	pO2, Temp Corrected, Venous	19258-3	0 up to 1 Days	~	0	1	Days	Linearity Checking [9.1]	15	550	<15 or >550	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PO2, TEMP CORRECTED, VENOUS	VT02	mmHg	0	pO2, Temp Corrected, Venous	19258-3	1 Days up to unspecified	~	1	Days	unspecified	Reference Range	25	40	25-40	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PO2, TEMP CORRECTED, VENOUS	VT02	mmHg	0	pO2, Temp Corrected, Venous	19258-3	1 Days up to unspecified	~	1	Days	unspecified	Abnormality - Abnormal [2.2]	25	40	<25 or >40	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	PO2, TEMP CORRECTED, VENOUS	VT02	mmHg	0	pO2, Temp Corrected, Venous	19258-3	1 Days up to unspecified	~	1	Days	unspecified	Linearity Checking [9.1]	15	550	<15 or >550	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Reference Range	133	146	133-146	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	0 up to 8 Days	~	0	8	Days	Linearity Checking [9.1]	100	200	<100 or >200	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Linearity Checking [9.1]	100	200	<100 or >200
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Reference Range	136	145	136-145	

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	SODIUM, WHOLE BLOOD	NAWB	mmol/L	0	Sodium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Linearity Checking [9.1]	100	200	<100 or >200
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years Lab Patient Department	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	0 up to 1 Years	~	0	1	Years	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	POTASSIUM, WHOLE BLOOD	KWB	mmol/L	1	Potassium, Whole Blood	6298-4	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	1.0	10.0	<1.0 or >10.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Reference Range	96	111	96-111
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	0 up to 8 Days	~	0	8	Days	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Reference Range	96	110	96-110
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	8 Days up to 7 Months	~	8	Days	7 Months	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Reference Range	96	108	96-108
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	7 Months up to 1 Years	~	7	Months	1 Years	Linearity Checking [9.1]	50	140	<50 or >140
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	97	107	97-107
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	50	140	50-140
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	97	107	<97 or >107

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	CHLORIDE, WHOLE BLOOD	CLWB	mmol/L	0	Chloride, Whole Blood	2069-3	1 Years up to unspecified	~	1	Years	unspecified	Linearity Checking [9.1]	50	140	<50 or >140	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Reference Range	41	60	41-60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Critical [2.1]	40		<=40	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Reference Range	41	60	41-60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	0 up to 2 Days	~	0	2	Days	Linearity Checking [9.1]	10	700	<10 or >700	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	2 Days up to 1 Years	~	2	Days	1	Years	Linearity Checking [9.1]	10	700	<10 or >700

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Reference Range	60	99	60-99
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Abnormality - Critical [2.1]	50		<=50
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	1 Years up to 17 Years	~	1	Years	17	Years	Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Reference Range	74	99	74-99
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Critical [2.1]	50		<=50
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	GLUCOSE, WHOLE BLOOD	GLUWB	mg/dL	0	Glucose, Whole Blood	2339-0	17 Years up to unspecified	~	17	Years	unspecified		Linearity Checking [9.1]	10	700	<10 or >700
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department	~	0		1	Days	Reference Range	4.3	5.1	4.3-5.1

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	Lab Patient Department is	~	0	1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	Lab Patient Department is	~	0	1	Days	Delta Checking [8.1]				
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days	Lab Patient Department is	~	0	1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days		~	0	1	Days	Reference Range	4.3	5.1	4.3-5.1	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days		~	0	1	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days		~	0	1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days		~	0	1	Days	Delta Checking [8.1]				
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days		~	0	1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	Lab Patient Departm	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	Lab Patient Departm	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	Lab Patient Departm	~	1	Days	7	Days	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	Lab Patient Departm	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days		~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days		~	1	Days	7	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days		~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days		~	1	Days	7	Days	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days		~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Delta Checking [8.1]			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Delta Checking [8.1]			

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	40.0	57.0	40.0-57.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	40.0	57.0	40.0-57.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5	<19.5			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0		

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	HEMATOCRIT, WHOLE BLOOD	HCTWB	%	1	Hematocrit, Whole Blood	20570-8	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	OXYHEMOGLOBIN, VENOUS, WHOLE BLOOD		%	1	Oxyhemoglobin, Venous, Whole Blood		0 up to 3 Months	~	0		3	Months	Valid Checking [1.1]	0.2	100.0	0.2-100.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	OXYHEMOGLOBIN, VENOUS, WHOLE BLOOD		%	1	Oxyhemoglobin, Venous, Whole Blood		0 up to 3 Months	~	0		3	Months	Linearity Checking [9.1]	0.2	100.0	<0.2 or >100.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	OXYHEMOGLOBIN, VENOUS, WHOLE BLOOD		%	1	Oxyhemoglobin, Venous, Whole Blood		3 Months up to unspecified	~	3	Months	unspecified		Reference Range	40.0	70.0	40.0-70.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	OXYHEMOGLOBIN, VENOUS, WHOLE BLOOD		%	1	Oxyhemoglobin, Venous, Whole Blood		3 Months up to unspecified	~	3	Months	unspecified		Valid Checking [1.1]	0.2	100.0	0.2-100.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	OXYHEMOGLOBIN, VENOUS, WHOLE BLOOD		%	1	Oxyhemoglobin, Venous, Whole Blood		3 Months up to unspecified	~	3	Months	unspecified		Abnormality - Abnormal [2.2]	40.0	70.0	<40.0 or >70.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	OXYHEMOGLOBIN, VENOUS, WHOLE BLOOD		%	1	Oxyhemoglobin, Venous, Whole Blood		3 Months up to unspecified	~	3	Months	unspecified		Linearity Checking [9.1]	0.2	100.0	<0.2 or >100.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD		g/dL	1	Total Hemoglobin, Venous, Whole Blood	30350-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD		g/dL	1	Total Hemoglobin, Venous, Whole Blood	30350-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD		g/dL	1	Total Hemoglobin, Venous, Whole Blood	30350-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD		g/dL	1	Total Hemoglobin, Venous, Whole Blood	30350-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD		g/dL	1	Total Hemoglobin, Venous, Whole Blood	30350-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD		g/dL	1	Total Hemoglobin, Venous, Whole Blood	30350-3	Female 0 up to 15 Days	Female	0		15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	6.5	<6.5			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 0 up to 15 Days	Female	0		15	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 15 Days up to 31 Days Lab Pat	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 15 Days up to 31 Days Lab Pat	Female	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 15 Days up to 31 Days Lab Pat	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 15 Days up to 31 Days Lab Pat	Female	15	Days	31	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	6.5	<6.5			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 31 Days up to 61 Days Lab Pat	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 31 Days up to 61 Days Lab Pat	Female	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0		

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 6 Years up to 12 Years Lab Patie	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 6 Years up to 12 Years Lab Patie	Female	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 6 Years up to 12 Years Lab Patie	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 6 Years up to 12 Years Lab Patie	Female	6	Years	12	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified		Reference Range	11.2	15.7	11.2-15.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Female 17 Years up to unspecified Lab	Female	17	Years	unspecified		Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 17 Years up to unspecified	Female	17	Years	unspecified	Reference Range	11.2	15.7	11.2-15.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 17 Years up to unspecified	Female	17	Years	unspecified	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 17 Years up to unspecified	Female	17	Years	unspecified	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 17 Years up to unspecified	Female	17	Years	unspecified	Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Female 17 Years up to unspecified	Female	17	Years	unspecified	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Reference Range	13.4	20.0	13.4-20.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 0 up to 15 Days	Male	0	15	Days	Reference Range	13.4	20.0	13.4-20.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 0 up to 15 Days	Male	0	15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 0 up to 15 Days	Male	0	15	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD						Total Hemoglobin, Venous, Whole Blood	30350-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 61 Days up to 180 Days Lab Patient	Male	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 61 Days up to 180 Days Lab Patient	Male	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 61 Days up to 180 Days Lab Patient	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 61 Days up to 180 Days Lab Patient	Male	61	Days	180	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	9.6	12.4	9.6-12.4		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Critical [2.1]	6.5		<6.5		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobin, Venous, Whole Blood	30350-3	Male 180 Days up to 2 Years Lab Patient	Male	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7		

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 180 Days up to 2 Years Lab Patient	Male	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 180 Days up to 2 Years Lab Patient	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 180 Days up to 2 Years Lab Patient	Male	180	Days	2	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	10.1	12.7	10.1-12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD					Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	6.5	<6.5	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5	<6.5	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5	<6.5	
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobi n, Venous, Whole Blood	30350-3	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 17 Years up to unspecified Lab Pa	Male	17	Years	unspecified		Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD				Total Hemoglobin, Venous, Whole Blood	30350-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0

BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD		g/dL	1	Total Hemoglobin, Venous, Whole Blood	30350-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	6.5	<6.5			
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD		g/dL	1	Total Hemoglobin, Venous, Whole Blood	30350-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	TOTAL HEMOGLOBIN, VENOUS, WHOLE BLOOD		g/dL	1	Total Hemoglobin, Venous, Whole Blood	30350-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Linearity Checking [9.1]	0.2	24.0	<0.2 or >24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2		
BLOOD GAS PANEL WITH OXIMETRY, VENOUS [LAB10721]	Blood Gas Panel with Oximetry Venous [1230155105]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0		
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PH, OTHER	OPH		2	pH, Other	11558-4		~	~	~	~	~	Reference Range	7.10		>=7.10		
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PH, OTHER	OPH		2	pH, Other	11558-4		~	~	~	~	~	Abnormality - Critical [2.1]	7.10		<7.10		
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PH, OTHER	OPH		2	pH, Other	11558-4		~	~	~	~	~	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80		
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PCO2, OTHER	OPCO2	mmHg	0	pCO2, Other	11557-6		~	~	~	~	~	Linearity Checking [9.1]	9	115	<9 or >115		
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PO2, OTHER	OPO2	mmHg	0	pO2, Other	11556-8		~	~	~	~	~	Linearity Checking [9.1]	15	550	<15 or >550		
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	SO2, MEASURED, OTHER	OSATM	%	0	SO2 Measured, Other	20564-1		~	~	~	~	~	Linearity Checking [9.1]	1	100	<1 or >100		
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PH, TEMP CORRECTED, OTHER			2	pH, Temp Corrected, Other	0 up to 150 Years		~	0	150	Years		Reference Range	7.10		>=7.10		
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PH, TEMP CORRECTED, OTHER			2	pH, Temp Corrected, Other	0 up to 150 Years		~	0	150	Years		Abnormality - Critical [2.1]	7.10		<7.10		
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PH, TEMP CORRECTED, OTHER			2	pH, Temp Corrected, Other	0 up to 150 Years		~	0	150	Years		Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80		

BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PCO2, TEMP CORRECTED, OTHER	mmHg	0	pCO2, Temp Corrected, Other								Linearity Checking [9.1]	9	115	<9 or >115				
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	PO2, TEMP CORRECTED, OTHER	mmHg	0	pO2, Temp Corrected, Other								Valid Checking [1.1]	15	550	15-550				
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	POTASSIUM, OTHER, WHOLE BLOOD	mmol/L	1	Potassium, Other, Whole Blood								Valid Checking [1.1]	1.5	10.0	1.5-10.0				
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	IONIZED CALCIUM, OTHER, WHOLE BLOOD	mg/dL	1	Ionized Calcium, Other, Whole Blood								Valid Checking [1.1]	0.8	8.0	0.8-8.0				
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	IONIZED CALCIUM, OTHER, WHOLE BLOOD	mg/dL	1	Ionized Calcium, Other, Whole Blood								Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0				
BLOOD GAS RESEARCH, OTHER [LAB11088]	Blood Gas Research Other [1230155106]	SODIUM, OTHER, WHOLE BLOOD	mmol/L	0	Sodium, Other, Whole Blood								Valid Checking [1.1]	100	200	100-200				
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department			0	1	Days	Reference Range	4.3	5.1	4.3-5.1			
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department			0	1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1			
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department			0	1	Days	Delta Checking [8.1]						
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days Lab Patient Department			0	1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0			
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days			0	1	Days	Reference Range	4.3	5.1	4.3-5.1			
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days			0	1	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5			
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days			0	1	Days	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1			
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days			0	1	Days	Delta Checking [8.1]						
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	0 up to 1 Days			0	1	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0			
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm			1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm			1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm			1	Days	7	Days	Delta Checking [8.1]					
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days Lab Patient Departm			1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days			1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days			1	Days	7	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		

IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Delta Checking [8.1]					
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	1 Days up to 7 Days	~	1	Days	7	Days	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Delta Checking [8.1]					
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Delta Checking [8.1]					
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	7 Days up to 90 Years	~	7	Days	90	Years	Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Delta Checking [8.1]					
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3		
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Delta Checking [8.1]					
IONIZED CALCIUM, WHOLE BLOOD [LAB120028]	Ionized Calcium, Whole Blood [1230201579]	IONIZED CALCIUM, WHOLE BLOOD	ICA	mg/dL	1	Ionized Calcium, Whole Blood	1994-3	90 Years up to unspecified	~	90	Years	unspecified		Linearity Checking [9.1]	0.8	8.0	<0.8 or >8.0		
LACTATE, ARTERIAL [LAB120030]	Lactate, Arterial [1230211109]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6		

LACTATE, ARTERIAL [LAB120030]	Lactate, Arterial [1230211109]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
LACTATE, ARTERIAL [LAB120030]	Lactate, Arterial [1230211109]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4	Lab Patient Department is ED	~	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
LACTATE, ARTERIAL [LAB120030]	Lactate, Arterial [1230211109]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6
LACTATE, ARTERIAL [LAB120030]	Lactate, Arterial [1230211109]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0
LACTATE, ARTERIAL [LAB120030]	Lactate, Arterial [1230211109]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
LACTATE, ARTERIAL [LAB120030]	Lactate, Arterial [1230211109]	LACTATE, ARTERIAL, WHOLE BLOOD	LAART	mmol/L	1	Lactate, Arterial, Whole Blood	32693-4		~	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PH, OTHER	OPH		2	pH, Other	11558-4		~	~	~	~	~	Reference Range	7.10		>=7.10
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PH, OTHER	OPH		2	pH, Other	11558-4		~	~	~	~	~	Abnormality - Critical [2.1]	7.10		<7.10
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PH, OTHER	OPH		2	pH, Other	11558-4		~	~	~	~	~	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PCO2, OTHER	OPCO2	mmHg	0	pCO2, Other	11557-6		~	~	~	~	~	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PO2, OTHER	OPO2	mmHg	0	pO2, Other	11556-8		~	~	~	~	~	Linearity Checking [9.1]	15	550	<15 or >550
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	SO2, MEASURED, OTHER	OSATM	%	0	SO2, Measured, Other	20564-1		~	~	~	~	~	Linearity Checking [9.1]	1	100	<1 or >100
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PH, TEMP CORRECTED, OTHER			2	pH, Temp Corrected, Other		0 up to 150 Years	~	0		150	Years	Reference Range	7.10		>=7.10
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PH, TEMP CORRECTED, OTHER			2	pH, Temp Corrected, Other		0 up to 150 Years	~	0		150	Years	Abnormality - Critical [2.1]	7.10		<7.10
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PH, TEMP CORRECTED, OTHER			2	pH, Temp Corrected, Other		0 up to 150 Years	~	0		150	Years	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PCO2, TEMP CORRECTED, OTHER			0	pCO2, Temp Corrected, Other			~	~	~	~	~	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PO2, TEMP CORRECTED, OTHER			0	pO2, Temp Corrected, Other			~	~	~	~	~	Linearity Checking [9.1]	9	115	<9 or >115
BLOOD GAS, OTHER [LAB120033]	Blood Gas Other [1230301013]	PH, VENOUS	VPH	mmHg	2	pH, Venous	2746-6		~	~	~	~	~	Valid Checking [1.1]	15	550	15-550
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	PH, VENOUS	VPH		2	pH, Venous	2746-6		~	~	~	~	~	Reference Range	7.32	7.43	7.32-7.43
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	PH, VENOUS	VPH		2	pH, Venous	2746-6		~	~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	PH, VENOUS	VPH		2	pH, Venous	2746-6		~	~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	PH, VENOUS	VPH		2	pH, Venous	2746-6		~	~	~	~	~	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	0 up to 14 Days	~	0		14	Days	Reference Range	17	24	17-24
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	0 up to 14 Days	~	0		14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonate, Calculated, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24

TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonat e, Calculated, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonat e, Calculated, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonat e, Calculated, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonat e, Calculated, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified		Reference Range	22	26	22-26
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BICARBONATE, CALCULATED, VENOUS	VHCO3	mmol/L	0	Bicarbonat e, Calculated, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified		Abnormality - Abnormal [2.2]	22	26	<22 or >26
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	0 up to 4 Days	~	0		4	Days	Reference Range	-10.0	-2.0	-10.0-2.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	0 up to 4 Days	~	0		4	Days	Abnormality - Abnormal [2.2]	-10.0	-2.0	<-10.0 or >-2.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	4 Days up to 24 Months	~	4	Days	24	Months	Reference Range	-7.0	-1.0	-7.0-1.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	4 Days up to 24 Months	~	4	Days	24	Months	Abnormality - Abnormal [2.2]	-7.0	-1.0	<-7.0 or >-1.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	24 Months up to 12 Years	~	24	Months	12	Years	Reference Range	-4.0	2.0	-4.0-2.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	24 Months up to 12 Years	~	24	Months	12	Years	Abnormality - Abnormal [2.2]	-4.0	2.0	<-4.0 or >2.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	12 Years up to unspecified	~	12	Years	unspecified		Reference Range	-2.0	3.0	-2.0-3.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	BASE EXCESS, VENOUS	BE	mmol/L	1	Base Excess, Venous	11555-0	12 Years up to unspecified	~	12	Years	unspecified		Abnormality - Abnormal [2.2]	-2.0	3.0	<-2.0 or >3.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9	Lab Patient Department is ED	~	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2
TRAUMA SHOCK PANEL BLOOD GAS [LAB111139]	TRAUMA SHOCK PANEL BLOOD GAS [1230301036]	LACTATE, VENOUS, WHOLE BLOOD	LAVENG	mmol/L	1	Lactate, Venous, Whole Blood	2518-9		~	~	~	~	~	Linearity Checking [9.1]	0.4	24.0	<0.4 or >24.0
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 0 up to 6 Months	Female	0		6	Months	Reference Range		94	<94

TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 0 up to 6 Months	Female	0	6	Months	Valid Checking [1.1]	6	50000	6-50000	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 0 up to 6 Months	Female	0	6	Months	Abnormality - Abnormal [2.2]	94	>=94		
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 6 Months up to 1 Years	Female	6	Months	1	Years	Reference Range	22	<22	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 6 Months up to 1 Years	Female	6	Months	1	Years	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 6 Months up to 1 Years	Female	6	Months	1	Years	Abnormality - Abnormal [2.2]	22	>=22	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 1 Years up to 18 Years	Female	1	Years	18	Years	Reference Range	12	<12	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 1 Years up to 18 Years	Female	1	Years	18	Years	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 1 Years up to 18 Years	Female	1	Years	18	Years	Abnormality - Abnormal [2.2]	12	>=12	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 18 Years up to unspecified	Female	18	Years	unspecified	Reference Range	14	<14		
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 18 Years up to unspecified	Female	18	Years	unspecified	Valid Checking [1.1]	6	50000	6-50000	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	14	>=14		
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 0 up to 6 Months	Male	0	6	Months	Reference Range	94	<94		
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 0 up to 6 Months	Male	0	6	Months	Valid Checking [1.1]	6	50000	6-50000	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [1230009999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 0 up to 6 Months	Male	0	6	Months	Abnormality - Abnormal [2.2]	94	>=94		

TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 6 Months up to 1 Years	Male	6	Months	1	Years	Reference Range	22	<22	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 6 Months up to 1 Years	Male	6	Months	1	Years	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 6 Months up to 1 Years	Male	6	Months	1	Years	Abnormality - Abnormal [2.2]	22	>=22	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 1 Years up to 18 Years	Male	1	Years	18	Years	Reference Range	15	<15	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 1 Years up to 18 Years	Male	1	Years	18	Years	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 1 Years up to 18 Years	Male	1	Years	18	Years	Abnormality - Abnormal [2.2]	15	>=15	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	19	<19	
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [LAB139]	TROPONIN T, HIGH SENSITIVITY, CARDIAC RISK ASSESSMENT [123000999]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	19	>=19	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	HOURS OF URINE COLLECTION	HRSCAU	HRS	0	Hours Of Collection	30211-7							Valid Checking [1.1]	23	25	23-25
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, URINE	CRX	mg/dL	0	Creatinine, Urine	2161-8							Valid Checking [1.1]	3	1525	3-1525
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 1 Months	Female	0		1	Months	Reference Range	0.50	0.90	0.50-0.90
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 1 Months	Female	0		1	Months	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 1 Months	Female	0		1	Months	Abnormality - Abnormal [2.2]	0.50	0.90	<0.50 or >0.90
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Reference Range	0.20	0.40	0.20-0.40
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50

CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Abnormality - Abnormal [2.2]	0.20	0.40	<0.20 or >0.40
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 1 Years up to 6 Years	Female	1	Years	6	Years	Reference Range	0.10	0.50	0.10-0.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 1 Years up to 6 Years	Female	1	Years	6	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 1 Years up to 6 Years	Female	1	Years	6	Years	Abnormality - Abnormal [2.2]	0.10	0.50	<0.10 or >0.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 6 Years up to 9 Years	Female	6	Years	9	Years	Reference Range	0.30	0.60	0.30-0.60
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 6 Years up to 9 Years	Female	6	Years	9	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 6 Years up to 9 Years	Female	6	Years	9	Years	Abnormality - Abnormal [2.2]	0.30	0.60	<0.30 or >0.60
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 9 Years up to 16 Years	Female	9	Years	16	Years	Reference Range	0.40	0.70	0.40-0.70
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 9 Years up to 16 Years	Female	9	Years	16	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 9 Years up to 16 Years	Female	9	Years	16	Years	Abnormality - Abnormal [2.2]	0.40	0.70	<0.40 or >0.70
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 16 Years up to 90 Years	Female	16	Years	90	Years	Reference Range	0.60	1.10	0.60-1.10
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 16 Years up to 90 Years	Female	16	Years	90	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 16 Years up to 90 Years	Female	16	Years	90	Years	Abnormality - Abnormal [2.2]	0.60	1.10	<0.60 or >1.10
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 90 Years up to unspecified	Female	90	Years	unspecified	Years	Reference Range	0.60	1.30	0.60-1.30
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 90 Years up to unspecified	Female	90	Years	unspecified	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Female 90 Years up to unspecified	Female	90	Years	unspecified	Years	Abnormality - Abnormal [2.2]	0.60	1.30	<0.60 or >1.30
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2		Creatinine, Plasma	2160-0	Male 0 up to 1 Months	Male	0	1	Months	Reference Range	0.50	1.20	0.50-1.20	

CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 1 Months	Male	0		1	Months	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 1 Months	Male	0		1	Months	Abnormality - Abnormal [2.2]	0.50	1.20	<0.50 or >1.20
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Reference Range	0.20	0.40	0.20-0.40
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Abnormality - Abnormal [2.2]	0.20	0.40	<0.20 or >0.40
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 1 Years up to 5 Years	Male	1	Years	5	Years	Reference Range	0.10	0.50	0.10-0.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 1 Years up to 5 Years	Male	1	Years	5	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 1 Years up to 5 Years	Male	1	Years	5	Years	Abnormality - Abnormal [2.2]	0.10	0.50	<0.10 or >0.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Reference Range	0.20	0.60	0.20-0.60
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Abnormality - Abnormal [2.2]	0.20	0.60	<0.20 or >0.60
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 12 Years	Male	10	Years	12	Years	Reference Range	0.30	0.70	0.30-0.70
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 12 Years	Male	10	Years	12	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 12 Years	Male	10	Years	12	Years	Abnormality - Abnormal [2.2]	0.30	0.70	<0.30 or >0.70
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 12 Years up to 14 Years	Male	12	Years	14	Years	Reference Range	0.40	0.80	0.40-0.80
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 12 Years up to 14 Years	Male	12	Years	14	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 12 Years up to 14 Years	Male	12	Years	14	Years	Abnormality - Abnormal [2.2]	0.40	0.80	<0.40 or >0.80

CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 14 Years up to 16 Years	Male	14	Years	16	Years	Reference Range	0.50	0.90	0.50-0.90
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 14 Years up to 16 Years	Male	14	Years	16	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 14 Years up to 16 Years	Male	14	Years	16	Years	Abnormality - Abnormal [2.2]	0.50	0.90	<0.50 or >0.90
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 16 Years up to 90 Years	Male	16	Years	90	Years	Reference Range	0.80	1.30	0.80-1.30
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 16 Years up to 90 Years	Male	16	Years	90	Years	Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 16 Years up to 90 Years	Male	16	Years	90	Years	Abnormality - Abnormal [2.2]	0.80	1.30	<0.80 or >1.30
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified		Reference Range	1.00	1.70	1.00-1.70
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified		Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified		Abnormality - Abnormal [2.2]	1.00	1.70	<1.00 or >1.70
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE, PLASMA (SYNCED)	CREAS	mg/dL	2	Creatinine, Plasma	2160-0	~	~	~	~	~		Valid Checking [1.1]	0.17	124.50	0.17-124.50
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	40.00	65.00	40.00-65.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Abnormal [2.2]	40.00	65.00	<40.00 or >65.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 4 Days up to 12 Years	Female	4	Days	12	Years	Reference Range	95.00	125.00	95.00-125.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 4 Days up to 12 Years	Female	4	Days	12	Years	Abnormality - Abnormal [2.2]	95.00	125.00	<95.00 or >125.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 12 Years up to 40 Years	Female	12	Years	40	Years	Reference Range	80.00	120.00	80.00-120.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 12 Years up to 40 Years	Female	12	Years	40	Years	Abnormality - Abnormal [2.2]	80.00	120.00	<80.00 or >120.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 40 Years up to 50 Years	Female	40	Years	50	Years	Reference Range	72.00	114.00	72.00-114.00

CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 40 Years up to 50 Years	Female	40	Years	50	Years	Abnormality - Abnormal [2.2]	72.00	114.00	<72.00 or >114.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 50 Years up to 60 Years	Female	50	Years	60	Years	Reference Range	66.00	108.00	66.00-108.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 50 Years up to 60 Years	Female	50	Years	60	Years	Abnormality - Abnormal [2.2]	66.00	108.00	<66.00 or >108.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 60 Years up to unspecified	Female	60	Years	unspecified		Reference Range	60.00	102.00	60.00-102.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Female 60 Years up to unspecified	Female	60	Years	unspecified		Abnormality - Abnormal [2.2]	60.00	102.00	<60.00 or >102.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 0 up to 4 Days	Male	0		4	Days	Reference Range	40.00	65.00	40.00-65.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 0 up to 4 Days	Male	0		4	Days	Abnormality - Abnormal [2.2]	40.00	65.00	<40.00 or >65.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 4 Days up to 12 Years	Male	4	Days	12	Years	Reference Range	95.00	150.00	95.00-150.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 4 Days up to 12 Years	Male	4	Days	12	Years	Abnormality - Abnormal [2.2]	95.00	150.00	<95.00 or >150.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 12 Years up to 40 Years	Male	12	Years	40	Years	Reference Range	90.00	130.00	90.00-130.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 12 Years up to 40 Years	Male	12	Years	40	Years	Abnormality - Abnormal [2.2]	90.00	130.00	<90.00 or >130.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 40 Years up to 50 Years	Male	40	Years	50	Years	Reference Range	84.00	124.00	84.00-124.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 40 Years up to 50 Years	Male	40	Years	50	Years	Abnormality - Abnormal [2.2]	84.00	124.00	<84.00 or >124.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 50 Years up to 60 Years	Male	50	Years	60	Years	Reference Range	78.00	118.00	78.00-118.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 50 Years up to 60 Years	Male	50	Years	60	Years	Abnormality - Abnormal [2.2]	78.00	118.00	<78.00 or >118.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 60 Years up to unspecified	Male	60	Years	unspecified		Reference Range	72.00	112.00	72.00-112.00
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE CLEARANCE	CRCLR	mL/min	2	Creatinine Clearance	33558-8	Male 60 Years up to unspecified	Male	60	Years	unspecified		Abnormality - Abnormal [2.2]	72.00	112.00	<72.00 or >112.00

CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 0 up to 3 Years	Female	0		3	Years	Display Reference Range [14.1]				
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 3 Years up to 9 Years	Female	3	Years	9	Years	Reference Range	140	700	140-700	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 3 Years up to 9 Years	Female	3	Years	9	Years	Abnormality - Abnormal [2.2]	140	700	<140 or >700	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 9 Years up to 13 Years	Female	9	Years	13	Years	Reference Range	300	1300	300-1300	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 9 Years up to 13 Years	Female	9	Years	13	Years	Abnormality - Abnormal [2.2]	300	1300	<300 or >1300	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 13 Years up to 19 Years	Female	13	Years	19	Years	Reference Range	400	1600	400-1600	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 13 Years up to 19 Years	Female	13	Years	19	Years	Abnormality - Abnormal [2.2]	400	1600	<400 or >1600	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 19 Years up to unspecified	Female	19	Years	unspecified		Reference Range	500	1600	500-1600	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 19 Years up to unspecified	Female	19	Years	unspecified		Abnormality - Abnormal [2.2]	500	1600	<500 or >1600	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 0 up to 3 Years	Male	0		3	Years	Display Reference Range [14.1]				
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 3 Years up to 9 Years	Male	3	Years	9	Years	Reference Range	140	700	140-700	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 3 Years up to 9 Years	Male	3	Years	9	Years	Abnormality - Abnormal [2.2]	140	700	<140 or >700	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 9 Years up to 13 Years	Male	9	Years	13	Years	Reference Range	300	1300	300-1300	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 9 Years up to 13 Years	Male	9	Years	13	Years	Abnormality - Abnormal [2.2]	300	1300	<300 or >1300	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 13 Years up to 19 Years	Male	13	Years	19	Years	Reference Range	500	2300	500-2300	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 13 Years up to 19 Years	Male	13	Years	19	Years	Abnormality - Abnormal [2.2]	500	2300	<500 or >2300	
CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [12300100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Reference Range	800	2500	800-2500	

CREATININE CLEARANCE, 24 HOUR URINE [LAB818]	CREATININE CLEARANCE, 24 HOUR URINE [1230100501]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 19 Years up to unspecified	Male	19	Years	unspecified	Abnormality - Abnormal [2.2]	800	2500	<800 or >2500	
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	0 up to 6 Years	~	0	6	Years	Reference Range	1.6	2.7	1.6-2.7	
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	0 up to 6 Years	~	0	6	Years	Valid Checking [1.1]	0.3	9.7	0.3-9.7	
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	0 up to 6 Years	~	0	6	Years	Abnormality - Critical [2.1]	1.0	5.0	<1.0 or >5.0	
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	0 up to 6 Years	~	0	6	Years	Abnormality - Abnormal [2.2]	1.6	2.7	<1.6 or >2.7	
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	6 Years up to 12 Years	~	6	Years	12	Years	Reference Range	1.6	2.5	1.6-2.5
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	6 Years up to 12 Years	~	6	Years	12	Years	Valid Checking [1.1]	0.3	9.7	0.3-9.7
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	6 Years up to 12 Years	~	6	Years	12	Years	Abnormality - Critical [2.1]	1.0	5.0	<1.0 or >5.0
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	6 Years up to 12 Years	~	6	Years	12	Years	Abnormality - Abnormal [2.2]	1.6	2.5	<1.6 or >2.5
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	12 Years up to 18 Years	~	12	Years	18	Years	Reference Range	1.6	2.3	1.6-2.3
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	12 Years up to 18 Years	~	12	Years	18	Years	Valid Checking [1.1]	0.3	9.7	0.3-9.7
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	12 Years up to 18 Years	~	12	Years	18	Years	Abnormality - Critical [2.1]	1.0	5.0	<1.0 or >5.0
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	12 Years up to 18 Years	~	12	Years	18	Years	Abnormality - Abnormal [2.2]	1.6	2.3	<1.6 or >2.3
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	1.9	2.4	1.9-2.4	
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	0.3	9.7	0.3-9.7	
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	1.0	5.0	<1.0 or >5.0	
MAGNESIUM, PLASMA [LAB103]	MAGNESIUM, PLASMA [1230100005]	MAGNESIUM	MG	mg/dL	1	Magnesium, Plasma	19123-9	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	1.9	2.4	<1.9 or >2.4	
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 0 up to 1 Months	Female	0	1	Months	Reference Range	50	400	50-400	
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 0 up to 1 Months	Female	0	1	Months	Valid Checking [1.1]	5	6000	5-6000	
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 0 up to 1 Months	Female	0	1	Months	Abnormality - Abnormal [2.2]	50	400	<50 or >400	
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Reference Range	125	340	125-340
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Valid Checking [1.1]	5	6000	5-6000
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Abnormality - Abnormal [2.2]	125	340	<125 or >340
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Years up to 4 Years	Female	1	Years	4	Years	Reference Range	110	315	110-315
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Years up to 4 Years	Female	1	Years	4	Years	Valid Checking [1.1]	5	6000	5-6000
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Years up to 4 Years	Female	1	Years	4	Years	Abnormality - Abnormal [2.2]	110	315	<110 or >315

ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 56 Years up to unspecified	Female	56	Years	unspecified	Valid Checking [1.1]	5	6000	5-6000	
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 56 Years up to unspecified	Female	56	Years	unspecified	Abnormality - Abnormal [2.2]	46	142	<46 or >142	
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 0 up to 1 Months	Male	0		1	Months	Reference Range	75	315	75-315
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 0 up to 1 Months	Male	0		1	Months	Valid Checking [1.1]	5	6000	5-6000
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 0 up to 1 Months	Male	0		1	Months	Abnormality - Abnormal [2.2]	75	315	<75 or >315
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Reference Range	80	380	80-380
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Valid Checking [1.1]	5	6000	5-6000
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Abnormality - Abnormal [2.2]	80	380	<80 or >380
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Years up to 4 Years	Male	1	Years	4	Years	Reference Range	100	350	100-350
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Years up to 4 Years	Male	1	Years	4	Years	Valid Checking [1.1]	5	6000	5-6000
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Years up to 4 Years	Male	1	Years	4	Years	Abnormality - Abnormal [2.2]	100	350	<100 or >350
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 4 Years up to 11 Years	Male	4	Years	11	Years	Reference Range	149	435	149-435
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 4 Years up to 11 Years	Male	4	Years	11	Years	Valid Checking [1.1]	5	6000	5-6000
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 4 Years up to 11 Years	Male	4	Years	11	Years	Abnormality - Abnormal [2.2]	149	435	<149 or >435
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 11 Years up to 16 Years	Male	11	Years	16	Years	Reference Range	138	587	138-587
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 11 Years up to 16 Years	Male	11	Years	16	Years	Valid Checking [1.1]	5	6000	5-6000
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 11 Years up to 16 Years	Male	11	Years	16	Years	Abnormality - Abnormal [2.2]	138	587	<138 or >587
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 16 Years up to 19 Years	Male	16	Years	19	Years	Reference Range	52	222	52-222
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 16 Years up to 19 Years	Male	16	Years	19	Years	Valid Checking [1.1]	5	6000	5-6000
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 16 Years up to 19 Years	Male	16	Years	19	Years	Abnormality - Abnormal [2.2]	52	222	<52 or >222
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 19 Years up to unspecified	Male	19	Years	unspecified	Reference Range	40	115	40-115	
ALKALINE PHOSPHATASE, PLASMA [LAB112]	ALKALINE PHOSPHATASE, PLASMA [1230100015]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 19 Years up to unspecified	Male	19	Years	unspecified	Valid Checking [1.1]	5	6000	5-6000	

POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Reference Range	3.6	4.9	3.6-4.9		
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0		
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5		
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9		
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Reference Range	3.6	4.9	3.6-4.9		
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0		
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5		
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9		
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Reference Range	3.7	4.8	3.7-4.8			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Valid Checking [1.1]	1.5	10.0	1.5-10.0			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	3.7	4.8	<3.7 or >4.8			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	3.7	4.8	3.7-4.8			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	1.5	10.0	1.5-10.0			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5			
POTASSIUM, PLASMA [LAB114]	POTASSIUM, PLASMA [1230100017]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	3.7	4.8	<3.7 or >4.8			
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 0 up to 1 Months	~	0	1	Months	Reference Range	4.1	6.3	4.1-6.3			
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 0 up to 1 Months	~	0	1	Months	Valid Checking [1.1]	0.4	36.0	0.4-36.0			
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 0 up to 1 Months	~	0	1	Months	Abnormality - Abnormal [2.2]	4.1	6.3	<4.1 or >6.3			
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Months up to 1 Years	~	1	Months	1	Years	Reference Range	4.4	7.9	4.4-7.9		
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Months up to 1 Years	~	1	Months	1	Years	Valid Checking [1.1]	0.4	36.0	0.4-36.0		

TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Months up to 1 Years	~	1	Months	1	Years	Abnormality - Abnormal [2.2]	4.4	7.9	<4.4 or >7.9
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Years up to 19 Years	~	1	Years	19	Years	Reference Range	5.7	8.0	5.7-8.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Years up to 19 Years	~	1	Years	19	Years	Valid Checking [1.1]	0.4	36.0	0.4-36.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Years up to 19 Years	~	1	Years	19	Years	Abnormality - Abnormal [2.2]	5.7	8.0	<5.7 or >8.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 19 Years up to unspeci	~	19	Years	unspecified		Reference Range	6.3	7.9	6.3-7.9
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 19 Years up to unspeci	~	19	Years	unspecified		Valid Checking [1.1]	0.2	36.0	0.2-36.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 19 Years up to unspeci	~	19	Years	unspecified		Abnormality - Abnormal [2.2]	6.3	7.9	<6.3 or >7.9
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 0 up to 15 Days	~	0		15	Days	Reference Range	5.1	8.0	5.1-8.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 0 up to 15 Days	~	0		15	Days	Valid Checking [1.1]	0.2	36.0	0.2-36.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 0 up to 15 Days	~	0		15	Days	Abnormality - Abnormal [2.2]	5.1	8.0	<5.1 or >8.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 15 Days up to 1 Years	~	15	Days	1	Years	Reference Range	4.3	6.9	4.3-6.9
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 15 Days up to 1 Years	~	15	Days	1	Years	Valid Checking [1.1]	0.2	36.0	0.2-36.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 15 Days up to 1 Years	~	15	Days	1	Years	Abnormality - Abnormal [2.2]	4.3	6.9	<4.3 or >6.9
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 1 Years up to 9 Years	~	1	Years	9	Years	Reference Range	5.9	7.5	5.9-7.5
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 1 Years up to 9 Years	~	1	Years	9	Years	Valid Checking [1.1]	0.2	36.0	0.2-36.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 1 Years up to 9 Years	~	1	Years	9	Years	Abnormality - Abnormal [2.2]	5.9	7.5	<5.9 or >7.5
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 9 Years up to 19 Years	~	9	Years	19	Years	Reference Range	6.3	7.8	6.3-7.8
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 9 Years up to 19 Years	~	9	Years	19	Years	Valid Checking [1.1]	0.2	36.0	0.2-36.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 9 Years up to 19 Years	~	9	Years	19	Years	Abnormality - Abnormal [2.2]	6.3	7.8	<6.3 or >7.8
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 19 Years up to unspecified	~	19	Years	unspecified		Reference Range	6.2	7.7	6.2-7.7
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 19 Years up to unspecified	~	19	Years	unspecified		Valid Checking [1.1]	0.2	36.0	0.2-36.0
TOTAL PROTEIN, PLASMA [LAB118]	TOTAL PROTEIN, PLASMA [1230100021]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 19 Years up to unspecified	~	19	Years	unspecified		Abnormality - Abnormal [2.2]	6.2	7.7	<6.2 or >7.7

SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0		8	Days	Reference Range	133	146	133-146	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	100	200	100-200	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0		8	Days	Abnormality - Critical [2.1]	120	165	<120 or >165	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Reference Range	133	144	133-144	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Valid Checking [1.1]	100	200	100-200	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	136	145	136-145	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	100	200	100-200	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	120	165	<=120 or >=165	
SODIUM, PLASMA [LAB122]	SODIUM, PLASMA [1230100026]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	136	145	<136 or >145	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	0 up to 7 Days	~	0		7	Days	Reference Range	0.9	2.5	0.9-2.5	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	0 up to 7 Days	~	0		7	Days	Valid Checking [1.1]	0.1	7.8	0.1-7.8	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	0 up to 7 Days	~	0		7	Days	Abnormality - Abnormal [2.2]	0.9	2.5	<0.9 or >2.5	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	7 Days up to 4 Months	~	7	Days	4	Months	Reference Range	0.9	2.2	0.9-2.2	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	7 Days up to 4 Months	~	7	Days	4	Months	Valid Checking [1.1]	0.1	7.8	0.1-7.8	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	7 Days up to 4 Months	~	7	Days	4	Months	Abnormality - Abnormal [2.2]	0.9	2.2	<0.9 or >2.2	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	4 Months up to 2 Years	~	4	Months	2	Years	Reference Range	0.9	2.0	0.9-2.0	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	4 Months up to 2 Years	~	4	Months	2	Years	Valid Checking [1.1]	0.1	7.8	0.1-7.8	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	4 Months up to 2 Years	~	4	Months	2	Years	Abnormality - Abnormal [2.2]	0.9	2.0	<0.9 or >2.0	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	2 Years up to 7 Years	~	2	Years	7	Years	Reference Range	1.0	1.8	1.0-1.8	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	2 Years up to 7 Years	~	2	Years	7	Years	Valid Checking [1.1]	0.1	7.8	0.1-7.8	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	2 Years up to 7 Years	~	2	Years	7	Years	Abnormality - Abnormal [2.2]	1.0	1.8	<1.0 or >1.8	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	7 Years up to 12 Years	~	7	Years	12	Years	Reference Range	1.0	1.7	1.0-1.7	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	7 Years up to 12 Years	~	7	Years	12	Years	Valid Checking [1.1]	0.1	7.8	0.1-7.8	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	7 Years up to 12 Years	~	7	Years	12	Years	Abnormality - Abnormal [2.2]	1.0	1.7	<1.0 or >1.7	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	12 Years up to 17 Years	~	12	Years	17	Years	Reference Range	1.0	1.6	1.0-1.6	
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	12 Years up to 17 Years	~	12	Years	17	Years	Valid Checking [1.1]	0.1	7.8	0.1-7.8	

	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA																		
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	12 Years up to 17 Years	~	12	Years	17	Years	Abnormality - Abnormal [2.2]	1.0	1.6	<1.0 or >1.6			
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	0.8	1.7	0.8-1.7			
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	0.1	7.8	0.1-7.8			
FREE T4, PLASMA [LAB127]	FREE T4, PLASMA [1230100031]	FREE T4, PLASMA	FT4i	ng/dL	1	Free T4, Plasma	3024-7	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	0.8	1.7	<0.8 or >1.7			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	0 up to 7 Days	~	0		7	Days	Reference Range	0.70	15.20	0.70-15.20			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	0 up to 7 Days	~	0		7	Days	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	0 up to 7 Days	~	0		7	Days	Abnormality - Abnormal [2.2]	0.70	15.20	<0.70 or >15.20			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Days up to 4 Months	~	7	Days	4	Months	Reference Range	0.70	11.00	0.70-11.00			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Days up to 4 Months	~	7	Days	4	Months	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Days up to 4 Months	~	7	Days	4	Months	Abnormality - Abnormal [2.2]	0.70	11.00	<0.70 or >11.00			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	4 Months up to 1 Years	~	4	Months	1	Years	Reference Range	0.70	8.40	0.70-8.40			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	4 Months up to 1 Years	~	4	Months	1	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	4 Months up to 1 Years	~	4	Months	1	Years	Abnormality - Abnormal [2.2]	0.70	8.40	<0.70 or >8.40			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	1 Years up to 7 Years	~	1	Years	7	Years	Reference Range	0.70	6.00	0.70-6.00			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	1 Years up to 7 Years	~	1	Years	7	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	1 Years up to 7 Years	~	1	Years	7	Years	Abnormality - Abnormal [2.2]	0.70	6.00	<0.70 or >6.00			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Years up to 12 Years	~	7	Years	12	Years	Reference Range	0.60	4.80	0.60-4.80			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Years up to 12 Years	~	7	Years	12	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00			
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Years up to 12 Years	~	7	Years	12	Years	Abnormality - Abnormal [2.2]	0.60	4.80	<0.60 or >4.80			

TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	12 Years up to 21 Years	~	12	Years	21	Years	Reference Range	0.50	4.30	0.50-4.30
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	12 Years up to 21 Years	~	12	Years	21	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	12 Years up to 21 Years	~	12	Years	21	Years	Abnormality - Abnormal [2.2]	0.50	4.30	<0.50 or >4.30
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	21 Years up to unspecified	~	21	Years	unspecified		Reference Range	0.40	4.20	0.40-4.20
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	21 Years up to unspecified	~	21	Years	unspecified		Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH [LAB129]	THYROID STIMULATING HORMONE, PLASMA [1230100033]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	21 Years up to unspecified	~	21	Years	unspecified		Abnormality - Abnormal [2.2]	0.40	4.20	<0.40 or >4.20
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	0 up to 7 Days	~	0		7	Days	Reference Range	0.70	15.20	0.70-15.20
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	0 up to 7 Days	~	0		7	Days	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	0 up to 7 Days	~	0		7	Days	Abnormality - Abnormal [2.2]	0.70	15.20	<0.70 or >15.20
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Days up to 4 Months	~	7	Days	4	Months	Reference Range	0.70	11.00	0.70-11.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Days up to 4 Months	~	7	Days	4	Months	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Days up to 4 Months	~	7	Days	4	Months	Abnormality - Abnormal [2.2]	0.70	11.00	<0.70 or >11.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	4 Months up to 1 Years	~	4	Months	1	Years	Reference Range	0.70	8.40	0.70-8.40
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	4 Months up to 1 Years	~	4	Months	1	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	4 Months up to 1 Years	~	4	Months	1	Years	Abnormality - Abnormal [2.2]	0.70	8.40	<0.70 or >8.40

TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	1 Years up to 7 Years	~	1	Years	7	Years	Reference Range	0.70	6.00	0.70-6.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	1 Years up to 7 Years	~	1	Years	7	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	1 Years up to 7 Years	~	1	Years	7	Years	Abnormality - Abnormal [2.2]	0.70	6.00	<0.70 or >6.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Years up to 12 Years	~	7	Years	12	Years	Reference Range	0.60	4.80	0.60-4.80
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Years up to 12 Years	~	7	Years	12	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Years up to 12 Years	~	7	Years	12	Years	Abnormality - Abnormal [2.2]	0.60	4.80	<0.60 or >4.80
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	12 Years up to 21 Years	~	12	Years	21	Years	Reference Range	0.50	4.30	0.50-4.30
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	12 Years up to 21 Years	~	12	Years	21	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	12 Years up to 21 Years	~	12	Years	21	Years	Abnormality - Abnormal [2.2]	0.50	4.30	<0.50 or >4.30
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	21 Years up to unspecified	~	21	Years	unspecified		Reference Range	0.40	4.20	0.40-4.20
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	21 Years up to unspecified	~	21	Years	unspecified		Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX FT4 [LAB11141]	THYROID STIMULATING HORMONE REFLEX FT4, PLASMA [1230100034]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	21 Years up to unspecified	~	21	Years	unspecified		Abnormality - Abnormal [2.2]	0.40	4.20	<0.40 or >4.20
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	0 up to 2 Years	~	0		2	Years	Reference Range		100	<100
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	0 up to 2 Years	~	0		2	Years	Valid Checking [1.1]	9	8850	9-8850
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	0 up to 2 Years	~	0		2	Years	Abnormality - Abnormal [2.2]		100	>=100
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	2 Years up to 10 Years	~	2	Years	10	Years	Reference Range		75	<75
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	2 Years up to 10 Years	~	2	Years	10	Years	Valid Checking [1.1]	9	8850	9-8850

TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	2 Years up to 10 Years	~	2	Years	10	Years	Abnormality - Abnormal [2.2]	75	>=75	
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	10 Years up to 17 Years	~	10	Years	17	Years	Reference Range	90	<90	
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	10 Years up to 17 Years	~	10	Years	17	Years	Valid Checking [1.1]	9	8850	9-8850
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	10 Years up to 17 Years	~	10	Years	17	Years	Abnormality - Abnormal [2.2]	90	>=90	
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	150	<150	
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	9	8850	9-8850
TRIGLYCERIDES, PLASMA [LAB134]	TRIGLYCERIDES, PLASMA [1230100039]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	150	>=150	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 0 up to 6 Months	Female	0		6	Months	Reference Range	94	<94	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 0 up to 6 Months	Female	0		6	Months	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 0 up to 6 Months	Female	0		6	Months	Abnormality - Abnormal [2.2]	94	>=94	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 6 Months up to 1 Years	Female	6	Months	1	Years	Reference Range	22	<22	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 6 Months up to 1 Years	Female	6	Months	1	Years	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 6 Months up to 1 Years	Female	6	Months	1	Years	Abnormality - Abnormal [2.2]	22	>=22	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 1 Years up to 18 Years	Female	1	Years	18	Years	Reference Range	12	<12	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 1 Years up to 18 Years	Female	1	Years	18	Years	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 1 Years up to 18 Years	Female	1	Years	18	Years	Abnormality - Abnormal [2.2]	12	>=12	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	14	<14	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	6	50000	6-50000

TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	14	>=14	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 0 up to 6 Months	Male	0	6	Months	Reference Range	94	<94	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 0 up to 6 Months	Male	0	6	Months	Valid Checking [1.1]	6	50000 6-50000	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 0 up to 6 Months	Male	0	6	Months	Abnormality - Abnormal [2.2]	94	>=94	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 6 Months up to 1 Years	Male	6	Months	1	Years	Reference Range	22	<22
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 6 Months up to 1 Years	Male	6	Months	1	Years	Valid Checking [1.1]	6	50000 6-50000
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 6 Months up to 1 Years	Male	6	Months	1	Years	Abnormality - Abnormal [2.2]	22	>=22
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 1 Years up to 18 Years	Male	1	Years	18	Years	Reference Range	15	<15
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 1 Years up to 18 Years	Male	1	Years	18	Years	Valid Checking [1.1]	6	50000 6-50000
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 1 Years up to 18 Years	Male	1	Years	18	Years	Abnormality - Abnormal [2.2]	15	>=15
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	19	<19	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 18 Years up to unspecified	Male	18	Years	unspecified	Valid Checking [1.1]	6	50000 6-50000	
TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA, REFLEX TO 2 HOUR [LAB1231391]	TROPONIN T, HIGH SENSITIVITY, 0 HOUR, PLASMA [1230100044]	TROPONIN T, HIGH SENSITIVITY	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	19	>=19	
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Female 0 up to 1 Months	Female	0	1	Months	Reference Range	1.0	4.6 1.0-4.6	
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Female 0 up to 1 Months	Female	0	1	Months	Valid Checking [1.1]	0.2	62.5 0.2-62.5	
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Female 0 up to 1 Months	Female	0	1	Months	Abnormality - Abnormal [2.2]	1.0	4.6 <1.0 or >4.6	

URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Abnormality - Abnormal [2.2]	1.2	5.6	<1.2 or >5.6
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 1 Years up to 12 Years	Male	1	Years	12	Years	Reference Range	2.4	5.9	2.4-5.9
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 1 Years up to 12 Years	Male	1	Years	12	Years	Valid Checking [1.1]	0.2	62.5	0.2-62.5
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 1 Years up to 12 Years	Male	1	Years	12	Years	Abnormality - Abnormal [2.2]	2.4	5.9	<2.4 or >5.9
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 12 Years up to 14 Years	Male	12	Years	14	Years	Reference Range	3.1	6.9	3.1-6.9
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 12 Years up to 14 Years	Male	12	Years	14	Years	Valid Checking [1.1]	0.2	62.5	0.2-62.5
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 12 Years up to 14 Years	Male	12	Years	14	Years	Abnormality - Abnormal [2.2]	3.1	6.9	<3.1 or >6.9
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 14 Years up to 16 Years	Male	14	Years	16	Years	Reference Range	3.7	7.8	3.7-7.8
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 14 Years up to 16 Years	Male	14	Years	16	Years	Valid Checking [1.1]	0.2	62.5	0.2-62.5
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 14 Years up to 16 Years	Male	14	Years	16	Years	Abnormality - Abnormal [2.2]	3.7	7.8	<3.7 or >7.8
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 16 Years up to unspecified	Male	16	Years	unspecified		Reference Range	3.7	8.0	3.7-8.0
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	mg/dL	1	Uric Acid, Plasma	3084-1	Male 16 Years up to unspecified	Male	16	Years	unspecified		Valid Checking [1.1]	0.2	62.5	0.2-62.5
URIC ACID, PLASMA [LAB141]	URIC ACID, PLASMA [1230100047]	URIC ACID, PLASMA	URIC	me/dL	1	Uric Acid, Plasma	3084-1	Male 16 Years up to unspecified	Male	16	Years	unspecified		Abnormality - Abnormal [2.2]	3.7	8.0	<3.7 or >8.0
HCG, QUANTITATIVE [LAB143]	HCG, TOTAL BETA, QUANTITATIVE, PLASMA [1230100048]	HCG, TOTAL BETA, TUMOR MARKER		mIU/mL		hCG, Total Beta								Reference Range	5		<5
HCG, QUANTITATIVE [LAB143]	HCG, TOTAL BETA, QUANTITATIVE, PLASMA [1230100048]	HCG, TOTAL BETA, TUMOR MARKER		mIU/mL		hCG, Total Beta								Valid Checking [1.1]	1	1000000	1-1000000
HCG, QUANTITATIVE [LAB143]	HCG, TOTAL BETA, QUANTITATIVE, PLASMA [1230100048]	HCG, TOTAL BETA, TUMOR MARKER		mIU/mL		hCG, Total Beta								Abnormality - Abnormal [2.2]	5		>=5
C-REACTIVE PROTEIN, PLASMA [LAB149]	C REACTIVE PROTEIN, PLASMA [1230100053]	C REACTIVE PROTEIN (MG/L) IN SER/PLAS	CRP	mg/L	1	CRP, Plasma	1988-5							Reference Range	8.0		<=8.0
C-REACTIVE PROTEIN, PLASMA [LAB149]	C REACTIVE PROTEIN, PLASMA [1230100053]	C REACTIVE PROTEIN (MG/L) IN SER/PLAS	CRP	mg/L	1	CRP, Plasma	1988-5							Valid Checking [1.1]	3.0	700.0	3.0-700.0
C-REACTIVE PROTEIN, PLASMA [LAB149]	C REACTIVE PROTEIN, PLASMA [1230100053]	C REACTIVE PROTEIN (MG/L) IN SER/PLAS	CRP	mg/L	1	CRP, Plasma	1988-5							Abnormality - Abnormal [2.2]	8.0		>8.0
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department i		0		2	Days	Reference Range	41	60	41-60
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department i		0		2	Days	Valid Checking [1.1]	2	1500	2-1500
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department i		0		2	Days	Abnormality - Critical [2.1]	40		<=40
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department i		0		2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days		0		2	Days	Reference Range	41	60	41-60

BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0	2	Days	Valid Checking [1.1]	2	1500	2-1500			
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300			
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60			
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Valid Checking [1.1]	2	1500	2-1500		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Valid Checking [1.1]	2	1500	2-1500		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Reference Range	60	99	60-99		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Valid Checking [1.1]	2	1500	2-1500		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Abnormality - Critical [2.1]	50		<=50		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Reference Range	60	99	60-99		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Valid Checking [1.1]	2	1500	2-1500		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient Departm	~	18	Years	unspecified	Reference Range	74	99	74-99			
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient Departm	~	18	Years	unspecified	Valid Checking [1.1]	2	1500	2-1500			
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient Departm	~	18	Years	unspecified	Abnormality - Critical [2.1]	50		<=50			

BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	74	99	<74 or >99	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	74	99	74-99	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	2	1500	2-1500	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	50	500	<=50 or >=500	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	74	99	<74 or >99	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0	8	Years	Reference Range	3	13	3-13	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0	8	Years	Valid Checking [1.1]	3	336	3-336	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0	8	Years	Abnormality - Abnormal [2.2]	3	13	<3 or >13	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Reference Range	5	17	5-17
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Valid Checking [1.1]	3	336	3-336
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Abnormality - Abnormal [2.2]	5	17	<5 or >17
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Reference Range	7	21	7-21
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Valid Checking [1.1]	3	336	3-336
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Abnormality - Abnormal [2.2]	7	21	<7 or >21
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	8	23	8-23
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Valid Checking [1.1]	3	336	3-336
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	8	23	<8 or >23
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified	Reference Range	10	31	10-31	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified	Valid Checking [1.1]	3	336	3-336	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	10	31	<10 or >31	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	0.40	1.00	0.40-1.00	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0	15	Days	Valid Checking [1.1]	0.11	122.00	0.11-122.00	

BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	0.40	1.00	0.40-1.00		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 15 Days	Male	0		15	Days	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	0.40	1.00	<0.40 or >1.00		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Days up to 2 Years	Male	15	Days	2	Years	Reference Range	0.20	0.40	0.20-0.40		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Days up to 2 Years	Male	15	Days	2	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Days up to 2 Years	Male	15	Days	2	Years	Abnormality - Abnormal [2.2]	0.20	0.40	<0.20 or >0.40		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 2 Years up to 5 Years	Male	2	Years	5	Years	Reference Range	0.30	0.50	0.30-0.50		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 2 Years up to 5 Years	Male	2	Years	5	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 2 Years up to 5 Years	Male	2	Years	5	Years	Abnormality - Abnormal [2.2]	0.30	0.50	<0.30 or >0.50		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Reference Range	0.30	0.60	0.30-0.60		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Abnormality - Abnormal [2.2]	0.30	0.60	<0.30 or >0.60		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 15 Years	Male	10	Years	15	Years	Reference Range	0.40	0.90	0.40-0.90		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 15 Years	Male	10	Years	15	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 15 Years	Male	10	Years	15	Years	Abnormality - Abnormal [2.2]	0.40	0.90	<0.40 or >0.90		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Years up to 19 Years	Male	15	Years	19	Years	Reference Range	0.50	0.90	0.50-0.90		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Years up to 19 Years	Male	15	Years	19	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Years up to 19 Years	Male	15	Years	19	Years	Abnormality - Abnormal [2.2]	0.50	0.90	<0.50 or >0.90		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 19 Years up to 90 Years	Male	19	Years	90	Years	Reference Range	0.80	1.30	0.80-1.30		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 19 Years up to 90 Years	Male	19	Years	90	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 19 Years up to 90 Years	Male	19	Years	90	Years	Abnormality - Abnormal [2.2]	0.80	1.30	<0.80 or >1.30		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified		Reference Range	1.00	1.70	1.00-1.70		

BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified	Valid Checking [1.1]	0.11	122.00	0.11-122.00	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified	Abnormality - Abnormal [2.2]	1.00	1.70	<1.00 or >1.70	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0		~	~	~	~	Valid Checking [1.1]	0.11	122.00	0.11-122.00	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Reference Range	133	146	133-146	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	100	200	100-200	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Abnormality - Critical [2.1]	120	165	<120 or >165	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Reference Range	133	144	133-144
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Valid Checking [1.1]	100	200	100-200
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	136	145	136-145	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	100	200	100-200	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5	

BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Valid Checking [1.1]	4	70	4-70		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Abnormal [2.2]	19	27	<19 or >27		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Reference Range	20	28	20-28		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Valid Checking [1.1]	4	70	4-70		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Abnormal [2.2]	20	28	<20 or >28		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Reference Range	21	29	21-29		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Valid Checking [1.1]	4	70	4-70		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Abnormal [2.2]	21	29	<21 or >29		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	22	29	22-29		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	4	70	4-70		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	10	40	<=10 or >=40		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	22	29	<22 or >29		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0		8	Days	Reference Range	96	111	96-111		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	60	140	60-140		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Reference Range	96	110	96-110		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Valid Checking [1.1]	60	140	60-140		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110		
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108	96-108		

BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1.1]	60	140	60-140
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	97	107	97-107	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	60	140	60-140	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	97	107	<97 or >107	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	ANION GAP	ANION	mmol/L	0	Anion Gap	10466-1		~	~	~	~	~	Reference Range	6	16	6-16
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	ANION GAP	ANION	mmol/L	0	Anion Gap	10466-1		~	~	~	~	~	Valid Checking [1.1]	0		>=0
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	ANION GAP	ANION	mmol/L	0	Anion Gap	10466-1		~	~	~	~	~	Abnormality - Abnormal [2.2]	6	16	<6 or >16
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department is	~	0	5	Days	Reference Range	7.9	10.7	7.9-10.7	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department is	~	0	5	Days	Valid Checking [1.1]	2.0	20.0	2.0-20.0	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department is	~	0	5	Days	Abnormality - Abnormal [2.2]	7.9	10.7	<7.9 or >10.7	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0	5	Days	Reference Range	7.9	10.7	7.9-10.7	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0	5	Days	Valid Checking [1.1]	2.0	20.0	2.0-20.0	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0	5	Days	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0	5	Days	Abnormality - Abnormal [2.2]	7.9	10.7	<7.9 or >10.7	
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Reference Range	8.5	10.6	8.5-10.6
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Abnormality - Abnormal [2.2]	8.5	10.6	<8.5 or >10.6
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Reference Range	8.5	10.6	8.5-10.6
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0
BASIC METABOLIC PANEL, PLASMA (LAB15)	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Abnormality - Abnormal [2.2]	8.5	10.6	<8.5 or >10.6

BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Depar	~	7	Years	18	Years	Reference Range	8.4	10.3	8.4-10.3		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Depar	~	7	Years	18	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Depar	~	7	Years	18	Years	Abnormality - Abnormal [2.2]	8.4	10.3	<8.4 or >10.3		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Reference Range	8.4	10.3	8.4-10.3		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Abnormality - Abnormal [2.2]	8.4	10.3	<8.4 or >10.3		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Reference Range	8.9	10.2	8.9-10.2		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Valid Checking [1.1]	2.0	20.0	2.0-20.0		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.9	10.2	<8.9 or >10.2		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	8.9	10.2	8.9-10.2		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	2.0	20.0	2.0-20.0		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0		
BASIC METABOLIC PANEL, PLASMA [LAB15]	BASIC METABOLIC PANEL [1230100054]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.9	10.2	<8.9 or >10.2		
HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATION [LAB10121]	HIV I/II ANTIBODY/ANTI GEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATIO N [1230100064]	HIV 1 & 2 ANTIBODY/ANTIGEN SCREEN	HIV			HIV 1 & 2 Antibody/A ntigen Screen	56888-1		~	~	~	~	~	Reference Range				Non Reactive [1017]	
HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATION [LAB10121]	HIV I/II ANTIBODY/ANTI GEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATIO N [1230100064]	HIV 1 & 2 ANTIBODY/ANTIGEN SCREEN	HIV			HIV 1 & 2 Antibody/A ntigen Screen	56888-1		~	~	~	~	~	Valid Checking [1.1]				Reactive [10], Non Reactive [1017]	
HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATION [LAB10121]	HIV I/II ANTIBODY/ANTI GEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATIO N [1230100064]	HIV 1 & 2 ANTIBODY/ANTIGEN SCREEN	HIV			HIV 1 & 2 Antibody/A ntigen Screen	56888-1		~	~	~	~	~	Abnormality - Abnormal [2.2]				Reactive [10]	
HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATION [LAB10121]	HIV I/II ANTIBODY/ANTI GEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATIO N [1230100064]	HIV 1 & 2 ANTIBODY/ANTIGEN SCREEN	HIV			HIV 1 & 2 Antibody/A ntigen Screen	56888-1		~	~	~	~	~	Reportable Checking [3.1]				Reactive [10]	

HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV 1/1 DIFFERENTIATION [LAB10121]	HIV 1/1 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV 1/1 DIFFERENTIATION [1230100064]	HIV 1 & 2 ANTIBODY/ANTIGEN SCREEN	HIV				HIV 1 & 2 Antibody/Antigen Screen	56888-1											Display Reference Range [14.1]					Non Reactive
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	ANION GAP	ANION	mmol/L	0		Anion Gap	10466-1											Reference Range	6	16	6-16		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	ANION GAP	ANION	mmol/L	0		Anion Gap	10466-1											Valid Checking [1.1]	0		>=0		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	ANION GAP	ANION	mmol/L	0		Anion Gap	10466-1											Abnormality - Abnormal [2.2]	6	16	<6 or >16		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	0 up to 8 Days										Reference Range	96	111	96-111		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	0 up to 8 Days										Valid Checking [1.1]	60	140	60-140		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	0 up to 8 Days										Abnormality - Abnormal [2.2]	96	111	<96 or >111		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	8 Days up to 7 Months										Reference Range	96	110	96-110		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	8 Days up to 7 Months										Valid Checking [1.1]	60	140	60-140		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	8 Days up to 7 Months										Abnormality - Abnormal [2.2]	96	110	<96 or >110		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	7 Months up to 1 Years										Reference Range	96	108	96-108		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	7 Months up to 1 Years										Valid Checking [1.1]	60	140	60-140		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	7 Months up to 1 Years										Abnormality - Abnormal [2.2]	96	108	<96 or >108		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	1 Years up to unspecified										Reference Range	97	107	97-107		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	1 Years up to unspecified										Valid Checking [1.1]	60	140	60-140		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CHLORIDE	CL	mmol/L	0		Chloride, Plasma	2075-0	1 Years up to unspecified										Abnormality - Abnormal [2.2]	97	107	<97 or >107		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0		CO2, Plasma	1962-0	0 up to 4 Years										Reference Range	17	26	17-26		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0		CO2, Plasma	1962-0	0 up to 4 Years										Valid Checking [1.1]	4	70	4-70		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0		CO2, Plasma	1962-0	0 up to 4 Years										Abnormality - Critical [2.1]	10	40	<=10 or >=40		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0		CO2, Plasma	1962-0	0 up to 4 Years										Abnormality - Abnormal [2.2]	17	26	<17 or >26		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0		CO2, Plasma	1962-0	4 Years up to 6 Years										Reference Range	19	27	19-27		

ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Valid Checking [1.1]	4	70	4-70		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Abnormal [2.2]	19	27	<19 or >27		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Reference Range	20	28	20-28		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Valid Checking [1.1]	4	70	4-70		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Abnormal [2.2]	20	28	<20 or >28		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Reference Range	21	29	21-29		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Valid Checking [1.1]	4	70	4-70		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Abnormal [2.2]	21	29	<21 or >29		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	22	29	22-29		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	4	70	4-70		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	10	40	<=10 or >=40		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0		1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0		
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0		1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5		

ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Valid Checking [1.1]	100	200	100-200
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	136	145	136-145	
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	100	200	100-200	
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
ELECTROLYTE PANEL, PLASMA [LAB16]	ELECTROLYTE PANEL, PLASMA [1230100065]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0		1	Years	Reference Range	3.1	5.0	3.1-5.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0		1	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Abnormal [2.2]	3.1	5.0	<3.1 or >5.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	Years	8	Years	Reference Range	4.0	4.9	4.0-4.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	Years	8	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	Years	8	Years	Abnormality - Abnormal [2.2]	4.0	4.9	<4.0 or >4.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Reference Range	4.2	5.1	4.2-5.1
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Abnormality - Abnormal [2.2]	4.2	5.1	<4.2 or >5.1
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Reference Range	4.0	5.3	4.0-5.3
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Abnormality - Abnormal [2.2]	4.0	5.3	<4.0 or >5.3

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified	Reference Range	3.5	5.2	3.5-5.2	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified	Valid Checking [1.1]	0.2	15.0	0.2-15.0	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	3.5	5.2	<3.5 or >5.2	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0	1	Years	Reference Range	3.1	5.0	3.1-5.0	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0	1	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0	1	Years	Abnormality - Abnormal [2.2]	3.1	5.0	<3.1 or >5.0	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	Years	8	Years	Reference Range	4.0	4.9	4.0-4.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	Years	8	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	Years	8	Years	Abnormality - Abnormal [2.2]	4.0	4.9	<4.0 or >4.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	Years	15	Years	Reference Range	4.2	5.1	4.2-5.1
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	Years	15	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	Years	15	Years	Abnormality - Abnormal [2.2]	4.2	5.1	<4.2 or >5.1
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	Years	18	Years	Reference Range	4.3	5.3	4.3-5.3
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	Years	18	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	Years	18	Years	Abnormality - Abnormal [2.2]	4.3	5.3	<4.3 or >5.3
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	3.5	5.2	3.5-5.2	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Valid Checking [1.1]	0.2	15.0	0.2-15.0	

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	3.5	5.2	<3.5 or >5.2	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 0 up to 1 Months	Female	0	1	Months	Reference Range	50	400	50-400	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 0 up to 1 Months	Female	0	1	Months	Valid Checking [1.1]	5	6000	5-6000	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 0 up to 1 Months	Female	0	1	Months	Abnormality - Abnormal [2.2]	50	400	<50 or >400	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Reference Range	125	340	125-340
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Abnormality - Abnormal [2.2]	125	340	<125 or >340
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Years up to 4 Years	Female	1	Years	4	Years	Reference Range	110	315	110-315
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Years up to 4 Years	Female	1	Years	4	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Years up to 4 Years	Female	1	Years	4	Years	Abnormality - Abnormal [2.2]	110	315	<110 or >315
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 4 Years up to 7 Years	Female	4	Years	7	Years	Reference Range	162	372	162-372
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 4 Years up to 7 Years	Female	4	Years	7	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 4 Years up to 7 Years	Female	4	Years	7	Years	Abnormality - Abnormal [2.2]	162	372	<162 or >372
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 7 Years up to 10 Years	Female	7	Years	10	Years	Reference Range	183	468	183-468
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 7 Years up to 10 Years	Female	7	Years	10	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 7 Years up to 10 Years	Female	7	Years	10	Years	Abnormality - Abnormal [2.2]	183	468	<183 or >468
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 10 Years up to 13 Years	Female	10	Years	13	Years	Reference Range	133	526	133-526

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 10 Years up to 13 Years	Female	10	Years	13	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 10 Years up to 13 Years	Female	10	Years	13	Years	Abnormality - Abnormal [2.2]	133	526	<133 or >526
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 13 Years up to 15 Years	Female	13	Years	15	Years	Reference Range	120	449	120-449
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 13 Years up to 15 Years	Female	13	Years	15	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 13 Years up to 15 Years	Female	13	Years	15	Years	Abnormality - Abnormal [2.2]	120	449	<120 or >449
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 15 Years up to 17 Years	Female	15	Years	17	Years	Reference Range	61	274	61-274
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 15 Years up to 17 Years	Female	15	Years	17	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 15 Years up to 17 Years	Female	15	Years	17	Years	Abnormality - Abnormal [2.2]	61	274	<61 or >274
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 17 Years up to 19 Years	Female	17	Years	19	Years	Reference Range	52	144	52-144
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 17 Years up to 19 Years	Female	17	Years	19	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 17 Years up to 19 Years	Female	17	Years	19	Years	Abnormality - Abnormal [2.2]	52	144	<52 or >144
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 19 Years up to 56 Years	Female	19	Years	56	Years	Reference Range	35	104	35-104
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 19 Years up to 56 Years	Female	19	Years	56	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 19 Years up to 56 Years	Female	19	Years	56	Years	Abnormality - Abnormal [2.2]	35	104	<35 or >104
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 56 Years up to unspecified	Female	56	Years	unspecified	Reference Range	46	142	46-142	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 56 Years up to unspecified	Female	56	Years	unspecified	Valid Checking [1.1]	5	6000	5-6000	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 56 Years up to unspecified	Female	56	Years	unspecified	Abnormality - Abnormal [2.2]	46	142	<46 or >142	

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 0 up to 1 Months	Male	0	1	Months	Reference Range	75	315	75-315	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 0 up to 1 Months	Male	0	1	Months	Valid Checking [1.1]	5	6000	5-6000	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 0 up to 1 Months	Male	0	1	Months	Abnormality - Abnormal [2.2]	75	315	<75 or >315	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Reference Range	80	380	80-380
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Abnormality - Abnormal [2.2]	80	380	<80 or >380
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Years up to 4 Years	Male	1	Years	4	Years	Reference Range	100	350	100-350
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Years up to 4 Years	Male	1	Years	4	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 1 Years up to 4 Years	Male	1	Years	4	Years	Abnormality - Abnormal [2.2]	100	350	<100 or >350
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 4 Years up to 11 Years	Male	4	Years	11	Years	Reference Range	149	435	149-435
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 4 Years up to 11 Years	Male	4	Years	11	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 4 Years up to 11 Years	Male	4	Years	11	Years	Abnormality - Abnormal [2.2]	149	435	<149 or >435
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 11 Years up to 16 Years	Male	11	Years	16	Years	Reference Range	138	587	138-587
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 11 Years up to 16 Years	Male	11	Years	16	Years	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 11 Years up to 16 Years	Male	11	Years	16	Years	Abnormality - Abnormal [2.2]	138	587	<138 or >587
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 16 Years up to 19 Years	Male	16	Years	19	Years	Reference Range	52	222	52-222
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 16 Years up to 19 Years	Male	16	Years	19	Years	Valid Checking [1.1]	5	6000	5-6000

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 16 Years up to 19 Years	Male	16	Years	19	Years	Abnormality - Abnormal [2.2]	52	222	<52 or >222
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Reference Range	40	115	40-115
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Abnormality - Abnormal [2.2]	40	115	<40 or >115
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6		~	~	~	~	~	Valid Checking [1.1]	5	6000	5-6000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Reference Range	7	36	7-36
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Abnormal [2.2]	7	36	<7 or >36
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Reference Range	12	28	12-28
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Abnormality - Abnormal [2.2]	12	28	<12 or >28
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Reference Range	10	25	10-25
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Abnormality - Abnormal [2.2]	10	25	<10 or >25
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	10	35	10-35
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	35	<10 or >35

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0	1	Years	Reference Range	7	36	7-36	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0	1	Years	Valid Checking [1.1]	5	7000	5-7000	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0	1	Years	Abnormality - Abnormal [2.2]	7	36	<7 or >36	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Reference Range	12	28	12-28
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Abnormality - Abnormal [2.2]	12	28	<12 or >28
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Reference Range	12	27	12-27
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Abnormality - Abnormal [2.2]	12	27	<12 or >27
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	10	50	10-50	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified	Valid Checking [1.1]	5	7000	5-7000	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	10	50	<10 or >50	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	40	175	40-175	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 0 up to 15 Days	Female	0	15	Days	Valid Checking [1.1]	5	7000	5-7000	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	40	175	<40 or >175	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 15 Days up to 1 Years	Female	15	Days	1	Years	Reference Range	28	77	28-77
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 15 Days up to 1 Years	Female	15	Days	1	Years	Valid Checking [1.1]	5	7000	5-7000

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 15 Days up to 1 Years	Female	15	Days	1	Years	Abnormality - Abnormal [2.2]	28	77	<28 or >77
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 1 Years up to 7 Years	Female	1	Years	7	Years	Reference Range	29	53	29-53
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 1 Years up to 7 Years	Female	1	Years	7	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 1 Years up to 7 Years	Female	1	Years	7	Years	Abnormality - Abnormal [2.2]	29	53	<29 or >53
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 7 Years up to 12 Years	Female	7	Years	12	Years	Reference Range	26	45	26-45
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 7 Years up to 12 Years	Female	7	Years	12	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 7 Years up to 12 Years	Female	7	Years	12	Years	Abnormality - Abnormal [2.2]	26	45	<26 or >45
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	21	34	21-34
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	21	34	<21 or >34
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	10	35	10-35
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	35	<10 or >35
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	40	175	40-175
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 0 up to 15 Days	Male	0		15	Days	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	40	175	<40 or >175
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Reference Range	28	77	28-77

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Abnormality - Abnormal [2.2]	28	77	<28 or >77
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Reference Range	29	53	29-53
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Abnormality - Abnormal [2.2]	29	53	<29 or >53
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Reference Range	26	45	26-45
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Abnormality - Abnormal [2.2]	26	45	<26 or >45
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	22	44	22-44
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	22	44	<22 or >44
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	10	50	10-50	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified	Valid Checking [1.1]	5	7000	5-7000	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	10	50	<10 or >50	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0	8	Years	Reference Range	3	13	3-13	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0	8	Years	Valid Checking [1.1]	3	336	3-336	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0	8	Years	Abnormality - Abnormal [2.2]	3	13	<3 or >13	

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Reference Range	5	17	5-17
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Valid Checking [1.1]	3	336	3-336
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Abnormality - Abnormal [2.2]	5	17	<5 or >17
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Reference Range	7	21	7-21
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Valid Checking [1.1]	3	336	3-336
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Abnormality - Abnormal [2.2]	7	21	<7 or >21
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	8	23	8-23
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Valid Checking [1.1]	3	336	3-336
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	8	23	<8 or >23
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	10	31	10-31
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	3	336	3-336
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	10	31	<10 or >31
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0		8	Days	Reference Range	96	111	96-111
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	60	140	60-140
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Reference Range	96	110	96-110
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Valid Checking [1.1]	60	140	60-140

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108	96-108
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1.1]	60	140	60-140
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	97	107	97-107	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	60	140	60-140	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	97	107	<97 or >107	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years	Reference Range	17	26	17-26	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years	Valid Checking [1.1]	4	70	4-70	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years	Abnormality - Abnormal [2.2]	17	26	<17 or >26	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Reference Range	19	27	19-27
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Valid Checking [1.1]	4	70	4-70
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Abnormal [2.2]	19	27	<19 or >27
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Reference Range	20	28	20-28
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Valid Checking [1.1]	4	70	4-70

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Abnormal [2.2]	20	28	<20 or >28
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Reference Range	21	29	21-29
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Valid Checking [1.1]	4	70	4-70
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Abnormal [2.2]	21	29	<21 or >29
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	22	29	22-29	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	4	70	4-70	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	10	40	<=10 or >=40	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	22	29	<22 or >29	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	0.40	1.00	0.40-1.00	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0	15	Days	Valid Checking [1.1]	0.11	122.00	0.11-122.00	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	0.40	1.00	<0.40 or >1.00	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Days up to 2 Years	Female	15	Days	2	Years	Reference Range	0.20	0.40	0.20-0.40
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Days up to 2 Years	Female	15	Days	2	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Days up to 2 Years	Female	15	Days	2	Years	Abnormality - Abnormal [2.2]	0.20	0.40	<0.20 or >0.40
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 2 Years up to 5 Years	Female	2	Years	5	Years	Reference Range	0.30	0.50	0.30-0.50

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 2 Years up to 5 Years	Female	2	Years	5	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 2 Years up to 5 Years	Female	2	Years	5	Years	Abnormality - Abnormal [2.2]	0.30	0.50	<0.30 or >0.50
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 5 Years up to 10 Years	Female	5	Years	10	Years	Reference Range	0.30	0.60	0.30-0.60
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 5 Years up to 10 Years	Female	5	Years	10	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 5 Years up to 10 Years	Female	5	Years	10	Years	Abnormality - Abnormal [2.2]	0.30	0.60	<0.30 or >0.60
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 10 Years up to 15 Years	Female	10	Years	15	Years	Reference Range	0.40	0.90	0.40-0.90
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 10 Years up to 15 Years	Female	10	Years	15	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 10 Years up to 15 Years	Female	10	Years	15	Years	Abnormality - Abnormal [2.2]	0.40	0.90	<0.40 or >0.90
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Years up to 19 Years	Female	15	Years	19	Years	Reference Range	0.50	0.90	0.50-0.90
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Years up to 19 Years	Female	15	Years	19	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Years up to 19 Years	Female	15	Years	19	Years	Abnormality - Abnormal [2.2]	0.50	0.90	<0.50 or >0.90
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 19 Years up to 90 Years	Female	19	Years	90	Years	Reference Range	0.60	1.10	0.60-1.10
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 19 Years up to 90 Years	Female	19	Years	90	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 19 Years up to 90 Years	Female	19	Years	90	Years	Abnormality - Abnormal [2.2]	0.60	1.10	<0.60 or >1.10
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 90 Years up to unspecified	Female	90	Years	unspecified		Reference Range	0.60	1.30	0.60-1.30
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 90 Years up to unspecified	Female	90	Years	unspecified		Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 90 Years up to unspecified	Female	90	Years	unspecified		Abnormality - Abnormal [2.2]	0.60	1.30	<0.60 or >1.30

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	0.40	1.00	0.40-1.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 15 Days	Male	0		15	Days	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	0.40	1.00	<0.40 or >1.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Days up to 2 Years	Male	15	Days	2	Years	Reference Range	0.20	0.40	0.20-0.40
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Days up to 2 Years	Male	15	Days	2	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Days up to 2 Years	Male	15	Days	2	Years	Abnormality - Abnormal [2.2]	0.20	0.40	<0.20 or >0.40
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 2 Years up to 5 Years	Male	2	Years	5	Years	Reference Range	0.30	0.50	0.30-0.50
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 2 Years up to 5 Years	Male	2	Years	5	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 2 Years up to 5 Years	Male	2	Years	5	Years	Abnormality - Abnormal [2.2]	0.30	0.50	<0.30 or >0.50
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Reference Range	0.30	0.60	0.30-0.60
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Abnormality - Abnormal [2.2]	0.30	0.60	<0.30 or >0.60
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 15 Years	Male	10	Years	15	Years	Reference Range	0.40	0.90	0.40-0.90
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 15 Years	Male	10	Years	15	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 15 Years	Male	10	Years	15	Years	Abnormality - Abnormal [2.2]	0.40	0.90	<0.40 or >0.90
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Years up to 19 Years	Male	15	Years	19	Years	Reference Range	0.50	0.90	0.50-0.90
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Years up to 19 Years	Male	15	Years	19	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Years up to 19 Years	Male	15	Years	19	Years	Abnormality - Abnormal [2.2]	0.50	0.90	<0.50 or >0.90
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 19 Years up to 90 Years	Male	19	Years	90	Years	Reference Range	0.80	1.30	0.80-1.30
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 19 Years up to 90 Years	Male	19	Years	90	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 19 Years up to 90 Years	Male	19	Years	90	Years	Abnormality - Abnormal [2.2]	0.80	1.30	<0.80 or >1.30
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified		Reference Range	1.00	1.70	1.00-1.70
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified	Valid Checking [1.1]	0.11	122.00	0.11-122.00	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified	Abnormality - Abnormal [2.2]	1.00	1.70	<1.00 or >1.70	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0		~	~	~	~	~	Valid Checking [1.1]	0.11	122.00	0.11-122.00
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0		2	Days	Reference Range	41	60	41-60
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0		2	Days	Valid Checking [1.1]	2	1500	2-1500
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0		2	Days	Abnormality - Critical [2.1]	40		<=40
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0		2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Reference Range	41	60	41-60
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Valid Checking [1.1]	2	1500	2-1500
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	me/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Valid Checking [1.1]	2	1500	2-1500
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Valid Checking [1.1]	2	1500	2-1500
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Reference Range	60	99	60-99
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Valid Checking [1.1]	2	1500	2-1500
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Abnormality - Critical [2.1]	50		<=50
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Reference Range	60	99	60-99
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Valid Checking [1.1]	2	1500	2-1500
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient Departm	~	18	Years	unspecified		Reference Range	74	99	74-99
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient Departm	~	18	Years	unspecified		Valid Checking [1.1]	2	1500	2-1500

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Abnormality - Critical [2.1]	50	<=50			
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	74	99	<74 or >99		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	74	99	74-99		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	2	1500	2-1500		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	50	500	<=50 or >=500		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	74	99	<74 or >99		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Reference Range	3.6	4.9	3.6-4.9	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Reference Range	3.6	4.9	3.6-4.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Reference Range	3.7	4.8	3.7-4.8
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Valid Checking [1.1]	1.5	10.0	1.5-10.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.7	4.8	<3.7 or >4.8
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	3.7	4.8	3.7-4.8
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	1.5	10.0	1.5-10.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.7	4.8	<3.7 or >4.8
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Reference Range	133	146	133-146	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	100	200	100-200	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Abnormality - Critical [2.1]	120	165	<120 or >165	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146	

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Reference Range	133	144	133-144
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Valid Checking [1.1]	100	200	100-200
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	136	145	136-145	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	100	200	100-200	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0	2	Days	Reference Range	1.4	8.7	1.4-8.7	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0	2	Days	Valid Checking [1.1]	0.2	70.2	0.2-70.2	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	12.0	>=12.0		
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	1.4	8.7	<1.4 or >8.7	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Reference Range	3.4	11.5	3.4-11.5
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Valid Checking [1.1]	0.2	70.2	0.2-70.2
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Abnormality - Critical [2.1]	12.0	>=12.0	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Abnormality - Abnormal [2.2]	3.4	11.5	<3.4 or >11.5
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Reference Range	1.5	12.0	1.5-12.0

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Valid Checking [1.1]	0.2	70.2	0.2-70.2
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Abnormality - Critical [2.1]		12.0	>12.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Abnormality - Abnormal [2.2]	1.5	12.0	<1.5 or >12.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Reference Range	0.1	1.0	0.1-1.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Valid Checking [1.1]	0.2	70.2	0.2-70.2
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Abnormality - Critical [2.1]		12.0	>=12.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Abnormality - Abnormal [2.2]	0.1	1.0	<0.1 or >1.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Weeks up to 18 Years	~	6	Weeks	18	Years	Reference Range	0.1	1.0	0.1-1.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Weeks up to 18 Years	~	6	Weeks	18	Years	Valid Checking [1.1]	0.2	70.2	0.2-70.2
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Weeks up to 18 Years	~	6	Weeks	18	Years	Abnormality - Abnormal [2.2]	0.1	1.0	<0.1 or >1.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	0.2	1.1	0.2-1.1	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	0.2	70.2	0.2-70.2	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	0.2	1.1	<0.2 or >1.1	
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 0 up to 1 Months	~	0		1	Months	Reference Range	4.1	6.3	4.1-6.3
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 0 up to 1 Months	~	0		1	Months	Valid Checking [1.1]	0.4	36.0	0.4-36.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 0 up to 1 Months	~	0		1	Months	Abnormality - Abnormal [2.2]	4.1	6.3	<4.1 or >6.3
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Months up to 1 Years	~	1	Months	1	Years	Reference Range	4.4	7.9	4.4-7.9

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Months up to 1 Years	~	1	Months	1	Years	Valid Checking [1.1]	0.4	36.0	0.4-36.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Months up to 1 Years	~	1	Months	1	Years	Abnormality - Abnormal [2.2]	4.4	7.9	<4.4 or >7.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Years up to 19 Years	~	1	Years	19	Years	Reference Range	5.7	8.0	5.7-8.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Years up to 19 Years	~	1	Years	19	Years	Valid Checking [1.1]	0.4	36.0	0.4-36.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Years up to 19 Years	~	1	Years	19	Years	Abnormality - Abnormal [2.2]	5.7	8.0	<5.7 or >8.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 19 Years up to unspeci	~	19	Years	unspecified		Reference Range	6.3	7.9	6.3-7.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 19 Years up to unspeci	~	19	Years	unspecified		Valid Checking [1.1]	0.2	36.0	0.2-36.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 19 Years up to unspeci	~	19	Years	unspecified		Abnormality - Abnormal [2.2]	6.3	7.9	<6.3 or >7.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 0 up to 15 Days	~	0	15	Days		Reference Range	5.1	8.0	5.1-8.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 0 up to 15 Days	~	0	15	Days		Valid Checking [1.1]	0.2	36.0	0.2-36.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 0 up to 15 Days	~	0	15	Days		Abnormality - Abnormal [2.2]	5.1	8.0	<5.1 or >8.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 15 Days up to 1 Years	~	15	Days	1	Years	Reference Range	4.3	6.9	4.3-6.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 15 Days up to 1 Years	~	15	Days	1	Years	Valid Checking [1.1]	0.2	36.0	0.2-36.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 15 Days up to 1 Years	~	15	Days	1	Years	Abnormality - Abnormal [2.2]	4.3	6.9	<4.3 or >6.9
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 1 Years up to 9 Years	~	1	Years	9	Years	Reference Range	5.9	7.5	5.9-7.5
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 1 Years up to 9 Years	~	1	Years	9	Years	Valid Checking [1.1]	0.2	36.0	0.2-36.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 1 Years up to 9 Years	~	1	Years	9	Years	Abnormality - Abnormal [2.2]	5.9	7.5	<5.9 or >7.5

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 9 Years up to 19 Years	~	9	Years	19	Years	Reference Range	6.3	7.8	6.3-7.8
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 9 Years up to 19 Years	~	9	Years	19	Years	Valid Checking [1.1]	0.2	36.0	0.2-36.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 9 Years up to 19 Years	~	9	Years	19	Years	Abnormality - Abnormal [2.2]	6.3	7.8	<6.3 or >7.8
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 19 Years up to unspecified	~	19	Years	unspecified		Reference Range	6.2	7.7	6.2-7.7
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 19 Years up to unspecified	~	19	Years	unspecified		Valid Checking [1.1]	0.2	36.0	0.2-36.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 19 Years up to unspecified	~	19	Years	unspecified		Abnormality - Abnormal [2.2]	6.2	7.7	<6.2 or >7.7
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department is	~	0		5	Days	Reference Range	7.9	10.7	7.9-10.7
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department is	~	0		5	Days	Valid Checking [1.1]	2.0	20.0	2.0-20.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department is	~	0		5	Days	Abnormality - Abnormal [2.2]	7.9	10.7	<7.9 or >10.7
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0		5	Days	Reference Range	7.9	10.7	7.9-10.7
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0		5	Days	Valid Checking [1.1]	2.0	20.0	2.0-20.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0		5	Days	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0		5	Days	Abnormality - Abnormal [2.2]	7.9	10.7	<7.9 or >10.7
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Reference Range	8.5	10.6	8.5-10.6
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Abnormality - Abnormal [2.2]	8.5	10.6	<8.5 or >10.6
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Reference Range	8.5	10.6	8.5-10.6

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Abnormality - Abnormal [2.2]	8.5	10.6	<8.5 or >10.6
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Depart	~	7	Years	18	Years	Reference Range	8.4	10.3	8.4-10.3
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Depart	~	7	Years	18	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Depart	~	7	Years	18	Years	Abnormality - Abnormal [2.2]	8.4	10.3	<8.4 or >10.3
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Reference Range	8.4	10.3	8.4-10.3
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Abnormality - Abnormal [2.2]	8.4	10.3	<8.4 or >10.3
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient Depart	~	18	Years	unspecified	Years	Reference Range	8.9	10.2	8.9-10.2
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient Depart	~	18	Years	unspecified	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient Depart	~	18	Years	unspecified	Years	Abnormality - Abnormal [2.2]	8.9	10.2	<8.9 or >10.2
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified	Years	Reference Range	8.9	10.2	8.9-10.2
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified	Years	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified	Years	Abnormality - Abnormal [2.2]	8.9	10.2	<8.9 or >10.2

COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ANION GAP	ANION	mmol/L	0	Anion Gap	10466-1								Reference Range	6	16	6-16
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ANION GAP	ANION	mmol/L	0	Anion Gap	10466-1								Valid Checking [1.1]	0		>=0
COMPREHENSIVE METABOLIC PANEL, PLASMA [LAB17]	COMPREHENSIVE METABOLIC PANEL, PLASMA [1230100076]	ANION GAP	ANION	mmol/L	0	Anion Gap	10466-1								Abnormality - Abnormal [2.2]	6	16	<6 or >16
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	0 up to 18 Years				18	Years	Reference Range		170	<170	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	0 up to 18 Years				18	Years	Valid Checking [1.1]	4	8000	4-8000	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	0 up to 18 Years				18	Years	Abnormality - Abnormal [2.2]		170	>=170	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	18 Years up to unspecified			18	Years	unspecified	Reference Range		200	<200	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	18 Years up to unspecified			18	Years	unspecified	Abnormality - Abnormal [2.2]		200	>=200	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 0 up to 2 Years	Female	0		2	Years	Valid Checking [1.1]	4	240	4-240	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 2 Years up to 17 Years	Female	2	Years	17	Years	Reference Range	45		>45	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 2 Years up to 17 Years	Female	2	Years	17	Years	Valid Checking [1.1]	4	240	4-240	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 2 Years up to 17 Years	Female	2	Years	17	Years	Abnormality - Abnormal [2.2]	45		<=45	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 17 Years up to unspecified	Female	17	Years	unspecified	Reference Range	50		>=50		
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 17 Years up to unspecified	Female	17	Years	unspecified	Abnormality - Abnormal [2.2]	50		<50		
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 0 up to 2 Years	Male	0		2	Years	Valid Checking [1.1]	4	240	4-240	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 2 Years up to 17 Years	Male	2	Years	17	Years	Reference Range	45		>45	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 2 Years up to 17 Years	Male	2	Years	17	Years	Abnormality - Abnormal [2.2]	45		<=45	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 17 Years up to unspecified	Male	17	Years	unspecified	Reference Range	40		>=40		
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 17 Years up to unspecified	Male	17	Years	unspecified	Valid Checking [1.1]	4	240	4-240		
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 17 Years up to unspecified	Male	17	Years	unspecified	Abnormality - Abnormal [2.2]	40		<40		
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	0 up to 2 Years				2	Years	Reference Range		100	<100	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	0 up to 2 Years				2	Years	Valid Checking [1.1]	9	8850	9-8850	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	0 up to 2 Years				2	Years	Abnormality - Abnormal [2.2]		100	>=100	
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	2 Years up to 10 Years			2	Years	10	Years	Reference Range		75	<75
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	2 Years up to 10 Years			2	Years	10	Years	Valid Checking [1.1]	9	8850	9-8850
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	2 Years up to 10 Years			2	Years	10	Years	Abnormality - Abnormal [2.2]		75	>=75

LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	10 Years up to 17 Years	~	10	Years	17	Years	Reference Range		90	<90
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	10 Years up to 17 Years	~	10	Years	17	Years	Valid Checking [1.1]	9	8850	9-8850
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	10 Years up to 17 Years	~	10	Years	17	Years	Abnormality - Abnormal [2.2]		90	>=90
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	17 Years up to unspecified	~	17	Years	unspecified		Reference Range		150	<150
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	9	8850	9-8850
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	TRIGLYCERIDES, PLASMA	TRIG	mg/dL	0	Triglyceride s, Plasma	2571-8	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]		150	>=150
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	LDL, CALC	LDL	mg/dL	0	LDL, Calculated	13457-7	0 up to 2 Years	~	0		2	Years	Valid Checking [1.1]	4	1098	4-1098
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	LDL, CALC	LDL	mg/dL	0	LDL, Calculated	13457-7	2 Years up to 18 Years	~	2	Years	18	Years	Reference Range		110	<110
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	LDL, CALC	LDL	mg/dL	0	LDL, Calculated	13457-7	2 Years up to 18 Years	~	2	Years	18	Years	Valid Checking [1.1]	4	1098	4-1098
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	LDL, CALC	LDL	mg/dL	0	LDL, Calculated	13457-7	2 Years up to 18 Years	~	2	Years	18	Years	Abnormality - Abnormal [2.2]		110	>=110
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	LDL, CALC	LDL	mg/dL	0	LDL, Calculated	13457-7	18 Years up to unspecified	~	18	Years	unspecified		Reference Range		100	<100
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	LDL, CALC	LDL	mg/dL	0	LDL, Calculated	13457-7	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	4	1098	4-1098
LIPID PROFILE, PLASMA [LAB18]	LIPID PROFILE, PLASMA [1230100086]	LDL, CALC	LDL	me/dL	0	LDL, Calculated	13457-7	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]		100	>=100
GLUCOSE, CSF [LAB185]	GLUCOSE, CSF [1230100092]	GLUCOSE, CSF	GLUC	mg/dL	0	Glucose, CSF	2342-4	0 up to 12 Years	~	0		12	Years	Reference Range	60	80	60-80
GLUCOSE, CSF [LAB185]	GLUCOSE, CSF [1230100092]	GLUCOSE, CSF	GLUC	mg/dL	0	Glucose, CSF	2342-4	0 up to 12 Years	~	0		12	Years	Valid Checking [1.1]	2	1500	2-1500
GLUCOSE, CSF [LAB185]	GLUCOSE, CSF [1230100092]	GLUCOSE, CSF	GLUC	mg/dL	0	Glucose, CSF	2342-4	0 up to 12 Years	~	0		12	Years	Abnormality - Critical [2.1]	40		<=40
GLUCOSE, CSF [LAB185]	GLUCOSE, CSF [1230100092]	GLUCOSE, CSF	GLUC	mg/dL	0	Glucose, CSF	2342-4	0 up to 12 Years	~	0		12	Years	Abnormality - Abnormal [2.2]	60	80	<60 or >80
GLUCOSE, CSF [LAB185]	GLUCOSE, CSF [1230100092]	GLUCOSE, CSF	GLUC	mg/dL	0	Glucose, CSF	2342-4	12 Years up to unspecified	~	12	Years	unspecified		Reference Range	41	70	41-70
GLUCOSE, CSF [LAB185]	GLUCOSE, CSF [1230100092]	GLUCOSE, CSF	GLUC	mg/dL	0	Glucose, CSF	2342-4	12 Years up to unspecified	~	12	Years	unspecified		Valid Checking [1.1]	2	1500	2-1500
GLUCOSE, CSF [LAB185]	GLUCOSE, CSF [1230100092]	GLUCOSE, CSF	GLUC	mg/dL	0	Glucose, CSF	2342-4	12 Years up to unspecified	~	12	Years	unspecified		Abnormality - Critical [2.1]	40		<=40
GLUCOSE, CSF [LAB185]	GLUCOSE, CSF [1230100092]	GLUCOSE, CSF	GLUC	mg/dL	0	Glucose, CSF	2342-4	12 Years up to unspecified	~	12	Years	unspecified		Abnormality - Abnormal [2.2]	41	70	<41 or >70
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0		2	Days	Reference Range	41	60	41-60
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0		2	Days	Valid Checking [1.1]	2	1500	2-1500
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0		2	Days	Abnormality - Critical [2.1]	40		<=40
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0		2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Reference Range	41	60	41-60
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Valid Checking [1.1]	2	1500	2-1500
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0	8	Years	Reference Range		3	13	3-13			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0	8	Years	Valid Checking [1.1]		3	336	3-336			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0	8	Years	Abnormality - Abnormal [2.2]		3	13	<3 or >13			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Reference Range		5	17	5-17		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Valid Checking [1.1]		3	336	3-336		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Abnormality - Abnormal [2.2]		5	17	<5 or >17		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Reference Range		7	21	7-21		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Valid Checking [1.1]		3	336	3-336		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Abnormality - Abnormal [2.2]		7	21	<7 or >21		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range		8	23	8-23		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Valid Checking [1.1]		3	336	3-336		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]		8	23	<8 or >23		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified		Reference Range		10	31	10-31		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]		3	336	3-336		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]		10	31	<10 or >31		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0	15	Days	Reference Range		0.40	1.00	0.40-1.00			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0	15	Days	Valid Checking [1.1]		0.11	122.00	0.11-122.00			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]		0.40	1.00	<0.40 or >1.00			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Days up to 2 Years	Female	15	Days	2	Years	Reference Range		0.20	0.40	0.20-0.40		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Days up to 2 Years	Female	15	Days	2	Years	Valid Checking [1.1]		0.11	122.00	0.11-122.00		

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Days up to 2 Years	Female	15	Days	2	Years	Abnormality - Abnormal [2.2]	0.20	0.40	<0.20 or >0.40		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 2 Years up to 5 Years	Female	2	Years	5	Years	Reference Range	0.30	0.50	0.30-0.50		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 2 Years up to 5 Years	Female	2	Years	5	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 2 Years up to 5 Years	Female	2	Years	5	Years	Abnormality - Abnormal [2.2]	0.30	0.50	<0.30 or >0.50		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 5 Years up to 10 Years	Female	5	Years	10	Years	Reference Range	0.30	0.60	0.30-0.60		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 5 Years up to 10 Years	Female	5	Years	10	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 5 Years up to 10 Years	Female	5	Years	10	Years	Abnormality - Abnormal [2.2]	0.30	0.60	<0.30 or >0.60		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 10 Years up to 15 Years	Female	10	Years	15	Years	Reference Range	0.40	0.90	0.40-0.90		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 10 Years up to 15 Years	Female	10	Years	15	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 10 Years up to 15 Years	Female	10	Years	15	Years	Abnormality - Abnormal [2.2]	0.40	0.90	<0.40 or >0.90		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Years up to 19 Years	Female	15	Years	19	Years	Reference Range	0.50	0.90	0.50-0.90		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Years up to 19 Years	Female	15	Years	19	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 15 Years up to 19 Years	Female	15	Years	19	Years	Abnormality - Abnormal [2.2]	0.50	0.90	<0.50 or >0.90		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 19 Years up to 90 Years	Female	19	Years	90	Years	Reference Range	0.60	1.10	0.60-1.10		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 19 Years up to 90 Years	Female	19	Years	90	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 19 Years up to 90 Years	Female	19	Years	90	Years	Abnormality - Abnormal [2.2]	0.60	1.10	<0.60 or >1.10		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 90 Years up to unspecified	Female	90	Years	unspecified		Reference Range	0.60	1.30	0.60-1.30		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 90 Years up to unspecified	Female	90	Years	unspecified		Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Female 90 Years up to unspecified	Female	90	Years	unspecified		Abnormality - Abnormal [2.2]	0.60	1.30	<0.60 or >1.30		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 15 Days	Male	0	15	Days		Reference Range	0.40	1.00	0.40-1.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 15 Days	Male	0	15	Days		Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 0 up to 15 Days	Male	0	15	Days		Abnormality - Abnormal [2.2]	0.40	1.00	<0.40 or >1.00		

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Days up to 2 Years	Male	15	Days	2	Years	Reference Range	0.20	0.40	0.20-0.40		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Days up to 2 Years	Male	15	Days	2	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Days up to 2 Years	Male	15	Days	2	Years	Abnormality - Abnormal [2.2]	0.20	0.40	<0.20 or >0.40		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 2 Years up to 5 Years	Male	2	Years	5	Years	Reference Range	0.30	0.50	0.30-0.50		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 2 Years up to 5 Years	Male	2	Years	5	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 2 Years up to 5 Years	Male	2	Years	5	Years	Abnormality - Abnormal [2.2]	0.30	0.50	<0.30 or >0.50		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Reference Range	0.30	0.60	0.30-0.60		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 5 Years up to 10 Years	Male	5	Years	10	Years	Abnormality - Abnormal [2.2]	0.30	0.60	<0.30 or >0.60		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 15 Years	Male	10	Years	15	Years	Reference Range	0.40	0.90	0.40-0.90		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 15 Years	Male	10	Years	15	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 10 Years up to 15 Years	Male	10	Years	15	Years	Abnormality - Abnormal [2.2]	0.40	0.90	<0.40 or >0.90		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Years up to 19 Years	Male	15	Years	19	Years	Reference Range	0.50	0.90	0.50-0.90		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Years up to 19 Years	Male	15	Years	19	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 15 Years up to 19 Years	Male	15	Years	19	Years	Abnormality - Abnormal [2.2]	0.50	0.90	<0.50 or >0.90		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 19 Years up to 90 Years	Male	19	Years	90	Years	Reference Range	0.80	1.30	0.80-1.30		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 19 Years up to 90 Years	Male	19	Years	90	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 19 Years up to 90 Years	Male	19	Years	90	Years	Abnormality - Abnormal [2.2]	0.80	1.30	<0.80 or >1.30		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified		Reference Range	1.00	1.70	1.00-1.70		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified		Valid Checking [1.1]	0.11	122.00	0.11-122.00		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	Male 90 Years up to unspecified	Male	90	Years	unspecified		Abnormality - Abnormal [2.2]	1.00	1.70	<1.00 or >1.70		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CREATININE, PLASMA	CREA	mg/dL	2	Creatinine, Plasma	2160-0	~	~	~	~	~		Valid Checking [1.1]	0.11	122.00	0.11-122.00		

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Reference Range	133	146	133-146			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	100	200	100-200			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Abnormality - Critical [2.1]	120	165	<120 or >165			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Reference Range	133	144	133-144		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Valid Checking [1.1]	100	200	100-200		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	8 Days up to 18 Years	~	8	Days	18	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	136	145	136-145			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	100	200	100-200			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	SODIUM	NA	mmol/L	0	Sodium, Plasma	2951-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1			
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Reference Range	3.6	4.9	3.6-4.9		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depart	~	1	Years	18	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0		

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depar	~	1	Years	18	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years Lab Patient Depar	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Reference Range	3.6	4.9	3.6-4.9		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Reference Range	3.7	4.8	3.7-4.8		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Valid Checking [1.1]	1.5	10.0	1.5-10.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.7	4.8	<3.7 or >4.8		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	3.7	4.8	3.7-4.8		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	1.5	10.0	1.5-10.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	POTASSIUM, PLASMA	K	mmol/L	1	Potassium, Plasma	2823-3	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.7	4.8	<3.7 or >4.8		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0		8	Days	Reference Range	96	111	96-111		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	60	140	60-140		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Reference Range	96	110	96-110		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Valid Checking [1.1]	60	140	60-140		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108	96-108		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1.1]	60	140	60-140		

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified		Reference Range	97	107	97-107
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified		Valid Checking [1.1]	60	140	60-140
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified		Abnormality - Abnormal [2.2]	97	107	<97 or >107
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years		Reference Range	17	26	17-26
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years		Valid Checking [1.1]	4	70	4-70
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years		Abnormality - Critical [2.1]	10	40	<=10 or >=40
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years		Abnormality - Abnormal [2.2]	17	26	<17 or >26
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Reference Range	19	27	19-27
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Valid Checking [1.1]	4	70	4-70
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Abnormal [2.2]	19	27	<19 or >27
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Reference Range	20	28	20-28
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Valid Checking [1.1]	4	70	4-70
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Abnormal [2.2]	20	28	<20 or >28
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Reference Range	21	29	21-29
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Valid Checking [1.1]	4	70	4-70
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Abnormal [2.2]	21	29	<21 or >29
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	22	29	22-29
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	4	70	4-70

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	10	40	<=10 or >=40	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	22	29	<22 or >29	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ANION GAP	ANION	mmol/L	0	Anion Gap	10466-1		~	~	~	~	Reference Range	6	16	6-16	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ANION GAP	ANION	mmol/L	0	Anion Gap	10466-1		~	~	~	~	Valid Checking [1.1]	0		>=0	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ANION GAP	ANION	mmol/L	0	Anion Gap	10466-1		~	~	~	~	Abnormality - Abnormal [2.2]	6	16	<6 or >16	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department is	~	0	5	Days	Reference Range	7.9	10.7	7.9-10.7	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department is	~	0	5	Days	Valid Checking [1.1]	2.0	20.0	2.0-20.0	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department is	~	0	5	Days	Abnormality - Abnormal [2.2]	7.9	10.7	<7.9 or >10.7	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0	5	Days	Reference Range	7.9	10.7	7.9-10.7	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0	5	Days	Valid Checking [1.1]	2.0	20.0	2.0-20.0	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0	5	Days	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0	5	Days	Abnormality - Abnormal [2.2]	7.9	10.7	<7.9 or >10.7	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Reference Range	8.5	10.6	8.5-10.6
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Abnormality - Abnormal [2.2]	8.5	10.6	<8.5 or >10.6
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Reference Range	8.5	10.6	8.5-10.6
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Abnormality - Abnormal [2.2]	8.5	10.6	<8.5 or >10.6
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Departm	~	7	Years	18	Years	Reference Range	8.4	10.3	8.4-10.3
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Departm	~	7	Years	18	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Departm	~	7	Years	18	Years	Abnormality - Abnormal [2.2]	8.4	10.3	<8.4 or >10.3

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Reference Range	8.4	10.3	8.4-10.3		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Valid Checking [1.1]	2.0	20.0	2.0-20.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Abnormality - Abnormal [2.2]	8.4	10.3	<8.4 or >10.3		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Reference Range	8.9	10.2	8.9-10.2		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Valid Checking [1.1]	2.0	20.0	2.0-20.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.9	10.2	<8.9 or >10.2		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	8.9	10.2	8.9-10.2		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	2.0	20.0	2.0-20.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.9	10.2	<8.9 or >10.2		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 0 up to 1 Years Lab Patient Dep	Female	0		1	Years	Reference Range	4.3	7.7	4.3-7.7		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 0 up to 1 Years Lab Patient Dep	Female	0		1	Years	Valid Checking [1.1]	0.3	25.0	0.3-25.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 0 up to 1 Years Lab Patient Dep	Female	0		1	Years	Abnormality - Abnormal [2.2]	4.3	7.7	<4.3 or >7.7		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 0 up to 1 Years	Female	0		1	Years	Reference Range	4.3	7.7	4.3-7.7		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 0 up to 1 Years	Female	0		1	Years	Valid Checking [1.1]	0.3	25.0	0.3-25.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Critical [2.1]	1.0		<=1.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Abnormal [2.2]	4.3	7.7	<4.3 or >7.7		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 1 Years up to 5 Years Lab Patient Dep	Female	1	Years	5	Years	Reference Range	4.3	5.4	4.3-5.4		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 1 Years up to 5 Years Lab Patient Dep	Female	1	Years	5	Years	Valid Checking [1.1]	0.3	25.0	0.3-25.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 1 Years up to 5 Years Lab Patient Dep	Female	1	Years	5	Years	Abnormality - Abnormal [2.2]	4.3	5.4	<4.3 or >5.4		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Female 1 Years up to 5 Years	Female	1	Years	5	Years	Reference Range	4.3	5.4	4.3-5.4		

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified	Reference Range	2.5	4.5	2.5-4.5		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified	Valid Checking [1.1]	0.3	25.0	0.3-25.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	2.5	4.5	<2.5 or >4.5		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	2.5	4.5	2.5-4.5		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Male 18 Years up to unspecified	Male	18	Years	unspecified	Valid Checking [1.1]	0.3	25.0	0.3-25.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Critical [2.1]	1.0		<=1.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	PHOSPHORUS, PLASMA	PHOS	mg/dL	1	Phosphorus, Plasma	2777-1	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	2.5	4.5	<2.5 or >4.5		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0	1	Years	Reference Range	3.1	5.0	3.1-5.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0	1	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0	1	Years	Abnormality - Abnormal [2.2]	3.1	5.0	<3.1 or >5.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	8	Years	Reference Range	4.0	4.9	4.0-4.9		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	8	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	8	Years	Abnormality - Abnormal [2.2]	4.0	4.9	<4.0 or >4.9		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	15	Years	Reference Range	4.2	5.1	4.2-5.1		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	15	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	15	Years	Abnormality - Abnormal [2.2]	4.2	5.1	<4.2 or >5.1		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	18	Years	Reference Range	4.0	5.3	4.0-5.3		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	18	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	18	Years	Abnormality - Abnormal [2.2]	4.0	5.3	<4.0 or >5.3		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified	Reference Range	3.5	5.2	3.5-5.2		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	3.5	5.2	<3.5 or >5.2		

RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0	1	Years	Reference Range	3.1	5.0	3.1-5.0	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0	1	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0	1	Years	Abnormality - Abnormal [2.2]	3.1	5.0	<3.1 or >5.0	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	Years	8	Years	Reference Range	4.0	4.9	4.0-4.9
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	Years	8	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	Years	8	Years	Abnormality - Abnormal [2.2]	4.0	4.9	<4.0 or >4.9
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	Years	15	Years	Reference Range	4.2	5.1	4.2-5.1
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	Years	15	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	Years	15	Years	Abnormality - Abnormal [2.2]	4.2	5.1	<4.2 or >5.1
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	Years	18	Years	Reference Range	4.3	5.3	4.3-5.3
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	Years	18	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	Years	18	Years	Abnormality - Abnormal [2.2]	4.3	5.3	<4.3 or >5.3
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	3.5	5.2	3.5-5.2	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Valid Checking [1.1]	0.2	15.0	0.2-15.0	
RENAL FUNCTION PANEL, PLASMA [LAB19]	RENAL FUNCTION PANEL [1230100097]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	3.5	5.2	<3.5 or >5.2	
TOTAL PROTEIN, CSF [LAB195]	PROTEIN, CSF [1230100101]	TOTAL PROTEIN, CSF	TPC	mg/dL	0	Total Protein, CSF	2880-3	0 up to 15 Days	~	0	15	Days	Reference Range	15	153	15-153	
TOTAL PROTEIN, CSF [LAB195]	PROTEIN, CSF [1230100101]	TOTAL PROTEIN, CSF	TPC	mg/dL	0	Total Protein, CSF	2880-3	0 up to 15 Days	~	0	15	Days	Valid Checking [1.1]	6	600	6-600	
TOTAL PROTEIN, CSF [LAB195]	PROTEIN, CSF [1230100101]	TOTAL PROTEIN, CSF	TPC	me/dL	0	Total Protein, CSF	2880-3	0 up to 15 Days	~	0	15	Days	Abnormality - Abnormal [2.2]	15	153	<15 or >153	
TOTAL PROTEIN, CSF [LAB195]	PROTEIN, CSF [1230100101]	TOTAL PROTEIN, CSF	TPC	mg/dL	0	Total Protein, CSF	2880-3	15 Days up to 1 Months	~	15	Days	1	Months	Reference Range	15	100	15-100
TOTAL PROTEIN, CSF [LAB195]	PROTEIN, CSF [1230100101]	TOTAL PROTEIN, CSF	TPC	mg/dL	0	Total Protein, CSF	2880-3	15 Days up to 1 Months	~	15	Days	1	Months	Valid Checking [1.1]	6	600	6-600
TOTAL PROTEIN, CSF [LAB195]	PROTEIN, CSF [1230100101]	TOTAL PROTEIN, CSF	TPC	mg/dL	0	Total Protein, CSF	2880-3	15 Days up to 1 Months	~	15	Days	1	Months	Abnormality - Abnormal [2.2]	15	100	<15 or >100
TOTAL PROTEIN, CSF [LAB195]	PROTEIN, CSF [1230100101]	TOTAL PROTEIN, CSF	TPC	mg/dL	0	Total Protein, CSF	2880-3	1 Months up to unspecified	~	1	Months	unspecified	Reference Range	15	45	15-45	
TOTAL PROTEIN, CSF [LAB195]	PROTEIN, CSF [1230100101]	TOTAL PROTEIN, CSF	TPC	mg/dL	0	Total Protein, CSF	2880-3	1 Months up to unspecified	~	1	Months	unspecified	Valid Checking [1.1]	6	600	6-600	
TOTAL PROTEIN, CSF [LAB195]	PROTEIN, CSF [1230100101]	TOTAL PROTEIN, CSF	TPC	mg/dL	0	Total Protein, CSF	2880-3	1 Months up to unspecified	~	1	Months	unspecified	Abnormality - Abnormal [2.2]	15	45	<15 or >45	

HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	40	175	40-175
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 0 up to 15 Days	Female	0		15	Days	Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	40	175	<40 or >175
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 15 Days up to 1 Years	Female	15	Days	1	Years	Reference Range	28	77	28-77
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 15 Days up to 1 Years	Female	15	Days	1	Years	Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 15 Days up to 1 Years	Female	15	Days	1	Years	Abnormality - Abnormal [2.2]	28	77	<28 or >77
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 1 Years up to 7 Years	Female	1	Years	7	Years	Reference Range	29	53	29-53
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 1 Years up to 7 Years	Female	1	Years	7	Years	Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 1 Years up to 7 Years	Female	1	Years	7	Years	Abnormality - Abnormal [2.2]	29	53	<29 or >53
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 7 Years up to 12 Years	Female	7	Years	12	Years	Reference Range	26	45	26-45
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 7 Years up to 12 Years	Female	7	Years	12	Years	Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 7 Years up to 12 Years	Female	7	Years	12	Years	Abnormality - Abnormal [2.2]	26	45	<26 or >45
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	21	34	21-34
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	21	34	<21 or >34
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		10	35	10-35	
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		5	7000	5-7000	
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		10	35	<10 or >35	
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	40	175	40-175
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 0 up to 15 Days	Male	0		15	Days	Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	40	175	<40 or >175
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Reference Range	28	77	28-77

HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Valid Checking [1.1]	5	7000	5-7000		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Abnormality - Abnormal [2.2]	28	77	<28 or >77		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Reference Range	29	53	29-53		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Valid Checking [1.1]	5	7000	5-7000		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Abnormality - Abnormal [2.2]	29	53	<29 or >53		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Reference Range	26	45	26-45		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Valid Checking [1.1]	5	7000	5-7000		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Abnormality - Abnormal [2.2]	26	45	<26 or >45		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	22	44	22-44		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	22	44	<22 or >44		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	10	50	10-50		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	50	<10 or >50		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Reference Range	7	36	7-36		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Valid Checking [1.1]	5	7000	5-7000		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Abnormal [2.2]	7	36	<7 or >36		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Reference Range	12	28	12-28		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Valid Checking [1.1]	5	7000	5-7000		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Abnormality - Abnormal [2.2]	12	28	<12 or >28		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Reference Range	10	25	10-25		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000		

HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Abnormality - Abnormal [2.2]	10	25	<10 or >25
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	10	35	10-35
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	35	<10 or >35
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0		1	Years	Reference Range	7	36	7-36
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0		1	Years	Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0		1	Years	Abnormality - Abnormal [2.2]	7	36	<7 or >36
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Reference Range	12	28	12-28
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Abnormality - Abnormal [2.2]	12	28	<12 or >28
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Reference Range	12	27	12-27
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Abnormality - Abnormal [2.2]	12	27	<12 or >27
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	10	50	10-50
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	50	<10 or >50
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 0 up to 1 Months	Female	0		1	Months	Reference Range	50	400	50-400
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 0 up to 1 Months	Female	0		1	Months	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 0 up to 1 Months	Female	0		1	Months	Abnormality - Abnormal [2.2]	50	400	<50 or >400
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Reference Range	125	340	125-340
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Months up to 1 Years	Female	1	Months	1	Years	Abnormality - Abnormal [2.2]	125	340	<125 or >340

HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Years up to 4 Years	Female	1	Years	4	Years	Reference Range	110	315	110-315
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Years up to 4 Years	Female	1	Years	4	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 1 Years up to 4 Years	Female	1	Years	4	Years	Abnormality - Abnormal [2.2]	110	315	<110 or >315
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 4 Years up to 7 Years	Female	4	Years	7	Years	Reference Range	162	372	162-372
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 4 Years up to 7 Years	Female	4	Years	7	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 4 Years up to 7 Years	Female	4	Years	7	Years	Abnormality - Abnormal [2.2]	162	372	<162 or >372
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 7 Years up to 10 Years	Female	7	Years	10	Years	Reference Range	183	468	183-468
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 7 Years up to 10 Years	Female	7	Years	10	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 7 Years up to 10 Years	Female	7	Years	10	Years	Abnormality - Abnormal [2.2]	183	468	<183 or >468
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 10 Years up to 13 Years	Female	10	Years	13	Years	Reference Range	133	526	133-526
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 10 Years up to 13 Years	Female	10	Years	13	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 10 Years up to 13 Years	Female	10	Years	13	Years	Abnormality - Abnormal [2.2]	133	526	<133 or >526
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 13 Years up to 15 Years	Female	13	Years	15	Years	Reference Range	120	449	120-449
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 13 Years up to 15 Years	Female	13	Years	15	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 13 Years up to 15 Years	Female	13	Years	15	Years	Abnormality - Abnormal [2.2]	120	449	<120 or >449
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 15 Years up to 17 Years	Female	15	Years	17	Years	Reference Range	61	274	61-274
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 15 Years up to 17 Years	Female	15	Years	17	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 15 Years up to 17 Years	Female	15	Years	17	Years	Abnormality - Abnormal [2.2]	61	274	<61 or >274
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 17 Years up to 19 Years	Female	17	Years	19	Years	Reference Range	52	144	52-144
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 17 Years up to 19 Years	Female	17	Years	19	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 17 Years up to 19 Years	Female	17	Years	19	Years	Abnormality - Abnormal [2.2]	52	144	<52 or >144
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Female 19 Years up to 56 Years	Female	19	Years	56	Years	Reference Range	35	104	35-104

HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Female 19 Years up to 56 Years	Female	19	Years	56	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Female 19 Years up to 56 Years	Female	19	Years	56	Years	Abnormality - Abnormal [2.2]	35	104	<35 or >104
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Female 56 Years up to unspecified	Female	56	Years	unspecified	Reference Range	46	142	46-142	
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Female 56 Years up to unspecified	Female	56	Years	unspecified	Valid Checking [1.1]	5	6000	5-6000	
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Female 56 Years up to unspecified	Female	56	Years	unspecified	Abnormality - Abnormal [2.2]	46	142	<46 or >142	
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 0 up to 1 Months	Male	0		1	Months	Reference Range	75	315	75-315
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 0 up to 1 Months	Male	0		1	Months	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 0 up to 1 Months	Male	0		1	Months	Abnormality - Abnormal [2.2]	75	315	<75 or >315
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Reference Range	80	380	80-380
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 1 Months up to 1 Years	Male	1	Months	1	Years	Abnormality - Abnormal [2.2]	80	380	<80 or >380
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 1 Years up to 4 Years	Male	1	Years	4	Years	Reference Range	100	350	100-350
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 1 Years up to 4 Years	Male	1	Years	4	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 1 Years up to 4 Years	Male	1	Years	4	Years	Abnormality - Abnormal [2.2]	100	350	<100 or >350
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 4 Years up to 11 Years	Male	4	Years	11	Years	Reference Range	149	435	149-435
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 4 Years up to 11 Years	Male	4	Years	11	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 4 Years up to 11 Years	Male	4	Years	11	Years	Abnormality - Abnormal [2.2]	149	435	<149 or >435
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 11 Years up to 16 Years	Male	11	Years	16	Years	Reference Range	138	587	138-587
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 11 Years up to 16 Years	Male	11	Years	16	Years	Valid Checking [1.1]	5	6000	5-6000
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 11 Years up to 16 Years	Male	11	Years	16	Years	Abnormality - Abnormal [2.2]	138	587	<138 or >587
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 16 Years up to 19 Years	Male	16	Years	19	Years	Reference Range	52	222	52-222
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatas e, Plasma	6768-6	Male 16 Years up to 19 Years	Male	16	Years	19	Years	Valid Checking [1.1]	5	6000	5-6000

HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 16 Years up to 19 Years	Male	16	Years	19	Years	Abnormality - Abnormal [2.2]	52	222	<52 or >222		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Reference Range	40	115	40-115		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Valid Checking [1.1]	5	6000	5-6000		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Abnormality - Abnormal [2.2]	40	115	<40 or >115		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	ALKALINE PHOSPHATASE, PLASMA	ALP	U/L	0	Alkaline Phosphatase, Plasma	6768-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Valid Checking [1.1]	5	6000	5-6000		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0		2	Days	Reference Range	1.4	8.7	1.4-8.7		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0		2	Days	Valid Checking [1.1]	0.2	70.2	0.2-70.2		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0		2	Days	Abnormality - Critical [2.1]		12.0	>=12.0		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0		2	Days	Abnormality - Abnormal [2.2]	1.4	8.7	<1.4 or >8.7		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Reference Range	3.4	11.5	3.4-11.5		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Valid Checking [1.1]	0.2	70.2	0.2-70.2		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Abnormality - Critical [2.1]		12.0	>=12.0		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Abnormality - Abnormal [2.2]	3.4	11.5	<3.4 or >11.5		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Reference Range	1.5	12.0	1.5-12.0		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Valid Checking [1.1]	0.2	70.2	0.2-70.2		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Abnormality - Critical [2.1]		12.0	>12.0		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Abnormality - Abnormal [2.2]	1.5	12.0	<1.5 or >12.0		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Reference Range	0.1	1.0	0.1-1.0		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Valid Checking [1.1]	0.2	70.2	0.2-70.2		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Abnormality - Critical [2.1]		12.0	>=12.0		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Abnormality - Abnormal [2.2]	0.1	1.0	<0.1 or >1.0		
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Weeks up to 18 Years	~	6	Weeks	18	Years	Reference Range	0.1	1.0	0.1-1.0		

HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Weeks up to 18 Years	~	6	Weeks	18	Years	Valid Checking [1.1]	0.2	70.2	0.2-70.2		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Weeks up to 18 Years	~	6	Weeks	18	Years	Abnormality - Abnormal [2.2]	0.1	1.0	<0.1 or >1.0		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	0.2	1.1	0.2-1.1		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	0.2	70.2	0.2-70.2		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.2	1.1	<0.2 or >1.1		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	CONJUGATED BILIRUBIN, PLASMA	CBIL	mg/dL	1	Conjugated Bilirubin, Plasma	1968-7		~	~	~	~	~	Reference Range	0.0	0.3	0.0-0.3		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	CONJUGATED BILIRUBIN, PLASMA	CBIL	mg/dL	1	Conjugated Bilirubin, Plasma	1968-7		~	~	~	~	~	Valid Checking [1.1]	0.2	30.0	0.2-30.0		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	CONJUGATED BILIRUBIN, PLASMA	CBIL	mg/dL	1	Conjugated Bilirubin, Plasma	1968-7		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.0	0.3	<0.0 or >0.3		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0		1	Years	Reference Range	3.1	5.0	3.1-5.0		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0		1	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Abnormal [2.2]	3.1	5.0	<3.1 or >5.0		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	Years	8	Years	Reference Range	4.0	4.9	4.0-4.9		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	Years	8	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	Years	8	Years	Abnormality - Abnormal [2.2]	4.0	4.9	<4.0 or >4.9		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Reference Range	4.2	5.1	4.2-5.1		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Abnormality - Abnormal [2.2]	4.2	5.1	<4.2 or >5.1		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Reference Range	4.0	5.3	4.0-5.3		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Abnormality - Abnormal [2.2]	4.0	5.3	<4.0 or >5.3		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	3.5	5.2	3.5-5.2		
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	0.2	15.0	0.2-15.0		

HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	3.5	5.2	<3.5 or >5.2
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0	1	Years	Reference Range	3.1	5.0	3.1-5.0
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0	1	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0	1	Years	Abnormality - Abnormal [2.2]	3.1	5.0	<3.1 or >5.0
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	8	Years	Reference Range	4.0	4.9	4.0-4.9
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	8	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	8	Years	Abnormality - Abnormal [2.2]	4.0	4.9	<4.0 or >4.9
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	15	Years	Reference Range	4.2	5.1	4.2-5.1
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	15	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	15	Years	Abnormality - Abnormal [2.2]	4.2	5.1	<4.2 or >5.1
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	18	Years	Reference Range	4.3	5.3	4.3-5.3
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	18	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	18	Years	Abnormality - Abnormal [2.2]	4.3	5.3	<4.3 or >5.3
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	3.5	5.2	3.5-5.2
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Valid Checking [1.1]	0.2	15.0	0.2-15.0
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	3.5	5.2	<3.5 or >5.2
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 0 up to 1 Months	~	0	1	Months	Reference Range	4.1	6.3	4.1-6.3
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 0 up to 1 Months	~	0	1	Months	Valid Checking [1.1]	0.4	36.0	0.4-36.0
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 0 up to 1 Months	~	0	1	Months	Abnormality - Abnormal [2.2]	4.1	6.3	<4.1 or >6.3
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Months up to 1 Years	~	1	1	Years	Reference Range	4.4	7.9	4.4-7.9
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Months up to 1 Years	~	1	1	Years	Valid Checking [1.1]	0.4	36.0	0.4-36.0
HEPATIC FUNCTION PANEL (LAB20)	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Months up to 1 Years	~	1	1	Years	Abnormality - Abnormal [2.2]	4.4	7.9	<4.4 or >7.9

HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Years up to 19 Years	~	1	Years	19	Years	Reference Range	5.7	8.0	5.7-8.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Years up to 19 Years	~	1	Years	19	Years	Valid Checking [1.1]	0.4	36.0	0.4-36.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 1 Years up to 19 Years	~	1	Years	19	Years	Abnormality - Abnormal [2.2]	5.7	8.0	<5.7 or >8.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 19 Years up to unspeci	~	19	Years	unspecified		Reference Range	6.3	7.9	6.3-7.9
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 19 Years up to unspeci	~	19	Years	unspecified		Valid Checking [1.1]	0.2	36.0	0.2-36.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Green Pst Li Hep 19 Years up to unspeci	~	19	Years	unspecified		Abnormality - Abnormal [2.2]	6.3	7.9	<6.3 or >7.9
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 0 up to 15 Days	~	0		15	Days	Reference Range	5.1	8.0	5.1-8.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 0 up to 15 Days	~	0		15	Days	Valid Checking [1.1]	0.2	36.0	0.2-36.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 0 up to 15 Days	~	0		15	Days	Abnormality - Abnormal [2.2]	5.1	8.0	<5.1 or >8.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 15 Days up to 1 Years	~	15	Days	1	Years	Reference Range	4.3	6.9	4.3-6.9
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 15 Days up to 1 Years	~	15	Days	1	Years	Valid Checking [1.1]	0.2	36.0	0.2-36.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 15 Days up to 1 Years	~	15	Days	1	Years	Abnormality - Abnormal [2.2]	4.3	6.9	<4.3 or >6.9
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 1 Years up to 9 Years	~	1	Years	9	Years	Reference Range	5.9	7.5	5.9-7.5
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 1 Years up to 9 Years	~	1	Years	9	Years	Valid Checking [1.1]	0.2	36.0	0.2-36.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 1 Years up to 9 Years	~	1	Years	9	Years	Abnormality - Abnormal [2.2]	5.9	7.5	<5.9 or >7.5
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 9 Years up to 19 Years	~	9	Years	19	Years	Reference Range	6.3	7.8	6.3-7.8
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 9 Years up to 19 Years	~	9	Years	19	Years	Valid Checking [1.1]	0.2	36.0	0.2-36.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 9 Years up to 19 Years	~	9	Years	19	Years	Abnormality - Abnormal [2.2]	6.3	7.8	<6.3 or >7.8
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 19 Years up to unspecified	~	19	Years	unspecified		Reference Range	6.2	7.7	6.2-7.7
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 19 Years up to unspecified	~	19	Years	unspecified		Valid Checking [1.1]	0.2	36.0	0.2-36.0
HEPATIC FUNCTION PANEL [LAB20]	HEPATIC FUNCTION PANEL [1230100107]	TOTAL PROTEIN	TP	g/dL	1	Total Protein	2885-2	Sst - Gold 19 Years up to unspecified	~	19	Years	unspecified		Abnormality - Abnormal [2.2]	6.2	7.7	<6.2 or >7.7
LITHIUM, SERUM [LAB29]	LITHIUM, SERUM [1230100195]	LITHIUM IN SER/PLAS	LITHIUM	mmol/L	1	Lithium, Serum	14334-7		~	~	~	~	~	Reference Range		1.5	<1.5

LITHIUM, SERUM [LAB29]	LITHIUM, SERUM [1230100195]	LITHIUM IN SER/PLAS	LITHIUM	mmol/L	.	.	Lithium, Serum	14334-7							Valid Checking [1.1]	0.1	6	0.1-6		
LITHIUM, SERUM [LAB29]	LITHIUM, SERUM [1230100195]	LITHIUM IN SER/PLAS	LITHIUM	mmol/L	.	.	Lithium, Serum	14334-7							Abnormality - Critical [2.1]		1.5	>=1.5		
LITHIUM, SERUM [LAB29]	LITHIUM, SERUM [1230100195]	LITHIUM IN SER/PLAS	LITHIUM	mmol/L	.	.	Lithium, Serum	14334-7							Display Reference Range [14.1]					<0.1
SALICYLATE, QUANTITATIVE, PLASMA [LAB34]	SALICYLATE, QUANTITATIVE, PLASMA [1230100247]	SALICYLATES (MG/DL) IN SER/PLAS	SALICYLATE	mg/dL	.	.	Salicylate, Quantitativ e, Plasma	14909-6							Reference Range		30	<=30		
SALICYLATE, QUANTITATIVE, PLASMA [LAB34]	SALICYLATE, QUANTITATIVE, PLASMA [1230100247]	SALICYLATES (MG/DL) IN SER/PLAS	SALICYLATE	mg/dL	.	.	Salicylate, Quantitativ e, Plasma	14909-6							Valid Checking [1.1]	1	140	1-140		
SALICYLATE, QUANTITATIVE, PLASMA [LAB34]	SALICYLATE, QUANTITATIVE, PLASMA [1230100247]	SALICYLATES (MG/DL) IN SER/PLAS	SALICYLATE	mg/dL	.	.	Salicylate, Quantitativ e, Plasma	14909-6							Abnormality - Critical [2.1]		30	>30		
SALICYLATE, QUANTITATIVE, PLASMA [LAB34]	SALICYLATE, QUANTITATIVE, PLASMA [1230100247]	SALICYLATES (MG/DL) IN SER/PLAS	SALICYLATE	mg/dL	.	.	Salicylate, Quantitativ e, Plasma	14909-6							Display Reference Range [14.1]					<25 mg/dL
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	0.40	1.00	0.40-1.00		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0		15	Days	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	0.40	1.00	<0.40 or >1.00		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 15 Days up to 2 Years	Female	15	Days	2	Years	Reference Range	0.20	0.40	0.20-0.40		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 15 Days up to 2 Years	Female	15	Days	2	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 15 Days up to 2 Years	Female	15	Days	2	Years	Abnormality - Abnormal [2.2]	0.20	0.40	<0.20 or >0.40		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 2 Years up to 5 Years	Female	2	Years	5	Years	Reference Range	0.30	0.50	0.30-0.50		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 2 Years up to 5 Years	Female	2	Years	5	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 2 Years up to 5 Years	Female	2	Years	5	Years	Abnormality - Abnormal [2.2]	0.30	0.50	<0.30 or >0.50		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 5 Years up to 10 Years	Female	5	Years	10	Years	Reference Range	0.30	0.60	0.30-0.60		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 5 Years up to 10 Years	Female	5	Years	10	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 5 Years up to 10 Years	Female	5	Years	10	Years	Abnormality - Abnormal [2.2]	0.30	0.60	<0.30 or >0.60		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 10 Years up to 15 Years	Female	10	Years	15	Years	Reference Range	0.40	0.90	0.40-0.90		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 10 Years up to 15 Years	Female	10	Years	15	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 10 Years up to 15 Years	Female	10	Years	15	Years	Abnormality - Abnormal [2.2]	0.40	0.90	<0.40 or >0.90		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 15 Years up to 19 Years	Female	15	Years	19	Years	Reference Range	0.50	0.90	0.50-0.90		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 15 Years up to 19 Years	Female	15	Years	19	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 15 Years up to 19 Years	Female	15	Years	19	Years	Abnormality - Abnormal [2.2]	0.50	0.90	<0.50 or >0.90		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 19 Years up to 90 Years	Female	19	Years	90	Years	Reference Range	0.60	1.10	0.60-1.10		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 19 Years up to 90 Years	Female	19	Years	90	Years	Valid Checking [1.1]	0.11	122.00	0.11-122.00		
CREATININE, PLASMA [LAB383]	CREATININE, PLASMA [1230100295]	CREATININE, PLASMA	CREA	mg/dL	2	.	Creatinine, Plasma	2160-0	Female 19 Years up to 90 Years	Female	19	Years	90	Years	Abnormality - Abnormal [2.2]	0.60	1.10	<0.60 or >1.10		

VANCOMYCIN, TROUGH, PLASMA [LAB39]	VANCOMYCIN, TROUGH, PLASMA [1230100302]	VANCOMYCIN, TROUGH	VANCT	ug/mL	1	Vancomycin, Trough, Plasma	4092-3								Reference Range	10.0	20.0	10.0-20.0
VANCOMYCIN, TROUGH, PLASMA [LAB39]	VANCOMYCIN, TROUGH, PLASMA [1230100302]	VANCOMYCIN, TROUGH	VANCT	ug/mL	1	Vancomycin, Trough, Plasma	4092-3								Valid Checking [1.1]	4.0	160.0	4.0-160.0
VANCOMYCIN, TROUGH, PLASMA [LAB39]	VANCOMYCIN, TROUGH, PLASMA [1230100302]	VANCOMYCIN, TROUGH	VANCT	ug/mL	1	Vancomycin, Trough, Plasma	4092-3								Abnormality - Critical [2.1]		25.0	>25.0
VANCOMYCIN, TROUGH, PLASMA [LAB39]	VANCOMYCIN, TROUGH, PLASMA [1230100302]	VANCOMYCIN, TROUGH	VANCT	ug/mL	1	Vancomycin, Trough, Plasma	4092-3								Abnormality - Abnormal [2.2]	10.0	20.0	<10.0 or >20.0
VANCOMYCIN, RANDOM, PLASMA [LAB40]	VANCOMYCIN, RANDOM, PLASMA [1230100314]	VANCOMYCIN, RANDOM	VANCR	ug/mL	1	Vancomycin, Random, Plasma	20578-1								Valid Checking [1.1]	4.0	160.0	4.0-160.0
VANCOMYCIN, PEAK, PLASMA [LAB41]	VANCOMYCIN, PEAK, PLASMA [1230100325]	VANCOMYCIN, PEAK, PLASMA	VANCP	ug/mL	1	Vancomycin, Peak, Plasma	4090-7								Reference Range	20.0	40.0	20.0-40.0
VANCOMYCIN, PEAK, PLASMA [LAB41]	VANCOMYCIN, PEAK, PLASMA [1230100325]	VANCOMYCIN, PEAK, PLASMA	VANCP	ug/mL	1	Vancomycin, Peak, Plasma	4090-7								Valid Checking [1.1]	4.0	160.0	4.0-160.0
VANCOMYCIN, PEAK, PLASMA [LAB41]	VANCOMYCIN, PEAK, PLASMA [1230100325]	VANCOMYCIN, PEAK, PLASMA	VANCP	ug/mL	1	Vancomycin, Peak, Plasma	4090-7								Abnormality - Critical [2.1]		50.0	>50.0
VANCOMYCIN, PEAK, PLASMA [LAB41]	VANCOMYCIN, PEAK, PLASMA [1230100325]	VANCOMYCIN, PEAK, PLASMA	VANCP	ug/mL	1	Vancomycin, Peak, Plasma	4090-7								Abnormality - Abnormal [2.2]	20.0	40.0	<20.0 or >40.0
POTASSIUM, URINE, RANDOM [LAB434]	POTASSIUM, RANDOM URINE [1230100346]	POTASSIUM, URINE	KX	mmol/L	0	Potassium, Urine	2828-2								Valid Checking [1.1]	3	100	3-100
PROTEIN, URINE, RANDOM WITH CREATININE [LAB439]	PROTEIN, RANDOM URINE WITH CREATININE [1230100351]	PROTEIN, URINE	PROR	mg/dL	0	Protein, Urine	2888-6								Valid Checking [1.1]	6	6000	6-6000
PROTEIN, URINE, RANDOM WITH CREATININE [LAB439]	PROTEIN, RANDOM URINE WITH CREATININE [1230100351]	CREATININE, URINE	CRX	mg/dL	0	Creatinine, Urine	2161-8								Valid Checking [1.1]	3	1525	3-1525
PROTEIN, URINE, 24 HOUR [LAB440]	TOTAL PROTEIN, 24 HOUR URINE [1230100353]	HOURS OF URINE COLLECTION	HRSCAU	HRS	0	Hours Of Collection	30211-7								Valid Checking [1.1]	23	25	23-25
PROTEIN, URINE, 24 HOUR [LAB440]	TOTAL PROTEIN, 24 HOUR URINE [1230100353]	PROTEIN, URINE	PROR	mg/dL	0	Protein, Urine	2888-6								Valid Checking [1.1]	6	6000	6-6000
SODIUM, URINE, RANDOM [LAB444]	SODIUM, RANDOM URINE [1230100357]	SODIUM, URINE	NAR	mmol/L	0	Sodium, Urine	2955-3								Valid Checking [1.1]	20	250	20-250
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	HOURS OF URINE COLLECTION	HRSCAU	HRS	0	Hours Of Collection	30211-7								Valid Checking [1.1]	23	25	23-25
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM, URINE	NAR	mmol/L	0	Sodium, Urine	2955-3								Valid Checking [1.1]	20	250	20-250
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Female 0 up to 6 Years	Female	0		6	Years	Display Reference Range [14.1]				
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Female 6 Years up to 10 Years	Female	6	Years	10	Years	Reference Range	41	115	41-115	
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Female 6 Years up to 10 Years	Female	6	Years	10	Years	Abnormality - Abnormal [2.2]	41	115	<41 or >115	
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Female 10 Years up to unspecified	Female	10	Years	unspecified		Reference Range	48	168	48-168	
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Female 10 Years up to unspecified	Female	10	Years	unspecified		Abnormality - Abnormal [2.2]	48	168	<48 or >168	
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Male 0 up to 6 Days	Male	0		6	Days	Display Reference Range [14.1]				
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Male 6 Days up to 10 Years	Male	6	Days	10	Years	Reference Range	41	115	41-115	
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Male 6 Days up to 10 Years	Male	6	Days	10	Years	Abnormality - Abnormal [2.2]	41	115	<41 or >115	

SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Male 10 Years up to 14 Years	Male	10	Years	14	Years	Reference Range	63	177	63-177
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Male 10 Years up to 14 Years	Male	10	Years	14	Years	Abnormality - Abnormal [2.2]	63	177	<63 or >177
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Male 14 Years up to unspecified	Male	14	Years	unspecified		Reference Range	40	220	40-220
SODIUM, URINE, 24 HOUR [LAB446]	SODIUM, 24 HOUR URINE [1230100359]	SODIUM/DAY	NAD	mmol/d	0	Sodium per day	2956-1	Male 14 Years up to unspecified	Male	14	Years	unspecified		Abnormality - Abnormal [2.2]	40	220	<40 or >220
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0		1	Years	Reference Range	3.1	5.0	3.1-5.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0		1	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Abnormal [2.2]	3.1	5.0	<3.1 or >5.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	Years	8	Years	Reference Range	4.0	4.9	4.0-4.9
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	Years	8	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 1 Years up to 8 Years	Female	1	Years	8	Years	Abnormality - Abnormal [2.2]	4.0	4.9	<4.0 or >4.9
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Reference Range	4.2	5.1	4.2-5.1
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Abnormality - Abnormal [2.2]	4.2	5.1	<4.2 or >5.1
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Reference Range	4.0	5.3	4.0-5.3
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Abnormality - Abnormal [2.2]	4.0	5.3	<4.0 or >5.3
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	3.5	5.2	3.5-5.2
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	0.2	15.0	0.2-15.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.5	5.2	<3.5 or >5.2
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0		1	Years	Reference Range	3.1	5.0	3.1-5.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0		1	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 0 up to 1 Years	Male	0		1	Years	Abnormality - Abnormal [2.2]	3.1	5.0	<3.1 or >5.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	Years	8	Years	Reference Range	4.0	4.9	4.0-4.9
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	Years	8	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 1 Years up to 8 Years	Male	1	Years	8	Years	Abnormality - Abnormal [2.2]	4.0	4.9	<4.0 or >4.9
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	Years	15	Years	Reference Range	4.2	5.1	4.2-5.1
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	Years	15	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 8 Years up to 15 Years	Male	8	Years	15	Years	Abnormality - Abnormal [2.2]	4.2	5.1	<4.2 or >5.1
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	Years	18	Years	Reference Range	4.3	5.3	4.3-5.3

ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	Years	18	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 15 Years up to 18 Years	Male	15	Years	18	Years	Abnormality - Abnormal [2.2]	4.3	5.3	<4.3 or >5.3
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	3.5	5.2	3.5-5.2	
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Valid Checking [1.1]	0.2	15.0	0.2-15.0	
ALBUMIN, PLASMA [LAB45]	ALBUMIN, PLASMA [1230100363]	ALBUMIN PLASMA	ALB	g/dL	1	Albumin, Plasma	61152-5	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	3.5	5.2	<3.5 or >5.2	
AMMONIA, PLASMA [LAB47]	AMMONIA, PLASMA [1230100371]	AMMONIA	NH3	umol/L	0	Ammonia	16362-6	0 up to 15 Days	~	0		15	Days	Reference Range	56	92	56-92
AMMONIA, PLASMA [LAB47]	AMMONIA, PLASMA [1230100371]	AMMONIA	NH3	umol/L	0	Ammonia	16362-6	0 up to 15 Days	~	0		15	Days	Valid Checking [1.1]	10	700	10-700
AMMONIA, PLASMA [LAB47]	AMMONIA, PLASMA [1230100371]	AMMONIA	NH3	umol/L	0	Ammonia	16362-6	0 up to 15 Days	~	0		15	Days	Abnormality - Abnormal [2.2]	56	92	<56 or >92
AMMONIA, PLASMA [LAB47]	AMMONIA, PLASMA [1230100371]	AMMONIA	NH3	umol/L	0	Ammonia	16362-6	15 Days up to unspecified	~	15	Days	unspecified	Reference Range	11	51	11-51	
AMMONIA, PLASMA [LAB47]	AMMONIA, PLASMA [1230100371]	AMMONIA	NH3	umol/L	0	Ammonia	16362-6	15 Days up to unspecified	~	15	Days	unspecified	Valid Checking [1.1]	10	700	10-700	
AMMONIA, PLASMA [LAB47]	AMMONIA, PLASMA [1230100371]	AMMONIA	NH3	umol/L	0	Ammonia	16362-6	15 Days up to unspecified	~	15	Days	unspecified	Abnormality - Abnormal [2.2]	11	51	<11 or >51	
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	0 up to 30 Days	~	0		30	Days	Reference Range	0	6	0-6
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	0 up to 30 Days	~	0		30	Days	Valid Checking [1.1]	3	7500	3-7500
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	0 up to 30 Days	~	0		30	Days	Abnormality - Abnormal [2.2]	0	6	<0 or >6
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	30 Days up to 6 Months	~	30	Days	6	Months	Reference Range	1	17	1-17
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	30 Days up to 6 Months	~	30	Days	6	Months	Valid Checking [1.1]	3	7500	3-7500
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	30 Days up to 6 Months	~	30	Days	6	Months	Abnormality - Abnormal [2.2]	1	17	<1 or >17
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	6 Months up to 1 Years	~	6	Months	1	Years	Reference Range	6	44	6-44
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	6 Months up to 1 Years	~	6	Months	1	Years	Valid Checking [1.1]	3	7500	3-7500
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	6 Months up to 1 Years	~	6	Months	1	Years	Abnormality - Abnormal [2.2]	6	44	<6 or >44
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	1 Years up to 4 Years	~	1	Years	4	Years	Reference Range	8	79	8-79
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	1 Years up to 4 Years	~	1	Years	4	Years	Valid Checking [1.1]	3	7500	3-7500
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	1 Years up to 4 Years	~	1	Years	4	Years	Abnormality - Abnormal [2.2]	8	79	<8 or >79
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	4 Years up to unspecified	~	4	Years	unspecified	Reference Range	27	114	27-114	
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	4 Years up to unspecified	~	4	Years	unspecified	Valid Checking [1.1]	3	7500	3-7500	
AMYLASE, PLASMA [LAB48]	AMYLASE, PLASMA [1230100372]	AMYLASE (U/L) IN SER/PLAS	AMYLASE	U/L		Amylase	1798-8	4 Years up to unspecified	~	4	Years	unspecified	Abnormality - Abnormal [2.2]	27	114	<27 or >114	
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0		2	Days	Reference Range	1.4	8.7	1.4-8.7
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0		2	Days	Valid Checking [1.1]	0.2	70.2	0.2-70.2

TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	12.0	>=12.0		
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	1.4	8.7	<1.4 or >8.7	
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Reference Range	3.4	11.5	3.4-11.5
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Valid Checking [1.1]	0.2	70.2	0.2-70.2
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Abnormality - Critical [2.1]	12.0	>=12.0	
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	2 Days up to 3 Days	~	2	Days	3	Days	Abnormality - Abnormal [2.2]	3.4	11.5	<3.4 or >11.5
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Reference Range	1.5	12.0	1.5-12.0
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Valid Checking [1.1]	0.2	70.2	0.2-70.2
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Abnormality - Critical [2.1]	12.0	>12.0	
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	3 Days up to 6 Days	~	3	Days	6	Days	Abnormality - Abnormal [2.2]	1.5	12.0	<1.5 or >12.0
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Reference Range	0.1	1.0	0.1-1.0
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Valid Checking [1.1]	0.2	70.2	0.2-70.2
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Abnormality - Critical [2.1]	12.0	>=12.0	
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Days up to 6 Weeks	~	6	Days	6	Weeks	Abnormality - Abnormal [2.2]	0.1	1.0	<0.1 or >1.0
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Weeks up to 18 Years	~	6	Weeks	18	Years	Reference Range	0.1	1.0	0.1-1.0
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Weeks up to 18 Years	~	6	Weeks	18	Years	Valid Checking [1.1]	0.2	70.2	0.2-70.2
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	6 Weeks up to 18 Years	~	6	Weeks	18	Years	Abnormality - Abnormal [2.2]	0.1	1.0	<0.1 or >1.0
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	0.2	1.1	0.2-1.1	
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	0.2	70.2	0.2-70.2	
TOTAL BILIRUBIN, PLASMA [LAB50]	TOTAL BILIRUBIN, PLASMA [1230100375]	TOTAL BILIRUBIN, PLASMA	TBIL	mg/dL	1	Total Bilirubin, Plasma	1975-2	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	0.2	1.1	<0.2 or >1.1	
CONJUGATED BILIRUBIN, PLASMA [LAB52]	CONJUGATED BILIRUBIN, PLASMA [1230100377]	CONJUGATED BILIRUBIN, PLASMA	CBIL	mg/dL	1	Conjugated Bilirubin, Plasma	1968-7		~	~	~	~	Reference Range	0.0	0.3	0.0-0.3	
CONJUGATED BILIRUBIN, PLASMA [LAB52]	CONJUGATED BILIRUBIN, PLASMA [1230100377]	CONJUGATED BILIRUBIN, PLASMA	CBIL	mg/dL	1	Conjugated Bilirubin, Plasma	1968-7		~	~	~	~	Valid Checking [1.1]	0.2	30.0	0.2-30.0	

CONJUGATED BILIRUBIN, PLASMA [LAB52]	CONJUGATED BILIRUBIN, PLASMA [1230100377]	CONJUGATED BILIRUBIN, PLASMA	CBIL	mg/dL	1	Conjugated Bilirubin, Plasma	1968-7								Abnormality - Abnormal [2.2]	0.0	0.3	<0.0 or >0.3
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department	~	0		5	Days		Reference Range	7.9	10.7	7.9-10.7
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department	~	0		5	Days	Valid Checking [1.1]		2.0	20.0	2.0-20.0
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days Lab Patient Department	~	0		5	Days		Abnormality - Abnormal [2.2]	7.9	10.7	<7.9 or >10.7
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0		5	Days		Reference Range	7.9	10.7	7.9-10.7
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0		5	Days	Valid Checking [1.1]		2.0	20.0	2.0-20.0
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0		5	Days		Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	0 up to 5 Days	~	0		5	Days		Abnormality - Abnormal [2.2]	7.9	10.7	<7.9 or >10.7
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years		Reference Range	8.5	10.6	8.5-10.6
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years	Valid Checking [1.1]		2.0	20.0	2.0-20.0
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years Lab Patient Departm	~	5	Days	7	Years		Abnormality - Abnormal [2.2]	8.5	10.6	<8.5 or >10.6
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years		Reference Range	8.5	10.6	8.5-10.6
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years	Valid Checking [1.1]		2.0	20.0	2.0-20.0
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years		Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	5 Days up to 7 Years	~	5	Days	7	Years		Abnormality - Abnormal [2.2]	8.5	10.6	<8.5 or >10.6
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Departm	~	7	Years	18	Years		Reference Range	8.4	10.3	8.4-10.3
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Departm	~	7	Years	18	Years	Valid Checking [1.1]		2.0	20.0	2.0-20.0
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years Lab Patient Departm	~	7	Years	18	Years		Abnormality - Abnormal [2.2]	8.4	10.3	<8.4 or >10.3
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years		Reference Range	8.4	10.3	8.4-10.3
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years	Valid Checking [1.1]		2.0	20.0	2.0-20.0
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years		Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	7 Years up to 18 Years	~	7	Years	18	Years		Abnormality - Abnormal [2.2]	8.4	10.3	<8.4 or >10.3

TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Reference Range	8.9	10.2	8.9-10.2		
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Valid Checking [1.1]	2.0	20.0	2.0-20.0		
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified Lab Patient D	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	8.9	10.2	<8.9 or >10.2		
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	8.9	10.2	8.9-10.2		
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	2.0	20.0	2.0-20.0		
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	6.0	13.0	<=6.0 or >=13.0		
TOTAL CALCIUM, PLASMA [LAB53]	TOTAL CALCIUM, PLASMA [1230100378]	TOTAL CALCIUM, PLASMA	CA	mg/dL	1	Total Calcium, Plasma	17861-6	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	8.9	10.2	<8.9 or >10.2		
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years	Reference Range	17	26	17-26		
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years	Valid Checking [1.1]	4	70	4-70		
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40		
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	0 up to 4 Years	~	0	4	Years	Abnormality - Abnormal [2.2]	17	26	<17 or >26		
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Reference Range	19	27	19-27	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Valid Checking [1.1]	4	70	4-70	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	4 Years up to 6 Years	~	4	Years	6	Years	Abnormality - Abnormal [2.2]	19	27	<19 or >27	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Reference Range	20	28	20-28	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Valid Checking [1.1]	4	70	4-70	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	6 Years up to 8 Years	~	6	Years	8	Years	Abnormality - Abnormal [2.2]	20	28	<20 or >28	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Reference Range	21	29	21-29	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Valid Checking [1.1]	4	70	4-70	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Critical [2.1]	10	40	<=10 or >=40	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	8 Years up to 18 Years	~	8	Years	18	Years	Abnormality - Abnormal [2.2]	21	29	<21 or >29	
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	22	29	22-29		
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Valid Checking [1.1]	4	70	4-70		
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Critical [2.1]	10	40	<=10 or >=40		
CO2, PLASMA [LAB55]	CO2, PLASMA [1230100380]	CO2, PLASMA	CO2	mmol/L	0	CO2, Plasma	1962-0	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	22	29	<22 or >29		
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0	8	Days	Reference Range	96	111	96-111		
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	60	140	60-140		
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111		
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Reference Range	96	110	96-110	
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Valid Checking [1.1]	60	140	60-140	
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110	
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108	96-108	

CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1.1]	60	140	60-140		
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108		
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified		Reference Range	97	107	97-107		
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified		Valid Checking [1.1]	60	140	60-140		
CHLORIDE, PLASMA [LAB59]	CHLORIDE, PLASMA [1230100384]	CHLORIDE	CL	mmol/L	0	Chloride, Plasma	2075-0	1 Years up to unspecified	~	1	Years	unspecified		Abnormality - Abnormal [2.2]	97	107	<97 or >107		
CHOLESTEROL, TOTAL, PLASMA [LAB60]	CHOLESTEROL, TOTAL, PLASMA [1230100386]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	0 up to 18 Years	~	0		18	Years	Reference Range		170	<170		
CHOLESTEROL, TOTAL, PLASMA [LAB60]	CHOLESTEROL, TOTAL, PLASMA [1230100386]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	0 up to 18 Years	~	0		18	Years	Valid Checking [1.1]	4	8000	4-8000		
CHOLESTEROL, TOTAL, PLASMA [LAB60]	CHOLESTEROL, TOTAL, PLASMA [1230100386]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	0 up to 18 Years	~	0		18	Years	Abnormality - Abnormal [2.2]		170	>=170		
CHOLESTEROL, TOTAL, PLASMA [LAB60]	CHOLESTEROL, TOTAL, PLASMA [1230100386]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	18 Years up to unspecified	~	18	Years	unspecified		Reference Range		200	<200		
CHOLESTEROL, TOTAL, PLASMA [LAB60]	CHOLESTEROL, TOTAL, PLASMA [1230100386]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]		200	>=200		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 0 up to 1 Years	Female	0		1	Years	Reference Range		175	<=175		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 0 up to 1 Years	Female	0		1	Years	Valid Checking [1.1]	3	13200	3-13200		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Abnormal [2.2]		175	>175		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Reference Range	3	12	3-12		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Valid Checking [1.1]	3	13200	3-13200		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Abnormality - Abnormal [2.2]	3	12	<3 or >12		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Reference Range	4	24	4-24		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Valid Checking [1.1]	3	13200	3-13200		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Abnormality - Abnormal [2.2]	4	24	<4 or >24		
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	5	36	5-36		

GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	3	13200	3-13200
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	5	36	<5 or >36
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 0 up to 1 Years	Male	0	1	Years	Reference Range			175	<175
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 0 up to 1 Years	Male	0	1	Years	Valid Checking [1.1]	3	13200	3-13200	
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 0 up to 1 Years	Male	0	1	Years	Abnormality - Abnormal [2.2]			175	>=175
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 1 Years up to 11 Years	Male	1	Years	11	Years	Reference Range	3	12	3-12
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 1 Years up to 11 Years	Male	1	Years	11	Years	Valid Checking [1.1]	3	13200	3-13200
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 1 Years up to 11 Years	Male	1	Years	11	Years	Abnormality - Abnormal [2.2]	3	12	<3 or >12
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 11 Years up to 18 Years	Male	11	Years	18	Years	Reference Range	3	42	3-42
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 11 Years up to 18 Years	Male	11	Years	18	Years	Valid Checking [1.1]	3	13200	3-13200
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 11 Years up to 18 Years	Male	11	Years	18	Years	Abnormality - Abnormal [2.2]	3	42	<3 or >42
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	8	61	8-61
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	3	13200	3-13200
GAMMA GLUTAMYLTRANSFERASE, PLASMA [LAB85]	GAMMA GLUTAMYLTRANSFERASE, PLASMA [1230100413]	GGT, PLASMA	GGTK	U/L	0	GGT, Plasma	2324-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	8	61	<8 or >61
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	0 up to 1 Months	~	0	1	Months	Reference Range	135	750	135-750	
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	0 up to 1 Months	~	0	1	Months	Valid Checking [1.1]	10	12500	10-12500	
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	0 up to 1 Months	~	0	1	Months	Abnormality - Abnormal [2.2]	135	750	<135 or >750	
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Months up to 1 Years	~	1	Months	1	Years	Reference Range	180	435	180-435

LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Months up to 1 Years	~	1	Months	1	Years	Valid Checking [1.1]	10	12500	10-12500
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Months up to 1 Years	~	1	Months	1	Years	Abnormality - Abnormal [2.2]	180	435	<180 or >435
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Years up to 7 Years	~	1	Years	7	Years	Reference Range	145	370	145-370
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Years up to 7 Years	~	1	Years	7	Years	Valid Checking [1.1]	10	12500	10-12500
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Years up to 7 Years	~	1	Years	7	Years	Abnormality - Abnormal [2.2]	145	370	<145 or >370
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	7 Years up to 16 Years	~	7	Years	16	Years	Reference Range	110	293	110-293
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	7 Years up to 16 Years	~	7	Years	16	Years	Valid Checking [1.1]	10	12500	10-12500
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	7 Years up to 16 Years	~	7	Years	16	Years	Abnormality - Abnormal [2.2]	110	293	<110 or >293
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	16 Years up to 18 Years	~	16	Years	18	Years	Reference Range	105	233	105-233
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	16 Years up to 18 Years	~	16	Years	18	Years	Valid Checking [1.1]	10	12500	10-12500
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	16 Years up to 18 Years	~	16	Years	18	Years	Abnormality - Abnormal [2.2]	105	233	<105 or >233
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	116	250	116-250
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	10	12500	10-12500
LACTATE DEHYDROGENASE, PLASMA [LAB96]	LACTATE DEHYDROGENASE, PLASMA [1230100424]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	116	250	<116 or >250
LIPASE, PLASMA [LAB99]	LIPASE, PLASMA [1230100427]	LIPASE, PLASMA	LPSE	U/L	0	Lipase, Plasma	3040-3		~	~	~	~	~	Reference Range	19	63	19-63
LIPASE, PLASMA [LAB99]	LIPASE, PLASMA [1230100427]	LIPASE, PLASMA	LPSE	U/L	0	Lipase, Plasma	3040-3		~	~	~	~	~	Valid Checking [1.1]	3	3000	3-3000
LIPASE, PLASMA [LAB99]	LIPASE, PLASMA [1230100427]	LIPASE, PLASMA	LPSE	U/L	0	Lipase, Plasma	3040-3		~	~	~	~	~	Abnormality - Abnormal [2.2]	19	63	<19 or >63
CREATINE KINASE, TOTAL, PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 0 up to 6 Years	Female	0		6	Years	Valid Checking [1.1]	7	220000	7-220000
CREATINE KINASE, TOTAL, PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 6 Years up to 8 Years	Female	6	Years	8	Years	Reference Range	134	391	134-391
CREATINE KINASE, TOTAL, PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 6 Years up to 8 Years	Female	6	Years	8	Years	Valid Checking [1.1]	7	220000	7-220000
CREATINE KINASE, TOTAL, PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 6 Years up to 8 Years	Female	6	Years	8	Years	Abnormality - Abnormal [2.2]	134	391	<134 or >391
CREATINE KINASE, TOTAL, PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Reference Range	91	391	91-391
CREATINE KINASE, TOTAL, PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Valid Checking [1.1]	7	220000	7-220000

CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 8 Years up to 15 Years	Female	8	Years	15	Years	Abnormality - Abnormal [2.2]	91	391	<91 or >391		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Reference Range	53	269	53-269		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Valid Checking [1.1]	7	220000	7-220000		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 15 Years up to 18 Years	Female	15	Years	18	Years	Abnormality - Abnormal [2.2]	53	269	<53 or >269		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	37	168	37-168		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	7	220000	7-220000		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	37	168	<37 or >168		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 0 up to 6 Years	Male	0	Years	6	Years	Valid Checking [1.1]	7	220000	7-220000		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	150	499	150-499		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	7	220000	7-220000		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	150	499	<150 or >499		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	94	499	94-499		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Valid Checking [1.1]	7	220000	7-220000		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	94	499	<94 or >499		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	49	320	49-320		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	7	220000	7-220000		
CREATINE KINASE, TOTAL PLASMA [LAB10133]	CREATINE KINASE, TOTAL PLASMA [1230100500]	CREATINE KINASE	CK	U/L	0	Creatine Kinase, Plasma	2157-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	49	320	<49 or >320		
HEPATITIS C ANTIBODY W/REFLEX TO HCV QUANT PCR [LAB868]	Hepatitis C Antibody [1230100807]	HEPATITIS C ANTIBODY INTERPRETATION	HECG			Hepatitis C Antibody	13955-0		~	~	~	~	~	Reference Range			Negative [20]		
HEPATITIS C ANTIBODY W/REFLEX TO HCV QUANT PCR [LAB868]	Hepatitis C Antibody [1230100807]	HEPATITIS C ANTIBODY INTERPRETATION	HECG			Hepatitis C Antibody	13955-0		~	~	~	~	~	Valid Checking [1.1]			Indeterminate [30], Positive [10], Negative [20]		
HEPATITIS C ANTIBODY W/REFLEX TO HCV QUANT PCR [LAB868]	Hepatitis C Antibody [1230100807]	HEPATITIS C ANTIBODY INTERPRETATION	HECG			Hepatitis C Antibody	13955-0		~	~	~	~	~	Abnormality - Abnormal [2.2]			Indeterminate [30], Positive [10]		
HEPATITIS C ANTIBODY W/REFLEX TO HCV QUANT PCR [LAB868]	Hepatitis C Antibody [1230100807]	HEPATITIS C ANTIBODY INTERPRETATION	HECG			Hepatitis C Antibody	13955-0		~	~	~	~	~	Reportable Checking [3.1]			Indeterminate [30], Positive [10], Negative [20]		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	HOURS OF URINE COLLECTION	HRSCAU	HRS	0	Hours Of Collection	30211-7		~	~	~	~	~	Valid Checking [1.1]	23	25	23-25		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE, URINE	CRX	mg/dL	0	Creatinine, Urine	2161-8		~	~	~	~	~	Valid Checking [1.1]	3	1525	3-1525		

CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 0 up to 3 Years	Female	0		3	Years	Display Reference Range [14.1]					
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 3 Years up to 9 Years	Female	3	Years	9	Years	Reference Range	140	700	140-700		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 3 Years up to 9 Years	Female	3	Years	9	Years	Abnormality - Abnormal [2.2]	140	700	<140 or >700		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 9 Years up to 13 Years	Female	9	Years	13	Years	Reference Range	300	1300	300-1300		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 9 Years up to 13 Years	Female	9	Years	13	Years	Abnormality - Abnormal [2.2]	300	1300	<300 or >1300		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 13 Years up to 19 Years	Female	13	Years	19	Years	Reference Range	400	1600	400-1600		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 13 Years up to 19 Years	Female	13	Years	19	Years	Abnormality - Abnormal [2.2]	400	1600	<400 or >1600		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 19 Years up to unspecified	Female	19	Years	unspecified		Reference Range	500	1600	500-1600		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Female 19 Years up to unspecified	Female	19	Years	unspecified		Abnormality - Abnormal [2.2]	500	1600	<500 or >1600		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 0 up to 3 Years	Male	0		3	Years	Display Reference Range [14.1]					
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 3 Years up to 9 Years	Male	3	Years	9	Years	Reference Range	140	700	140-700		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 3 Years up to 9 Years	Male	3	Years	9	Years	Abnormality - Abnormal [2.2]	140	700	<140 or >700		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 9 Years up to 13 Years	Male	9	Years	13	Years	Reference Range	300	1300	300-1300		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 9 Years up to 13 Years	Male	9	Years	13	Years	Abnormality - Abnormal [2.2]	300	1300	<300 or >1300		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 13 Years up to 19 Years	Male	13	Years	19	Years	Reference Range	500	2300	500-2300		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 13 Years up to 19 Years	Male	13	Years	19	Years	Abnormality - Abnormal [2.2]	500	2300	<500 or >2300		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Reference Range	800	2500	800-2500		
CREATININE, 24 HOUR URINE [LAB712]	CREATININE, 24 HOUR URINE [1230101589]	CREATININE/DAY	CRD	mg/d	0	Creatinine per day, Urine	2162-6	Male 19 Years up to unspecified	Male	19	Years	unspecified		Abnormality - Abnormal [2.2]	800	2500	<800 or >2500		
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB6761] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB6765]	DRUG ABUSE SCREEN, URINE [1230101607]	AMPHETAMINE SCREEN (PRESENCE) IN URINE	AMP METH			Amphetamine Screen Urine	40419-4		~	~	~	~	~	Valid Checking [1.1]					Presumptive positive. Confirmation by LC-MS/MS to follow. [1015]. Negative [20]. Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB6761] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB6765]	DRUG ABUSE SCREEN, URINE [1230101607]	AMPHETAMINE SCREEN (PRESENCE) IN URINE	AMP METH			Amphetamine Screen Urine	40419-4		~	~	~	~	~	Display Reference Range [14.1]					Cutoff: 500 ng/mL
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB6761] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB6765]	DRUG ABUSE SCREEN, URINE [1230101607]	BENZODIAZEPINES (PRESENCE) IN URINE BY SCREEN METHOD				Benzodiazepines Screen Urine	14316-4		~	~	~	~	~	Valid Checking [1.1]					Negative [20]. Presumptive positive. Confirmation by LC-MS/MS to follow. [1015]. Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]

DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	BENZODIAZEPINES (PRESENCE) IN URINE BY SCREEN METHOD				Benzodiazepines Screen Urine	14316-4												Display Reference Range [14.1]									Cutoff: 200 ng/mL	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	CANNABINOID (PRESENCE) IN URINE BY SCREEN METHOD	THC			Cannabinoid Screen Urine	18282-4												Valid Checking [1.1]									Negative [20], Presumptive positive. Confirmation by LC-MS/MS to follow. [1015], Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	CANNABINOID (PRESENCE) IN URINE BY SCREEN METHOD	THC			Cannabinoid Screen Urine	18282-4												Display Reference Range [14.1]									Cutoff: 50 ng/mL	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	COCAINE (PRESENCE) IN URINE BY SCREEN METHOD	COC			Cocaine Screen Urine	19359-9												Valid Checking [1.1]									Negative [20], Presumptive positive. Confirmation by LC-MS/MS to follow. [1015], Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	COCAINE (PRESENCE) IN URINE BY SCREEN METHOD	COC			Cocaine Screen Urine	19359-9												Display Reference Range [14.1]									Cutoff: 300 ng/mL	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	BARBITURATES PRESENCE IN URINE BY SCREEN METHOD	BARB			Barbiturate Screen Urine	19270-8												Valid Checking [1.1]									Negative [20], Presumptive positive. Confirmation by LC-MS/MS to follow. [1015], Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	BARBITURATES PRESENCE IN URINE BY SCREEN METHOD	BARB			Barbiturate Screen Urine	19270-8												Display Reference Range [14.1]									Cutoff: 200 ng/mL	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	OPIATES (PRESENCE) IN URINE BY SCREEN METHOD	OPIATE			Opiate Screen Urine	19295-5												Valid Checking [1.1]									Negative [20], Presumptive positive. Confirmation by LC-MS/MS to follow. [1015], Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	OPIATES (PRESENCE) IN URINE BY SCREEN METHOD	OPIATE			Opiate Screen Urine	19295-5												Display Reference Range [14.1]									Cutoff: 300 ng/mL	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	METHADONE (PRESENCE) IN URINE BY SCREEN METHOD	METHDN			Methadone Screen Urine	19550-3												Valid Checking [1.1]									Negative [20], Presumptive positive. Confirmation by LC-MS/MS to follow. [1015], Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	METHADONE (PRESENCE) IN URINE BY SCREEN METHOD	METHDN			Methadone Screen Urine	19550-3												Display Reference Range [14.1]									Cutoff: 300 ng/mL	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	BUPRENORPHINE SCREEN URINE	BUPRN			Buprenorphine Screen Urine													Valid Checking [1.1]									Presumptive positive. Confirmation by LC-MS/MS to follow. [1015], Negative [20], Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	BUPRENORPHINE SCREEN URINE	BUPRN			Buprenorphine Screen Urine													Display Reference Range [14.1]									Cutoff: 10 ng/mL	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	FENTANYL URINE	Fentanyl			Fentanyl Screen Urine	3637-6												Valid Checking [1.1]									Negative [20], Presumptive positive. Confirmation by LC-MS/MS to follow. [1015], Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	FENTANYL URINE	Fentanyl			Fentanyl Screen Urine	3637-6												Display Reference Range [14.1]									Cutoff: 1 ng/mL	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	OXYCODONE (PRESENCE) IN URINE	OXYCODONE			Oxycodone Screen Urine	19642-8												Valid Checking [1.1]									Presumptive positive. Confirmation by LC-MS/MS to follow. [1015], Negative [20], Interfering substance present. Confirmation by LC-MS/MS to follow. [1191]	
DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE [LAB676] DRUG ABUSE SCREEN, URINE - GOODSAM [LAB676]	DRUG ABUSE SCREEN, URINE [1230101607]	OXYCODONE (PRESENCE) IN URINE	OXYCODONE			Oxycodone Screen Urine	19642-8												Display Reference Range [14.1]									Cutoff: 100 ng/mL	
GTT, FASTING [LAB1772]	GTT FASTING [1230101644]	GLUCOSE MG/DL IN SER/PLAS FASTING		mg/dL	0	GTT - Fasting													Reference Range	74	94	74-94							
GTT, FASTING [LAB1772]	GTT FASTING [1230101644]	GLUCOSE MG/DL IN SER/PLAS FASTING		mg/dL	0	GTT - Fasting													Valid Checking [1.1]		2	1500	2-1500						
GTT, FASTING [LAB1772]	GTT FASTING [1230101644]	GLUCOSE MG/DL IN SER/PLAS FASTING		mg/dL	0	GTT - Fasting													Abnormality - Critical [2.1]		50	500	<=50 or >=500						
GTT, FASTING [LAB1772]	GTT FASTING [1230101644]	GLUCOSE MG/DL IN SER/PLAS FASTING		mg/dL	0	GTT - Fasting													Abnormality - Abnormal [2.2]		74	94	<74 or >94						

GTT 1 HOUR [LAB1773]	GTT 1 HOUR [1230101645]	GLUCOSE (MG/DL) IN SER/PLAS -1 HR POST DOSE	mg/dL	0	GTT - 1 Hour	20438-8	~	~	~	~	~	~	Reference Range	74	179	74-179	
GTT 1 HOUR [LAB1773]	GTT 1 HOUR [1230101645]	GLUCOSE (MG/DL) IN SER/PLAS -1 HR POST DOSE	mg/dL	0	GTT - 1 Hour	20438-8	~	~	~	~	~	~	Valid Checking [1.1]	2	1500	2-1500	
GTT 1 HOUR [LAB1773]	GTT 1 HOUR [1230101645]	GLUCOSE (MG/DL) IN SER/PLAS -1 HR POST DOSE	mg/dL	0	GTT - 1 Hour	20438-8	~	~	~	~	~	~	Abnormality - Critical [2.1]	50	500	<=50 or >=500	
GTT 1 HOUR [LAB1773]	GTT 1 HOUR [1230101645]	GLUCOSE (MG/DL) IN SER/PLAS -1 HR POST DOSE	mg/dL	0	GTT - 1 Hour	20438-8	~	~	~	~	~	~	Abnormality - Abnormal [2.2]	74	179	<74 or >179	
GTT 2 HOUR [LAB1774]	GTT 2 HOUR [1230101646]	GLUCOSE (MG/DL) IN SER/PLAS -2 HR POST DOSE	mg/dL	0	GTT - 2 Hour	20436-2	~	~	~	~	~	~	Reference Range	74	154	74-154	
GTT 2 HOUR [LAB1774]	GTT 2 HOUR [1230101646]	GLUCOSE (MG/DL) IN SER/PLAS -2 HR POST DOSE	mg/dL	0	GTT - 2 Hour	20436-2	~	~	~	~	~	~	Valid Checking [1.1]	2	1500	2-1500	
GTT 2 HOUR [LAB1774]	GTT 2 HOUR [1230101646]	GLUCOSE (MG/DL) IN SER/PLAS -2 HR POST DOSE	mg/dL	0	GTT - 2 Hour	20436-2	~	~	~	~	~	~	Abnormality - Critical [2.1]	50	500	<=50 or >=500	
GTT 2 HOUR [LAB1774]	GTT 2 HOUR [1230101646]	GLUCOSE (MG/DL) IN SER/PLAS -2 HR POST DOSE	mg/dL	0	GTT - 2 Hour	20436-2	~	~	~	~	~	~	Abnormality - Abnormal [2.2]	74	154	<74 or >154	
GTT 3 HOUR [LAB1767]	GTT 3 HOUR [1230101648]	GLUCOSE (MG/DL) IN SER/PLAS -3 HR POST DOSE	mg/dL	0	GTT - 3 Hour	20437-0	~	~	~	~	~	~	Reference Range	74	139	74-139	
GTT 3 HOUR [LAB1767]	GTT 3 HOUR [1230101648]	GLUCOSE (MG/DL) IN SER/PLAS -3 HR POST DOSE	mg/dL	0	GTT - 3 Hour	20437-0	~	~	~	~	~	~	Valid Checking [1.1]	2	1500	2-1500	
GTT 3 HOUR [LAB1767]	GTT 3 HOUR [1230101648]	GLUCOSE (MG/DL) IN SER/PLAS -3 HR POST DOSE	mg/dL	0	GTT - 3 Hour	20437-0	~	~	~	~	~	~	Abnormality - Critical [2.1]	50	500	<=50 or >=500	
GTT 3 HOUR [LAB1767]	GTT 3 HOUR [1230101648]	GLUCOSE (MG/DL) IN SER/PLAS -3 HR POST DOSE	mg/dL	0	GTT - 3 Hour	20437-0	~	~	~	~	~	~	Abnormality - Abnormal [2.2]	74	139	<74 or >139	
GLUCOSE CHALLENGE - OB SCREEN [LAB10127]	GTT 1 HOUR, OB SCREEN [1230101699]	GLUCOSE (MG/DL) IN SER/PLAS -1 HR GESTATIONAL SCREEN	mg/dL	0	Glucose OB Screen - 1 Hour	20438-8	~	~	~	~	~	~	Reference Range	74	139	74-139	
GLUCOSE CHALLENGE - OB SCREEN [LAB10127]	GTT 1 HOUR, OB SCREEN [1230101699]	GLUCOSE (MG/DL) IN SER/PLAS -1 HR GESTATIONAL SCREEN	mg/dL	0	Glucose OB Screen - 1 Hour	20438-8	~	~	~	~	~	~	Valid Checking [1.1]	2	1500	2-1500	
GLUCOSE CHALLENGE - OB SCREEN [LAB10127]	GTT 1 HOUR, OB SCREEN [1230101699]	GLUCOSE (MG/DL) IN SER/PLAS -1 HR GESTATIONAL SCREEN	mg/dL	0	Glucose OB Screen - 1 Hour	20438-8	~	~	~	~	~	~	Abnormality - Critical [2.1]	50	500	<=50 or >=500	
GLUCOSE CHALLENGE - OB SCREEN [LAB10127]	GTT 1 HOUR, OB SCREEN [1230101699]	GLUCOSE (MG/DL) IN SER/PLAS -1 HR GESTATIONAL SCREEN	mg/dL	0	Glucose OB Screen - 1 Hour	20438-8	~	~	~	~	~	~	Abnormality - Abnormal [2.2]	74	139	<74 or >139	
N-TERMINAL PROBNP, PLASMA [LAB2005]	NT PROBNP [1230101702]	NT PROBNP	PROBNP	pg/mL	0	N-Terminal, PROBNP, Plasma	33762-6	0 up to 50 Years	~	0	50	Years	Reference Range	0	449	0-449	
N-TERMINAL PROBNP, PLASMA [LAB2005]	NT PROBNP [1230101702]	NT PROBNP	PROBNP	pg/mL	0	N-Terminal, PROBNP, Plasma	33762-6	0 up to 50 Years	~	0	50	Years	Valid Checking [1.1]	50	70000	50-70000	
N-TERMINAL PROBNP, PLASMA [LAB2005]	NT PROBNP [1230101702]	NT PROBNP	PROBNP	pg/mL	0	N-Terminal, PROBNP, Plasma	33762-6	0 up to 50 Years	~	0	50	Years	Abnormality - Abnormal [2.2]	0	449	<0 or >449	
N-TERMINAL PROBNP, PLASMA [LAB2005]	NT PROBNP [1230101702]	NT PROBNP	PROBNP	pg/mL	0	N-Terminal, PROBNP, Plasma	33762-6	50 Years up to 75 Years	~	50	Years	75	Years	Reference Range	0	899	0-899
N-TERMINAL PROBNP, PLASMA [LAB2005]	NT PROBNP [1230101702]	NT PROBNP	PROBNP	pg/mL	0	N-Terminal, PROBNP, Plasma	33762-6	50 Years up to 75 Years	~	50	Years	75	Years	Valid Checking [1.1]	50	70000	50-70000
N-TERMINAL PROBNP, PLASMA [LAB2005]	NT PROBNP [1230101702]	NT PROBNP	PROBNP	pg/mL	0	N-Terminal, PROBNP, Plasma	33762-6	50 Years up to 75 Years	~	50	Years	75	Years	Abnormality - Abnormal [2.2]	0	899	<0 or >899
N-TERMINAL PROBNP, PLASMA [LAB2005]	NT PROBNP [1230101702]	NT PROBNP	PROBNP	pg/mL	0	N-Terminal, PROBNP, Plasma	33762-6	75 Years up to unspecified	~	75	Years	unspecified	Reference Range	0	1799	0-1799	
N-TERMINAL PROBNP, PLASMA [LAB2005]	NT PROBNP [1230101702]	NT PROBNP	PROBNP	pg/mL	0	N-Terminal, PROBNP, Plasma	33762-6	75 Years up to unspecified	~	75	Years	unspecified	Valid Checking [1.1]	50	70000	50-70000	

N-TERMINAL PROBNP, PLASMA [LAB2005]	NT PROBNP [1230101702]	NT PROBNP	PROBNP	pg/mL	0	N-Terminal, PROBNP, Plasma	33762-6	75 Years up to unspecified	~	75	Years	unspecified	Abnormality - Abnormal [2.2]	0	1799	<0 or >1799	
BETA HYDROXYBUTYRIC ACID [LAB120016]	BETA HYDROXYBUTYRIC ACID, PLASMA [1230102106]	BETA HYDROXYBUTYRATE (MMOL/L) IN SER/PLAS	B-HYDRXBUT	mmol/L	.	Beta-Hydroxybutyric Acid, Plasma	6873-4		~	~	~	~	Reference Range		0.27	<=0.27	
BETA HYDROXYBUTYRIC ACID [LAB120016]	BETA HYDROXYBUTYRIC ACID, PLASMA [1230102106]	BETA HYDROXYBUTYRATE (MMOL/L) IN SER/PLAS	B-HYDRXBUT	mmol/L	.	Beta-Hydroxybutyric Acid, Plasma	6873-4		~	~	~	~	Valid Checking [1.1]	0.05	16	0.05-16	
BETA HYDROXYBUTYRIC ACID [LAB120016]	BETA HYDROXYBUTYRIC ACID, PLASMA [1230102106]	BETA HYDROXYBUTYRATE (MMOL/L) IN SER/PLAS	B-HYDRXBUT	mmol/L	.	Beta-Hydroxybutyric Acid, Plasma	6873-4		~	~	~	~	Abnormality - Abnormal [2.2]		0.27	>0.27	
GTT, FASTING NON-OB [LAB1772A]	GTT FASTING NON-OB [1230109644]	GLUCOSE MG/DL IN SER/PLAS FASTING NON-OB		mg/dL	0	Glucose Tolerance Non-OB - Fasting			~	~	~	~	Reference Range	74	99	74-99	
GTT, FASTING NON-OB [LAB1772A]	GTT FASTING NON-OB [1230109644]	GLUCOSE MG/DL IN SER/PLAS FASTING NON-OB		mg/dL	0	Glucose Tolerance Non-OB - Fasting			~	~	~	~	Valid Checking [1.1]	2	1500	2-1500	
GTT, FASTING NON-OB [LAB1772A]	GTT FASTING NON-OB [1230109644]	GLUCOSE MG/DL IN SER/PLAS FASTING NON-OB		mg/dL	0	Glucose Tolerance Non-OB - Fasting			~	~	~	~	Abnormality - Critical [2.1]	50	500	<=50 or >=500	
GTT, FASTING NON-OB [LAB1772A]	GTT FASTING NON-OB [1230109644]	GLUCOSE MG/DL IN SER/PLAS FASTING NON-OB		mg/dL	0	Glucose Tolerance Non-OB - Fasting			~	~	~	~	Abnormality - Abnormal [2.2]	74	99	<74 or >99	
GTT2 HOUR NON-OB [LAB1774A]	GTT 2 HOUR NON-OB [1230109646]	GTT 2 HOUR, NON-OB		mg/dL	0	Glucose Tolerance Non-OB - 2 Hour	20436-2		~	~	~	~	Reference Range	74	139	74-139	
GTT2 HOUR NON-OB [LAB1774A]	GTT 2 HOUR NON-OB [1230109646]	GTT 2 HOUR, NON-OB		mg/dL	0	Glucose Tolerance Non-OB - 2 Hour	20436-2		~	~	~	~	Valid Checking [1.1]	2	1500	2-1500	
GTT2 HOUR NON-OB [LAB1774A]	GTT 2 HOUR NON-OB [1230109646]	GTT 2 HOUR, NON-OB		mg/dL	0	Glucose Tolerance Non-OB - 2 Hour	20436-2		~	~	~	~	Abnormality - Critical [2.1]	50	500	<=50 or >=500	
GTT2 HOUR NON-OB [LAB1774A]	GTT 2 HOUR NON-OB [1230109646]	GTT 2 HOUR, NON-OB		mg/dL	0	Glucose Tolerance Non-OB - 2 Hour	20436-2		~	~	~	~	Abnormality - Abnormal [2.2]	74	139	<74 or >139	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 0 up to 6 Months	Female	0	6	Months	Reference Range		94	<94	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 0 up to 6 Months	Female	0	6	Months	Valid Checking [1.1]	6	50000	6-50000	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 0 up to 6 Months	Female	0	6	Months	Abnormality - Abnormal [2.2]		94	>=94	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 6 Months up to 1 Years	Female	6	Months	1	Years	Reference Range		22	<22
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 6 Months up to 1 Years	Female	6	Months	1	Years	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 6 Months up to 1 Years	Female	6	Months	1	Years	Abnormality - Abnormal [2.2]		22	>=22

TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 1 Years up to 18 Years	Female	1	Years	18	Years	Reference Range	12	<12	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 1 Years up to 18 Years	Female	1	Years	18	Years	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 1 Years up to 18 Years	Female	1	Years	18	Years	Abnormality - Abnormal [2.2]	12	>=12	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 18 Years up to unspecified	Female	18	Years	unspecified	Reference Range	14	<14		
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 18 Years up to unspecified	Female	18	Years	unspecified	Valid Checking [1.1]	6	50000	6-50000	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	14	>=14		
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 0 up to 6 Months	Male	0	6	Months	Reference Range	94	<94		
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 0 up to 6 Months	Male	0	6	Months	Valid Checking [1.1]	6	50000	6-50000	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 0 up to 6 Months	Male	0	6	Months	Abnormality - Abnormal [2.2]	94	>=94		
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 6 Months up to 1 Years	Male	6	Months	1	Years	Reference Range	22	<22	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 6 Months up to 1 Years	Male	6	Months	1	Years	Valid Checking [1.1]	6	50000	6-50000
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 6 Months up to 1 Years	Male	6	Months	1	Years	Abnormality - Abnormal [2.2]	22	>=22	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 1 Years up to 18 Years	Male	1	Years	18	Years	Reference Range	15	<15	
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 1 Years up to 18 Years	Male	1	Years	18	Years	Valid Checking [1.1]	6	50000	6-50000

TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 1 Years up to 18 Years	Male	1	Years	18	Years	Abnormality - Abnormal [2.2]	15	>=15
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	19	<19
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	6	50000 6-50000
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR	HSTNT2	ng/L	0	Troponin T, High Sensitivity, 2 Hour	6598-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	19	>=19
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY (SYNCED)	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female	Female	~	~	~	~	Reference Range	14	<14
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY (SYNCED)	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female	Female	~	~	~	~	Valid Checking [1.1]	6	50000 6-50000
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY (SYNCED)	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Female	Female	~	~	~	~	Abnormality - Abnormal [2.2]	14	>=14
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY (SYNCED)	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male	Male	~	~	~	~	Reference Range	19	<19
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY (SYNCED)	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male	Male	~	~	~	~	Valid Checking [1.1]	6	50000 6-50000
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN T, HIGH SENSITIVITY (SYNCED)	HSTNT0	ng/L	0	Troponin T, High Sensitivity, 0 Hour	67151-1	Male	Male	~	~	~	~	Abnormality - Abnormal [2.2]	19	>=19
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN DELTA	CTNT	ng/L	0	Troponin Delta	6598-7			~	~	~	~	Reference Range	10	<10
TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [LAB123139]	TROPONIN T, HIGH SENSITIVITY, 2 HOUR, PLASMA [1230110044]	TROPONIN DELTA	CTNT	ng/L	0	Troponin Delta	6598-7			~	~	~	~	Abnormality - Abnormal [2.2]	10	>=10
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Reference Range	41	60 41-60
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Valid Checking [1.1]	2	1500 2-1500
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Abnormality - Critical [2.1]	40	<=40
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Abnormality - Abnormal [2.2]	41	60 <41 or >60
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0	2	Days		Reference Range	41	60 41-60

GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Valid Checking [1.1]	2	1500	2-1500		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	0 up to 2 Days	~	0		2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Valid Checking [1.1]	2	1500	2-1500		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Valid Checking [1.1]	2	1500	2-1500		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Reference Range	60	99	60-99		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	me/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Valid Checking [1.1]	2	1500	2-1500		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Abnormality - Critical [2.1]	50		<=50		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years Lab Patient Departm	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Reference Range	60	99	60-99		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Valid Checking [1.1]	2	1500	2-1500		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	1 Years up to 18 Years	~	1	Years	18	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient Departm	~	18	Years	unspecified		Reference Range	74	99	74-99		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient Departm	~	18	Years	unspecified		Valid Checking [1.1]	2	1500	2-1500		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient Departm	~	18	Years	unspecified		Abnormality - Critical [2.1]	50		<=50		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified Lab Patient Departm	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	74	99	74-99		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	2	1500	2-1500		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	me/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500		
GLUCOSE, PLASMA [LAB12004]	GLUCOSE, PLASMA [1230111007]	GLUCOSE, PLASMA	GLU	mg/dL	0	Glucose, Plasma	2345-7	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 0 up to 2 Years	Female	0		2	Years	Valid Checking [1.1]	4	240	4-240		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 2 Years up to 17 Years	Female	2	Years	17	Years	Reference Range	45		>45		

HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 2 Years up to 17 Years	Female	2	Years	17	Years	Valid Checking [1.1]	4	240	4-240		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 2 Years up to 17 Years	Female	2	Years	17	Years	Abnormality - Abnormal [2.2]	45		<=45		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	50		>=50		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	50		<50		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 0 up to 2 Years	Male	0		2	Years	Valid Checking [1.1]	4	240	4-240		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 2 Years up to 17 Years	Male	2	Years	17	Years	Reference Range	45		>45		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 2 Years up to 17 Years	Male	2	Years	17	Years	Valid Checking [1.1]	4	240	4-240		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 2 Years up to 17 Years	Male	2	Years	17	Years	Abnormality - Abnormal [2.2]	45		<=45		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40		>=40		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 17 Years up to unspecified	Male	17	Years	unspecified		Valid Checking [1.1]	4	240	4-240		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL [1230111501]	HDL CHOLESTEROL	HDLX	mg/dL	0	HDL	2085-9	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40		<40		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL, PLASMA [1230111501]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	0 up to 18 Years	~	0		18	Years	Reference Range		170	<170		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL, PLASMA [1230111501]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	0 up to 18 Years	~	0		18	Years	Valid Checking [1.1]	4	8000	4-8000		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL, PLASMA [1230111501]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	0 up to 18 Years	~	0		18	Years	Abnormality - Abnormal [2.2]		170	>=170		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL, PLASMA [1230111501]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	18 Years up to unspecified	~	18	Years	unspecified		Reference Range		200	<200		
HDL AND TOTAL CHOLESTEROL [LAB10132]	HDL & TOTAL CHOLESTEROL, PLASMA [1230111501]	TOTAL CHOLESTEROL, PLASMA	CHOL	mg/dL	0	Cholesterol, Plasma	2093-3	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]		200	>=200		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0		8	Years	Reference Range	3	13	3-13		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0		8	Years	Valid Checking [1.1]	3	336	3-336		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	0 up to 8 Years	~	0		8	Years	Abnormality - Abnormal [2.2]	3	13	<3 or >13		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Reference Range	5	17	5-17		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Valid Checking [1.1]	3	336	3-336		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	8 Years up to 14 Years	~	8	Years	14	Years	Abnormality - Abnormal [2.2]	5	17	<5 or >17		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Reference Range	7	21	7-21		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Valid Checking [1.1]	3	336	3-336		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	14 Years up to 60 Years	~	14	Years	60	Years	Abnormality - Abnormal [2.2]	7	21	<7 or >21		
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	8	23	8-23		

UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Valid Checking [1.1]	3	336	3-336			
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	8	23	<8 or >23			
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	10	31	10-31			
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	3	336	3-336			
UREA NITROGEN, PLASMA [LAB140]	UREA NITROGEN, PLASMA [1230133335]	UREA NITROGEN, BLOOD	BUN	mg/dL	0	BUN, Plasma	3094-0	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	10	31	<10 or >31			
PREGNANCY TEST QUALITATIVE PLASMA [LAB144]	PREGNANCY TEST QUALITATIVE PLASMA [1230200061]	HCG, PREGNANCY TEST	HCGS			Pregnancy Test	2112-1		~	~	~	~	~	Reference Range					Negative [2]	
PREGNANCY TEST QUALITATIVE PLASMA [LAB144]	PREGNANCY TEST QUALITATIVE PLASMA [1230200061]	HCG, PREGNANCY TEST	HCGS			Pregnancy Test	2112-1		~	~	~	~	~	Valid Checking [1.1]						Positive [1], Negative [2]
PREGNANCY TEST QUALITATIVE PLASMA [LAB144]	PREGNANCY TEST QUALITATIVE PLASMA [1230200061]	HCG, PREGNANCY TEST	HCGS			Pregnancy Test	2112-1		~	~	~	~	~	Abnormality - Watch [2.3]						Positive [1]
ACETAMINOPHEN, QUANTITATIVE, PLASMA [LAB10123]	ACETAMINOPHEN [1230300824]	ACETAMINOPHEN	ACAM	µg/mL	1	Acetaminophen	3298-7		~	~	~	~	~	Reference Range	10.0	30.0	10.0-30.0			
ACETAMINOPHEN, QUANTITATIVE, PLASMA [LAB10123]	ACETAMINOPHEN [1230300824]	ACETAMINOPHEN	ACAM	µg/mL	1	Acetaminophen	3298-7		~	~	~	~	~	Valid Checking [1.1]	5.0	1000.0	5.0-1000.0			
ACETAMINOPHEN, QUANTITATIVE, PLASMA [LAB10123]	ACETAMINOPHEN [1230300824]	ACETAMINOPHEN	ACAM	µg/mL	1	Acetaminophen	3298-7		~	~	~	~	~	Abnormality - Critical [2.1]		35.0	>35.0			
ACETAMINOPHEN, QUANTITATIVE, PLASMA [LAB10123]	ACETAMINOPHEN [1230300824]	ACETAMINOPHEN	ACAM	µg/mL	1	Acetaminophen	3298-7		~	~	~	~	~	Abnormality - Abnormal [2.2]	10.0	30.0	<10.0 or >30.0			
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Reference Range	7	36	7-36			
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Valid Checking [1.1]	5	7000	5-7000			
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Abnormal [2.2]	7	36	<7 or >36			
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Reference Range	12	28	12-28			
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Valid Checking [1.1]	5	7000	5-7000			
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Abnormality - Abnormal [2.2]	12	28	<12 or >28			
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Reference Range	10	25	10-25			
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000			

ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Abnormality - Abnormal [2.2]	10	25	<10 or >25
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	10	35	10-35
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	35	<10 or >35
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0		1	Years	Reference Range	7	36	7-36
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0		1	Years	Valid Checking [1.1]	5	7000	5-7000
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0		1	Years	Abnormality - Abnormal [2.2]	7	36	<7 or >36
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Reference Range	12	28	12-28
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Valid Checking [1.1]	5	7000	5-7000
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Abnormality - Abnormal [2.2]	12	28	<12 or >28
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Reference Range	12	27	12-27
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Abnormality - Abnormal [2.2]	12	27	<12 or >27
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	10	50	10-50
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000
ALANINE AMINOTRANSFERASE, PLASMA [LAB10124]	ALANINE AMINOTRANSFERASE, PLASMA (ALT) [1230300826]	ALT - ALANINE AMINOTRANSFERASE	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	50	<10 or >50
ASPARTATE AMINOTRANSFERASE, PLASMA [LAB10125]	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	40	175	40-175

ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 0 up to 15 Days	Female	0	15	Days	Valid Checking [1.1]	5	7000	5-7000	
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	40	175	<40 or >175	
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 15 Days up to 1 Years	Female	15	Days	1	Years	Reference Range	28	77	28-77
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 15 Days up to 1 Years	Female	15	Days	1	Years	Valid Checking [1.1]	5	7000	5-7000
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 15 Days up to 1 Years	Female	15	Days	1	Years	Abnormality - Abnormal [2.2]	28	77	<28 or >77
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 1 Years up to 7 Years	Female	1	Years	7	Years	Reference Range	29	53	29-53
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 1 Years up to 7 Years	Female	1	Years	7	Years	Valid Checking [1.1]	5	7000	5-7000
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 1 Years up to 7 Years	Female	1	Years	7	Years	Abnormality - Abnormal [2.2]	29	53	<29 or >53
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 7 Years up to 12 Years	Female	7	Years	12	Years	Reference Range	26	45	26-45
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 7 Years up to 12 Years	Female	7	Years	12	Years	Valid Checking [1.1]	5	7000	5-7000
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 7 Years up to 12 Years	Female	7	Years	12	Years	Abnormality - Abnormal [2.2]	26	45	<26 or >45
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	21	34	21-34
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	21	34	<21 or >34
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 18 Years up to unspecified	Female	18	Years	unspecified	Reference Range	10	35	10-35	
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 18 Years up to unspecified	Female	18	Years	unspecified	Valid Checking [1.1]	5	7000	5-7000	
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	10	35	<10 or >35	

ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 0 up to 15 Days	Male	0	15	Days	Reference Range	40	175	40-175	
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 0 up to 15 Days	Male	0	15	Days	Valid Checking [1.1]	5	7000	5-7000	
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	40	175	<40 or >175	
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Reference Range	28	77	28-77
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Valid Checking [1.1]	5	7000	5-7000
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Abnormality - Abnormal [2.2]	28	77	<28 or >77
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Reference Range	29	53	29-53
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Valid Checking [1.1]	5	7000	5-7000
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Abnormality - Abnormal [2.2]	29	53	<29 or >53
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Reference Range	26	45	26-45
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Valid Checking [1.1]	5	7000	5-7000
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Abnormality - Abnormal [2.2]	26	45	<26 or >45
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	22	44	22-44
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	22	44	<22 or >44
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	10	50	10-50	
ASPARTATE AMINOTRANSFERASE, PLASMA (LAB10125)	ASPARTATE AMINOTRANSFERASE, PLASMA [1230300828]	AST - ASPARTATE AMINOTRANSFERASE	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified	Valid Checking [1.1]	5	7000	5-7000	

OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Reference Range	28	77	28-77
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 15 Days up to 1 Years	Male	15	Days	1	Years	Abnormality - Abnormal [2.2]	28	77	<28 or >77
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Reference Range	29	53	29-53
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 1 Years up to 7 Years	Male	1	Years	7	Years	Abnormality - Abnormal [2.2]	29	53	<29 or >53
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Reference Range	26	45	26-45
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 7 Years up to 12 Years	Male	7	Years	12	Years	Abnormality - Abnormal [2.2]	26	45	<26 or >45
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	22	44	22-44
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	22	44	<22 or >44
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	10	50	10-50
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	AST - ASPARTATE AMINOTRANSFERAS E	AST	U/L	0	AST, Plasma	1920-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	50	<10 or >50
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	0 up to 1 Months	~	0		1	Months	Reference Range	135	750	135-750
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	0 up to 1 Months	~	0		1	Months	Valid Checking [1.1]	10	12500	10-12500
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	0 up to 1 Months	~	0		1	Months	Abnormality - Abnormal [2.2]	135	750	<135 or >750
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Months up to 1 Years	~	1	Months	1	Years	Reference Range	180	435	180-435
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Months up to 1 Years	~	1	Months	1	Years	Valid Checking [1.1]	10	12500	10-12500
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Months up to 1 Years	~	1	Months	1	Years	Abnormality - Abnormal [2.2]	180	435	<180 or >435
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Years up to 7 Years	~	1	Years	7	Years	Reference Range	145	370	145-370
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Years up to 7 Years	~	1	Years	7	Years	Valid Checking [1.1]	10	12500	10-12500
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	1 Years up to 7 Years	~	1	Years	7	Years	Abnormality - Abnormal [2.2]	145	370	<145 or >370
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	7 Years up to 16 Years	~	7	Years	16	Years	Reference Range	110	293	110-293
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	7 Years up to 16 Years	~	7	Years	16	Years	Valid Checking [1.1]	10	12500	10-12500
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	7 Years up to 16 Years	~	7	Years	16	Years	Abnormality - Abnormal [2.2]	110	293	<110 or >293
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	16 Years up to 18 Years	~	16	Years	18	Years	Reference Range	105	233	105-233
OB PANEL PRE ECLAMPسيا, PLASMA [LAB10129]	OB PANEL PRE ECLAMPسيا [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	16 Years up to 18 Years	~	16	Years	18	Years	Valid Checking [1.1]	10	12500	10-12500

OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	16 Years up to 18 Years	~	16	Years	18	Years	Abnormality - Abnormal [2.2]	105	233	<105 or >233
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	116	250	116-250
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	18 Years up to unspecified	~	18	Years	unspecified		Valid Checking [1.1]	10	12500	10-12500
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	LACTATE DEHYDROGENASE, PLASMA	LDH	U/L	0	LDH, Plasma	14804-9	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	116	250	<116 or >250
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Reference Range	7	36	7-36
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 0 up to 1 Years	Female	0		1	Years	Abnormality - Abnormal [2.2]	7	36	<7 or >36
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Reference Range	12	28	12-28
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 1 Years up to 13 Years	Female	1	Years	13	Years	Abnormality - Abnormal [2.2]	12	28	<12 or >28
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Reference Range	10	25	10-25
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 13 Years up to 18 Years	Female	13	Years	18	Years	Abnormality - Abnormal [2.2]	10	25	<10 or >25
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	10	35	10-35
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	35	<10 or >35
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0		1	Years	Reference Range	7	36	7-36
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0		1	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 0 up to 1 Years	Male	0		1	Years	Abnormality - Abnormal [2.2]	7	36	<7 or >36
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Reference Range	12	28	12-28
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 1 Years up to 13 Years	Male	1	Years	13	Years	Abnormality - Abnormal [2.2]	12	28	<12 or >28
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Reference Range	12	27	12-27
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 13 Years up to 18 Years	Male	13	Years	18	Years	Abnormality - Abnormal [2.2]	12	27	<12 or >27
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	10	50	10-50
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	5	7000	5-7000
OB PANEL PRE ECLAMPSIA, PLASMA [LAB10129]	OB PANEL PRE ECLAMPSIA [1230300833]	ALT - ALANINE AMINOTRANSFERAS E	ALT	U/L	0	ALT, Plasma	1744-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	10	50	<10 or >50
PROCALCITONIN, PLASMA [LAB10130]	PROCALCITONIN, PLASMA [1230300834]	PROCALCITONIN, PLASMA	PRCALX	ng/mL	2	Procalcitonin, Plasma	33959-8	~	~	~	~	~	~	Reference Range		0.09	<0.09

PROCALCITONIN, PLASMA [LAB10130]	PROCALCITONIN, PLASMA [1230300834]	PROCALCITONIN, PLASMA	PRCALX	ng/mL	2	Procalcitonin, Plasma	33959-8			~	~	~	~	~	Valid Checking [1.1]	0.06	400.00	0.06-400.00		
PROCALCITONIN, PLASMA [LAB10130]	PROCALCITONIN, PLASMA [1230300834]	PROCALCITONIN, PLASMA	PRCALX	ng/mL	2	Procalcitonin, Plasma	33959-8			~	~	~	~	~	Abnormality - Abnormal [2.2]	0.09	>=0.09			
INTRAOPERATIVE PTH [LAB10119]	Intraoperative PTH [1230301025]	PTH, INTRAOPERATIVE	TPTH	pg/mL	0	Intraoperative PTH	2731-8	CH PAVH Abbott Architech i2000 #1		~	~	~	~	~	Reference Range	9	77	9-77		
INTRAOPERATIVE PTH [LAB10119]	Intraoperative PTH [1230301025]	PTH, INTRAOPERATIVE	TPTH	pg/mL	0	Intraoperative PTH	2731-8	CH PAVH Abbott Architech i2000 #1		~	~	~	~	~	Valid Checking [1.1]	4	2500	4-2500		
INTRAOPERATIVE PTH [LAB10119]	Intraoperative PTH [1230301025]	PTH, INTRAOPERATIVE	TPTH	pg/mL	0	Intraoperative PTH	2731-8	CH PAVH Abbott Architech i2000 #1		~	~	~	~	~	Abnormality - Abnormal [2.2]	9	77	<9 or >77		
INTRAOPERATIVE PTH [LAB10119]	Intraoperative PTH [1230301025]	PTH, INTRAOPERATIVE	TPTH	pg/mL	0	Intraoperative PTH	2731-8	CH PAVH Abbott Architech i2000 #2		~	~	~	~	~	Reference Range	9	77	9-77		
INTRAOPERATIVE PTH [LAB10119]	Intraoperative PTH [1230301025]	PTH, INTRAOPERATIVE	TPTH	pg/mL	0	Intraoperative PTH	2731-8	CH PAVH Abbott Architech i2000 #2		~	~	~	~	~	Valid Checking [1.1]	4	2500	4-2500		
INTRAOPERATIVE PTH [LAB10119]	Intraoperative PTH [1230301025]	PTH, INTRAOPERATIVE	TPTH	pg/mL	0	Intraoperative PTH	2731-8	CH PAVH Abbott Architech i2000 #2		~	~	~	~	~	Abnormality - Abnormal [2.2]	9	77	<9 or >77		
INTRAOPERATIVE PTH [LAB10119]	Intraoperative PTH [1230301025]	PTH, INTRAOPERATIVE	TPTH	pg/mL	0	Intraoperative PTH	2731-8	GSH Cobas 6000		~	~	~	~	~	Valid Checking [1.1]	3	5000	3-5000		
ETHYL ALCOHOL PLASMA [LAB10136]	Ethanol Plasma [1230301436]	ETHANOL PLASMA	ETOH	mg/dL	0	Ethanol Plasma	56478-1			~	~	~	~	~	Reference Range		10	<10		
ETHYL ALCOHOL PLASMA [LAB10136]	Ethanol Plasma [1230301436]	ETHANOL PLASMA	ETOH	mg/dL	0	Ethanol Plasma	56478-1			~	~	~	~	~	Valid Checking [1.1]	10	996	10-996		
ETHYL ALCOHOL PLASMA [LAB10136]	Ethanol Plasma [1230301436]	ETHANOL PLASMA	ETOH	mg/dL	0	Ethanol Plasma	56478-1			~	~	~	~	~	Abnormality - Abnormal [2.2]		10	>=10		
TOTAL PROTEIN, URINE (RANDOM) [LAB5440]	TOTAL PROTEIN, URINE (RANDOM) [1230500354]	PROTEIN, URINE	PROR	mg/dL	0	Protein, Urine	2888-6			~	~	~	~	~	Valid Checking [1.1]	6	6000	6-6000		
TOTAL PROTEIN, URINE - TIMED [LAB5441]	TOTAL PROTEIN, URINE (TIMED) [1230500355]	PROTEIN, URINE	PROR	mg/dL	0	Protein, Urine	2888-6			~	~	~	~	~	Valid Checking [1.1]	6	6000	6-6000		
ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATION [LAB12121]	ED HIV I/II Antibody/Antigen Screen with Reflex to HIV I/II Differentiation [1231100064]	ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN	HIV			HIV 1 & 2 Antibody/Antigen Screen	56888-1			~	~	~	~	~	Reference Range					Non Reactive [1017]
ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATION [LAB12121]	ED HIV I/II Antibody/Antigen Screen with Reflex to HIV I/II Differentiation [1231100064]	ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN	HIV			HIV 1 & 2 Antibody/Antigen Screen	56888-1			~	~	~	~	~	Valid Checking [1.1]					Reactive [10], Non Reactive [1017]
ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATION [LAB12121]	ED HIV I/II Antibody/Antigen Screen with Reflex to HIV I/II Differentiation [1231100064]	ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN	HIV			HIV 1 & 2 Antibody/Antigen Screen	56888-1			~	~	~	~	~	Abnormality - Abnormal [2.2]					Reactive [10]
ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATION [LAB12121]	ED HIV I/II Antibody/Antigen Screen with Reflex to HIV I/II Differentiation [1231100064]	ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN	HIV			HIV 1 & 2 Antibody/Antigen Screen	56888-1			~	~	~	~	~	Reportable Checking [3.1]					Reactive [10]
ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN WITH REFLEX TO HIV I/II DIFFERENTIATION [LAB12121]	ED HIV I/II Antibody/Antigen Screen with Reflex to HIV I/II Differentiation [1231100064]	ED HIV 1/2 ANTIBODY/ANTIGEN SCREEN	HIV			HIV 1 & 2 Antibody/Antigen Screen	56888-1			~	~	~	~	~	Display Reference Range [14.1]					Non Reactive
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	0 up to 7 Days		~	0	~	7	Days	Reference Range	0.70	15.20	0.70-15.20		

TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	0 up to 7 Days	~	0	7	Days	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00	
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	0 up to 7 Days	~	0	7	Days	Abnormality - Abnormal [2.2]	0.70	15.20	<0.70 or >15.20	
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Days up to 4 Months	~	7	Days	4	Months	Reference Range	0.70	11.00	0.70-11.00
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Days up to 4 Months	~	7	Days	4	Months	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Days up to 4 Months	~	7	Days	4	Months	Abnormality - Abnormal [2.2]	0.70	11.00	<0.70 or >11.00
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	4 Months up to 1 Years	~	4	Months	1	Years	Reference Range	0.70	8.40	0.70-8.40
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	4 Months up to 1 Years	~	4	Months	1	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	4 Months up to 1 Years	~	4	Months	1	Years	Abnormality - Abnormal [2.2]	0.70	8.40	<0.70 or >8.40
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	1 Years up to 7 Years	~	1	Years	7	Years	Reference Range	0.70	6.00	0.70-6.00
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	1 Years up to 7 Years	~	1	Years	7	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	1 Years up to 7 Years	~	1	Years	7	Years	Abnormality - Abnormal [2.2]	0.70	6.00	<0.70 or >6.00
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Years up to 12 Years	~	7	Years	12	Years	Reference Range	0.60	4.80	0.60-4.80
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Years up to 12 Years	~	7	Years	12	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	7 Years up to 12 Years	~	7	Years	12	Years	Abnormality - Abnormal [2.2]	0.60	4.80	<0.60 or >4.80

TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	12 Years up to 21 Years	~	12	Years	21	Years	Reference Range	0.50	4.30	0.50-4.30
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	12 Years up to 21 Years	~	12	Years	21	Years	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	12 Years up to 21 Years	~	12	Years	21	Years	Abnormality - Abnormal [2.2]	0.50	4.30	<0.50 or >4.30
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	21 Years up to unspecified	~	21	Years	unspecified	Reference Range	0.40	4.20	0.40-4.20	
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	21 Years up to unspecified	~	21	Years	unspecified	Valid Checking [1.1]	0.01	1000.00	0.01-1000.00	
TSH REFLEX T3 AND FT4 [LAB11139]	THYROID STIMULATING HORMONE REFLEX T3 AND FT4, PLASMA [1238400012]	THYROID STIMULATING HORMONE, PLASMA	TSH	uIU/mL	2	Thyroid Stimulating Hormone, Plasma	11580-8	21 Years up to unspecified	~	21	Years	unspecified	Abnormality - Abnormal [2.2]	0.40	4.20	<0.40 or >4.20	
HEPATITIS C ANTIBODY - ED W/REFLEX TO HCV QUANT PCR [LAB10115]	Hepatitis C Antibody - ED [1238800601]	HEPATITIS C ANTIBODY INTERPRETATION	HECG			Hepatitis C Antibody	13955-0		~	~	~	~	~	Reference Range			Negative [20]
HEPATITIS C ANTIBODY - ED W/REFLEX TO HCV QUANT PCR [LAB10115]	Hepatitis C Antibody - ED [1238800601]	HEPATITIS C ANTIBODY INTERPRETATION	HECG			Hepatitis C Antibody	13955-0		~	~	~	~	~	Valid Checking [1.1]			Indeterminate [30], Positive [10], Negative [20]
HEPATITIS C ANTIBODY - ED W/REFLEX TO HCV QUANT PCR [LAB10115]	Hepatitis C Antibody - ED [1238800601]	HEPATITIS C ANTIBODY INTERPRETATION	HECG			Hepatitis C Antibody	13955-0		~	~	~	~	~	Abnormality - Abnormal [2.2]			Indeterminate [30], Positive [10]
HEPATITIS C ANTIBODY - ED W/REFLEX TO HCV QUANT PCR [LAB10115]	Hepatitis C Antibody - ED [1238800601]	HEPATITIS C ANTIBODY INTERPRETATION	HECG			Hepatitis C Antibody	13955-0		~	~	~	~	~	Reportable Checking [3.1]			Indeterminate [30], Positive [10], Negative [20]
FIBRINOGEN,QUANTITATIVE (CLOTTABLE) [LAB314]	Fibrinogen, Quantitative (Clottable) [1230100221]	FIBRINOGEN, QUANTITATIVE (CLOTTABLE)	CLFGN	mg/dL	0	Fibrinogen, Quantitative (Clottable)	3255-7		~	~	~	~	~	Reference Range	208	459	208-459
FIBRINOGEN,QUANTITATIVE (CLOTTABLE) [LAB314]	Fibrinogen, Quantitative (Clottable) [1230100221]	FIBRINOGEN, QUANTITATIVE (CLOTTABLE)	CLFGN	mg/dL	0	Fibrinogen, Quantitative (Clottable)	3255-7		~	~	~	~	~	Valid Checking [1.1]	60	1800	60-1800
FIBRINOGEN,QUANTITATIVE (CLOTTABLE) [LAB314]	Fibrinogen, Quantitative (Clottable) [1230100221]	FIBRINOGEN, QUANTITATIVE (CLOTTABLE)	CLFGN	mg/dL	0	Fibrinogen, Quantitative (Clottable)	3255-7		~	~	~	~	~	Abnormality - Critical [2.1]	80		<80
FIBRINOGEN,QUANTITATIVE (CLOTTABLE) [LAB314]	Fibrinogen, Quantitative (Clottable) [1230100221]	FIBRINOGEN, QUANTITATIVE (CLOTTABLE)	CLFGN	mg/dL	0	Fibrinogen, Quantitative (Clottable)	3255-7		~	~	~	~	~	Abnormality - Abnormal [2.2]	208	459	<208 or >459
ANTI Xa LEVEL UNFRACTIONATED HEPARIN [LAB317]	Anti Xa Level Unfractionated Heparin [1230100223]	UNFRACTIONATED HEPARIN	HPRN	IU/mL	2	Anti Xa Level Unfractionated Heparin	3271-4		~	~	~	~	~	Reference Range		1.00	<1.00
ANTI Xa LEVEL UNFRACTIONATED HEPARIN [LAB317]	Anti Xa Level Unfractionated Heparin [1230100223]	UNFRACTIONATED HEPARIN	HPRN	IU/mL	2	Anti Xa Level Unfractionated Heparin	3271-4		~	~	~	~	~	Valid Checking [1.1]	0.11	1.10	0.11-1.10
ANTI Xa LEVEL UNFRACTIONATED HEPARIN [LAB317]	Anti Xa Level Unfractionated Heparin [1230100223]	UNFRACTIONATED HEPARIN	HPRN	IU/mL	2	Anti Xa Level Unfractionated Heparin	3271-4		~	~	~	~	~	Abnormality - Critical [2.1]		1.00	>=1.00

ANTI-XA LEVEL UNFRACTIONATED HEPARIN [LAB317]	Anti Xa Level Unfractionated Heparin [123010023]	UNFRACTIONATED HEPARIN	HPRN	IU/mL	2		Anti Xa Level Unfractionated Heparin 3271-4								Display Reference Range [14.1]					
ANTI-XA LEVEL LOW MOLECULAR WEIGHT HEPARIN [LAB316]	Anti Xa Level Low Molecular Weight Heparin [123010024]	ANTI-XA LEVEL LOW MOLECULAR WEIGHT HEPARIN	HEPLMW	IU/mL	2		Anti Xa Level Low Molecular Weight Heparin 3274-8								Reference Range	2.00	<2.00			
ANTI-XA LEVEL LOW MOLECULAR WEIGHT HEPARIN [LAB316]	Anti Xa Level Low Molecular Weight Heparin [123010024]	ANTI-XA LEVEL LOW MOLECULAR WEIGHT HEPARIN	HEPLMW	IU/mL	2		Anti Xa Level Low Molecular Weight Heparin 3274-8								Valid Checking [1.1]	0.11	2.00	0.11-2.00		
ANTI-XA LEVEL LOW MOLECULAR WEIGHT HEPARIN [LAB316]	Anti Xa Level Low Molecular Weight Heparin [123010024]	ANTI-XA LEVEL LOW MOLECULAR WEIGHT HEPARIN	HEPLMW	IU/mL	2		Anti Xa Level Low Molecular Weight Heparin 3274-8								Abnormality - Critical [2.1]	2.00	>=2.00			
ANTI-XA LEVEL LOW MOLECULAR WEIGHT HEPARIN [LAB316]	Anti Xa Level Low Molecular Weight Heparin [123010024]	ANTI-XA LEVEL LOW MOLECULAR WEIGHT HEPARIN	HEPLMW	IU/mL	2		Anti Xa Level Low Molecular Weight Heparin 3274-8								Display Reference Range [14.1]					
PROTHROMBIN TIME (PT) / INR [LAB320] EXTERNAL PROTHROMBIN TIME (PT)/INR [LAB11303]	Prothrombin Time/INR [1230100228]	INR	INR		1	INR	6301-6								Reference Range	0.9	1.1	0.9-1.1		
PROTHROMBIN TIME (PT) / INR [LAB320] EXTERNAL PROTHROMBIN TIME (PT)/INR [LAB11303]	Prothrombin Time/INR [1230100228]	INR	INR		1	INR	6301-6								Valid Checking [1.1]	0.1	15.5	0.1-15.5		
PROTHROMBIN TIME (PT) / INR [LAB320] EXTERNAL PROTHROMBIN TIME (PT)/INR [LAB11303]	Prothrombin Time/INR [1230100228]	INR	INR		1	INR	6301-6								Abnormality - Critical [2.1]	6.0	>=6.0			
PROTHROMBIN TIME (PT) / INR [LAB320] EXTERNAL PROTHROMBIN TIME (PT)/INR [LAB11303]	Prothrombin Time/INR [1230100228]	INR	INR		1	INR	6301-6								Abnormality - Abnormal [2.2]	0.9	1.1	<0.9 or >1.1		
PROTHROMBIN TIME (PT) / INR [LAB320] EXTERNAL PROTHROMBIN TIME (PT)/INR [LAB11303]	Prothrombin Time/INR [1230100228]	PROTHROMBIN TIME	PT1	sec	1	Prothrombin Time	5902-2								Reference Range	12.0	14.3	12.0-14.3		
PROTHROMBIN TIME (PT) / INR [LAB320] EXTERNAL PROTHROMBIN TIME (PT)/INR [LAB11303]	Prothrombin Time/INR [1230100228]	PROTHROMBIN TIME	PT1	sec	1	Prothrombin Time	5902-2								Valid Checking [1.1]	10.0	120.0	10.0-120.0		
PROTHROMBIN TIME (PT) / INR [LAB320] EXTERNAL PROTHROMBIN TIME (PT)/INR [LAB11303]	Prothrombin Time/INR [1230100228]	PROTHROMBIN TIME	PT1	sec	1	Prothrombin Time	5902-2								Abnormality - Abnormal [2.2]	12.0	14.3	<12.0 or >14.3		
APTT [LAB325]	APTT [1230100232]	APTT	APTT	sec	0	aPTT	14979-9	Lab is Outpatient RC Result Base Rule							Reference Range	25	35	25-35		
APTT [LAB325]	APTT [1230100232]	APTT	APTT	sec	0	aPTT	14979-9	Lab is Outpatient RC Result Base Rule							Valid Checking [1.1]	2	200	2-200		
APTT [LAB325]	APTT [1230100232]	APTT	APTT	sec	0	aPTT	14979-9	Lab is Outpatient RC Result Base Rule							Abnormality - Critical [2.1]	60	>60			
APTT [LAB325]	APTT [1230100232]	APTT	APTT	sec	0	aPTT	14979-9	Lab is Outpatient RC Result Base Rule							Abnormality - Abnormal [2.2]	25	35	<25 or >35		
APTT [LAB325]	APTT [1230100232]	APTT	APTT	sec	0	aPTT	14979-9								Reference Range	25	35	25-35		
APTT [LAB325]	APTT [1230100232]	APTT	APTT	sec	0	aPTT	14979-9								Valid Checking [1.1]	20	200	20-200		
APTT [LAB325]	APTT [1230100232]	APTT	APTT	sec	0	aPTT	14979-9								Abnormality - Critical [2.1]	120	>120			
APTT [LAB325]	APTT [1230100232]	APTT	APTT	sec	0	aPTT	14979-9								Abnormality - Abnormal [2.2]	25	35	<25 or >35		
TEG GLOBAL HEMOSTASIS WITH HEPARINASE [LAB11220]	TEG Global Hemostasis with Heparinase [1230105018]	R	GHCKHR	min	1	R									Reference Range	4.6	9.1	4.6-9.1		
TEG GLOBAL HEMOSTASIS WITH HEPARINASE [LAB11220]	TEG Global Hemostasis with Heparinase [1230105018]	R	GHCKHR	min	1	R									Valid Checking [1.1]	0.4	17.0	0.4-17.0		
TEG GLOBAL HEMOSTASIS WITH HEPARINASE [LAB11220]	TEG Global Hemostasis with Heparinase [1230105018]	R, HEPARINASE	GHCKHR	min	1	R									Abnormality - Abnormal [2.2]	4.6	9.1	<4.6 or >9.1		
TEG GLOBAL HEMOSTASIS WITH HEPARINASE [LAB11220]	TEG Global Hemostasis with Heparinase [1230105018]	R, HEPARINASE	GHCKRH	min	1	R, Heparinase									Reference Range	4.3	8.3	4.3-8.3		
TEG GLOBAL HEMOSTASIS WITH HEPARINASE [LAB11220]	TEG Global Hemostasis with Heparinase [1230105018]	R, HEPARINASE	GHCKRH	min	1	R, Heparinase									Valid Checking [1.1]	0.3	17.0	0.3-17.0		

TEG GLOBAL HEMOSTASIS WITH HEPARINASE [LAB11220]	TEG Global Hemostasis with Heparinase [1230105018]	FLEV	FLEVH	mg/dl	1	FLEV									Valid Checking [1.1]	130.0	950.0	130.0-950.0
TEG GLOBAL HEMOSTASIS WITH HEPARINASE [LAB11220]	TEG Global Hemostasis with Heparinase [1230105018]	FLEV	FLEVH	mg/dl	1	FLEV									Abnormality - Abnormal [2.2]	278.0	581.0	<278.0 or >581.0
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	R, LYSIS	RLYSSI	min	1	R, Lysis									Reference Range	4.6	9.1	4.6-9.1
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	R, LYSIS	RLYSSI	min	1	R, Lysis									Valid Checking [1.1]	0.4	17.0	0.4-17.0
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	R, LYSIS	RLYSSI	min	1	R, Lysis									Abnormality - Abnormal [2.2]	4.6	9.1	<4.6 or >9.1
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	MA, RAPID, LYSIS	MALYRAP	mm	1	MA, Rapid, Lysis									Reference Range	52.0	70.0	52.0-70.0
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	MA, RAPID, LYSIS	MALYRAP	mm	1	MA, Rapid, Lysis									Valid Checking [1.1]	40.0	75.0	40.0-75.0
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	MA, RAPID, LYSIS	MALYRAP	mm	1	MA, Rapid, Lysis									Abnormality - Abnormal [2.2]	52.0	70.0	<52.0 or >70.0
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	MA, FIBRINOGEN, LYSIS	MALYFIB	mm	1	MA, Fibrinogen, Lysis									Reference Range	15.0	32.0	15.0-32.0
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	MA, FIBRINOGEN, LYSIS	MALYFIB	mm	1	MA, Fibrinogen, Lysis									Valid Checking [1.1]	4.0	52.0	4.0-52.0
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	MA, FIBRINOGEN, LYSIS	MALYFIB	mm	1	MA, Fibrinogen, Lysis									Abnormality - Abnormal [2.2]	15.0	32.0	<15.0 or >32.0
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	LY30 (LYSIS 30)	LY30	%	1	LY30									Reference Range	0.0	2.6	0.0-2.6
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	LY30 (LYSIS 30)	LY30	%	1	LY30									Valid Checking [1.1]	0.0	22.0	0.0-22.0
TEG GLOBAL HEMOSTASIS WITH LYSIS [LAB11222]	TEG Global Hemostasis with Lysis [1230105019]	LY30 (LYSIS 30)	LY30	%	1	LY30									Abnormality - Abnormal [2.2]	0.0	2.6	<0.0 or >2.6
D DIMER, QUANTITATIVE [LAB12067]	D DIMER, QUANTITATIVE [1230111114]	D DIMER, QUANTITATIV	XDP	ug/mL FE	2	D Dimer, Quantitativ e	48065-7								Reference Range		0.50	<0.50
D DIMER, QUANTITATIVE [LAB12067]	D DIMER, QUANTITATIVE [1230111114]	D DIMER, QUANTITATIV	XDP	ug/mL FE	2	D Dimer, Quantitativ e	48065-7								Valid Checking [1.1]	0.28	20.00	0.28-20.00
D DIMER, QUANTITATIVE [LAB12067]	D DIMER, QUANTITATIVE [1230111114]	D DIMER, QUANTITATIV	XDP	ug/mL FE	2	D Dimer, Quantitativ e	48065-7								Abnormality - Abnormal [2.2]		0.50	>=0.50
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	8.16	14.56	8.16-14.56	
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	8.16	14.56	<8.16 or >14.56	
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	8.16	14.56	8.16-14.56	
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	5.00		<5.00	
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	8.16	14.56	<8.16 or >14.56	
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Reference Range	8.36	14.42	8.36-14.42	
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	8.36	14.42	<8.36 or >14.42	

CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	2.93	3.87	2.93-3.87
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.93	3.87	<2.93 or >3.87
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	3.45	4.75	3.45-4.75
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	3.45	4.75	<3.45 or >4.75
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	3.97	5.01	3.97-5.01
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	3.97	5.01	<3.97 or >5.01
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	3.84	4.92	3.84-4.92
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	3.84	4.92	<3.84 or >4.92
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	3.90	4.96	3.90-4.96
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	3.90	4.96	<3.90 or >4.96
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	3.93	4.90	3.93-4.90
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	3.93	4.90	<3.93 or >4.90
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	3.90	5.20	3.90-5.20
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.90	5.20	<3.90 or >5.20
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	4.10	5.55	4.10-5.55
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	4.10	5.55	<4.10 or >5.55
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	3.16	4.63	3.16-4.63
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	3.16	4.63	<3.16 or >4.63
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	3.02	4.22	3.02-4.22
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	3.02	4.22	<3.02 or >4.22
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	3.43	4.80	3.43-4.80
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	3.43	4.80	<3.43 or >4.80
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	4.03	5.07	4.03-5.07
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	4.03	5.07	<4.03 or >5.07
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	3.89	4.97	3.89-4.97
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	3.89	4.97	<3.89 or >4.97
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	3.96	5.03	3.96-5.03
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	3.96	5.03	<3.96 or >5.03
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	4.03	5.29	4.03-5.29

CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	11.0	14.5	<11.0 or >14.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	6.5		<6.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	39.6	57.2	39.6-57.2		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	39.6	57.2	<39.6 or >57.2		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Reference Range	32.0	44.5	32.0-44.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	32.0	44.5	<32.0 or >44.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Reference Range	27.7	35.1	27.7-35.1		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	27.7	35.1	<27.7 or >35.1		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Reference Range	29.5	37.1	29.5-37.1		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Abnormality - Abnormal [2.2]	29.5	37.1	<29.5 or >37.1		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	30.9	37.9	30.9-37.9		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	30.9	37.9	<30.9 or >37.9		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.2	37.8	31.2-37.8		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.2	37.8	<31.2 or >37.8		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.4	39.5	32.4-39.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.4	39.5	<32.4 or >39.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	33.4	40.4	33.4-40.4		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	HEMATOCRIT	HCT	%	1	HCT	454-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Critical [2.1]	19.5		<19.5		

CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	33.4	40.4	<33.4 or >40.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	39.8	53.6	39.8-53.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	39.8	53.6	<39.8 or >53.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Reference Range	30.5	45.0	30.5-45.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Abnormal [2.2]	30.5	45.0	<30.5 or >45.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Reference Range	26.8	37.5	26.8-37.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Abnormal [2.2]	26.8	37.5	<26.8 or >37.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Reference Range	28.6	37.2	28.6-37.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Abnormal [2.2]	28.6	37.2	<28.6 or >37.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	30.8	37.8	30.8-37.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	30.8	37.8	<30.8 or >37.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	37.7	31.0-37.7		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	37.7	<31.0 or >37.7		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.2	39.8	32.2-39.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.2	39.8	<32.2 or >39.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	33.9	43.5	33.9-43.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	33.9	43.5	<33.9 or >43.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0		

CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	83	96	83-96
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	83	96	<83 or >96
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	75	88	75-88
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	75	88	<75 or >88
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	71	83	71-83
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	71	83	<71 or >83
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	72	85	72-85
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	72	85	<72 or >85
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	76	88	76-88
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	76	88	<76 or >88
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	77	91	77-91
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	77	91	<77 or >91
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	79	98	79-98
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	79	98	<79 or >98
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	91	103	91-103
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	91	103	<91 or >103
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	89	100	89-100
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	89	100	<89 or >100
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	84	94	84-94
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	84	94	<84 or >94
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	74	88	74-88
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	74	88	<74 or >88
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	70	82	70-82
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	70	82	<70 or >82
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	71	84	71-84
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	71	84	<71 or >84
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	74	86	74-86
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	74	86	<74 or >86
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCV	MCV	fl	0	MCV	787-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	77	89	77-89

CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	fl	0	MCH	787-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	77	89	<77 or >89		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	fl	0	MCH	787-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	79	98	79-98		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	fl	0	MCH	787-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	79	98	<79 or >98		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	31.1	35.9	31.1-35.9		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	31.1	35.9	<31.1 or >35.9		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.4	35.3	30.4-35.3		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.4	35.3	<30.4 or >35.3		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	28.0	32.5	28.0-32.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	28.0	32.5	<28.0 or >32.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	24.4	29.5	24.4-29.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	24.4	29.5	<24.4 or >29.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	23.2	27.5	23.2-27.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	23.2	27.5	<23.2 or >27.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	23.7	28.6	23.7-28.6		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	23.7	28.6	<23.7 or >28.6		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	24.8	29.5	24.8-29.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	24.8	29.5	<24.8 or >29.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	24.8	30.2	24.8-30.2		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	24.8	30.2	<24.8 or >30.2		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	26.0	32.0	26.0-32.0		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	26.0	32.0	<26.0 or >32.0		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	31.3	35.6	31.3-35.6		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	31.3	35.6	<31.3 or >35.6		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	29.9	34.1	29.9-34.1		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	29.9	34.1	<29.9 or >34.1		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.8	32.0	27.8-32.0		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.8	32.0	<27.8 or >32.0		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	24.4	28.9	24.4-28.9		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	24.4	28.9	<24.4 or >28.9		

CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	22.7	27.2	22.7-27.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	22.7	27.2	<22.7 or >27.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	23.7	28.3	23.7-28.3		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	23.7	28.3	<23.7 or >28.3		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	24.9	29.2	24.9-29.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	24.9	29.2	<24.9 or >29.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	25.5	30.2	25.5-30.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	25.5	30.2	<25.5 or >30.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	26.0	32.0	26.0-32.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCH	MCH	pg	1	MCH	785-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	26.0	32.0	<26.0 or >32.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 0 up to 15 Days	Female	0	15	Days	Days	Reference Range	33.4	35.4	33.4-35.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 0 up to 15 Days	Female	0	15	Days	Days	Abnormality - Abnormal [2.2]	33.4	35.4	<33.4 or >35.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	33.2	35.0	33.2-35.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	33.2	35.0	<33.2 or >35.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	32.5	34.9	32.5-34.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	32.5	34.9	<32.5 or >34.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	32.1	34.4	32.1-34.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	32.1	34.4	<32.1 or >34.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	31.9	34.2	31.9-34.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	31.9	34.2	<31.9 or >34.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.8	34.6	31.8-34.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.8	34.6	<31.8 or >34.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	31.8	34.6	31.8-34.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	31.8	34.6	<31.8 or >34.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	31.5	34.2	31.5-34.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	31.5	34.2	<31.5 or >34.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	30.7	35.5	30.7-35.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	30.7	35.5	<30.7 or >35.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dl	1	MCHC	786-4	Male 0 up to 15 Days	Male	0	15	Days	Days	Reference Range	33.0	35.7	33.0-35.7		

CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	33.0	35.7	<33.0 or >35.7			
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	32.7	35.1	32.7-35.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	32.7	35.1	<32.7 or >35.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	32.3	34.8	32.3-34.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	32.3	34.8	<32.3 or >34.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	31.9	34.4	31.9-34.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	31.9	34.4	<31.9 or >34.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	31.6	34.4	31.6-34.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	31.6	34.4	<31.6 or >34.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	32.0	34.7	32.0-34.7		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	32.0	34.7	<32.0 or >34.7		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.2	34.9	32.2-34.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.2	34.9	<32.2 or >34.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	31.8	34.8	31.8-34.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	31.8	34.8	<31.8 or >34.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	30.7	35.5	30.7-35.5			
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	30.7	35.5	<30.7 or >35.5			
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	14.6	17.3	14.6-17.3			
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	14.6	17.3	<14.6 or >17.3			
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	14.4	16.2	14.4-16.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	14.4	16.2	<14.4 or >16.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	13.6	15.8	13.6-15.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	13.6	15.8	<13.6 or >15.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	12.2	14.3	12.2-14.3		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	12.2	14.3	<12.2 or >14.3		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	12.7	15.1	12.7-15.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	12.7	15.1	<12.7 or >15.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	12.4	14.9	12.4-14.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	12.4	14.9	<12.4 or >14.9		

CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	12.2	14.4	12.2-14.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	12.2	14.4	<12.2 or >14.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	12.3	14.6	12.3-14.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	12.3	14.6	<12.3 or >14.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	11.5	14.5	11.5-14.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	11.5	14.5	<11.5 or >14.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	14.8	17.0	14.8-17.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	14.8	17.0	<14.8 or >17.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	14.3	16.8	14.3-16.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	14.3	16.8	<14.3 or >16.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	13.8	16.1	13.8-16.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	13.8	16.1	<13.8 or >16.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	12.4	15.3	12.4-15.3		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	12.4	15.3	<12.4 or >15.3		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	12.9	15.6	12.9-15.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	12.9	15.6	<12.9 or >15.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	12.5	14.9	12.5-14.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	12.5	14.9	<12.5 or >14.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	12.3	14.1	12.3-14.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	12.3	14.1	<12.3 or >14.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	12.4	14.5	12.4-14.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	12.4	14.5	<12.4 or >14.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	11.5	14.5	11.5-14.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	RDW	RDW	%	1	RDW	788-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	11.5	14.5	<11.5 or >14.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fL	1	MPV	32623-1	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	10.4	12.0	10.4-12.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fL	1	MPV	32623-1	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	10.4	12.0	<10.4 or >12.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fL	1	MPV	32623-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	12.2	10.0-12.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fL	1	MPV	32623-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	12.2	<10.0 or >12.2		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fL	1	MPV	32623-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	9.4	11.1	9.4-11.1		

CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	9.4	11.1	<9.4 or >11.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	9.0	10.9	9.0-10.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.0	10.9	<9.0 or >10.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	8.8	10.6	8.8-10.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	8.8	10.6	<8.8 or >10.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	8.9	11.0	8.9-11.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	8.9	11.0	<8.9 or >11.0		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	9.3	11.3	9.3-11.3		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	9.3	11.3	<9.3 or >11.3		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	9.6	11.7	9.6-11.7		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	9.6	11.7	<9.6 or >11.7		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	8.8	12.5	8.8-12.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.8	12.5	<8.8 or >12.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	10.2	11.9	10.2-11.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	10.2	11.9	<10.2 or >11.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.1	12.1	10.1-12.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.1	12.1	<10.1 or >12.1		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	9.2	10.8	9.2-10.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	9.2	10.8	<9.2 or >10.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	8.9	10.6	8.9-10.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	8.9	10.6	<8.9 or >10.6		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	8.7	10.5	8.7-10.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	8.7	10.5	<8.7 or >10.5		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	9.0	10.9	9.0-10.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	9.0	10.9	<9.0 or >10.9		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	9.2	11.4	9.2-11.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	9.2	11.4	<9.2 or >11.4		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	9.6	11.8	9.6-11.8		
CBC W/O DIFFERENTIAL W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [1230000200]	MPV	MPV	fl	1	MPV	32623-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	9.6	11.8	<9.6 or >11.8		

CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	MPV	MPV	fl	1	MPV	32623-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	8.8	12.5	8.8-12.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	MPV	MPV	fl	1	MPV	32623-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.8	12.5	<8.8 or >12.5		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	NRBC	NRBC	per 100	1	nRBC	19048-8	0 up to 3 Days	~	0		3	Days	Reference Range	0.1	8.3	0.1-8.3		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	NRBC	NRBC	per 100	1	nRBC	19048-8	0 up to 3 Days	~	0		3	Days	Valid Checking [1.1]		600.0	<=600.0		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	NRBC	NRBC	per 100	1	nRBC	19048-8	0 up to 3 Days	~	0		3	Days	Abnormality - Abnormal [2.2]	0.1	8.3	<0.1 or >8.3		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	NRBC	NRBC	per 100	1	nRBC	19048-8	3 Days up to unspecified	~	3	Days	unspecified		Reference Range		0.0	<=0.0		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	NRBC	NRBC	per 100	1	nRBC	19048-8	3 Days up to unspecified	~	3	Days	unspecified		Valid Checking [1.1]		600.0	<=600.0		
CBC W/O DIFF W/ SLIDE [LAB0294]	CBC W/O DIFF W/ SLIDE [123000200]	NRBC	NRBC	per 100	1	nRBC	19048-8	3 Days up to unspecified	~	3	Days	unspecified		Abnormality - Abnormal [2.2]		0.0	>0.0		
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	SICKLE CELLS	SKLE			Sickle Cells	801-1		~	~	~	~	~	Valid Checking [1.1]					Marked [4], Moderate [3], Slight [2]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	ACANTHOCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	Acanthocyt			Acanthocytes	7789-1		~	~	~	~	~	Valid Checking [1.1]					Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	ECHINOCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	ECHINOCYTE			Echinocytes	7790-9		~	~	~	~	~	Valid Checking [1.1]					Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	ELLIPTOCYTES/OVALOCYT IN BLOOD BY LIGHT MICROSCOPY	ELLIPTOCYT			Elliptocytes /Ovalocytes	11274-8		~	~	~	~	~	Valid Checking [1.1]					Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	RBC FRAGS SCHISTOCYTES (PRESENCE) IN BLOOD	SCHIS			RBC Fragments/ Schistocytes	800-3		~	~	~	~	~	Reference Range					
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	RBC FRAGS SCHISTOCYTES (PRESENCE) IN BLOOD	SCHIS			RBC Fragments/ Schistocytes	800-3		~	~	~	~	~	Valid Checking [1.1]					Moderate [3], Marked [4], Slight [2]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	RBC FRAGS SCHISTOCYTES (PRESENCE) IN BLOOD	SCHIS			RBC Fragments/ Schistocytes	800-3		~	~	~	~	~	Abnormality - Abnormal [2.2]					Marked [4], Moderate [3], Slight [2]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	SPHEROCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	SPHEROCYTE			Spherocytes	802-9		~	~	~	~	~	Reference Range					
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	SPHEROCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	SPHEROCYTE			Spherocytes	802-9		~	~	~	~	~	Valid Checking [1.1]					Slight [2], Moderate [3], Marked [4]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	SPHEROCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	SPHEROCYTE			Spherocytes	802-9		~	~	~	~	~	Abnormality - Abnormal [2.2]					Marked [4], Moderate [3], Slight [2]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	TARGET CELLS IN BLOOD BY LIGHT MICROSCOPY	TARGETCELL			Target Cells	10381-2		~	~	~	~	~	Valid Checking [1.1]					Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	TEARDROP CELLS PRESENCE IN BLOOD BY LIGHT MICROSCOPY	TEARDROP			Teardrop Cells	7791-7		~	~	~	~	~	Valid Checking [1.1]					Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	POLYCHROMASIA IN BLOOD BY LIGHT MICROSCOPY	POLYCHROM			Polychromasia	10378-8		~	~	~	~	~	Valid Checking [1.1]					Slight [2], Moderate [3], Marked [4]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	HOWELL-JOLLY BODIES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	HJ BODIES			Howell-Jolly Bodies	7793-3		~	~	~	~	~	Valid Checking [1.1]					Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	PAPPENHEIMER BODIES	PAPPENHEIM			Pappenheimer Bodies			~	~	~	~	~	Valid Checking [1.1]					Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	ROULEAUX PRESENCE IN BLOOD BY LIGHT MICROSCOPY	ROULEAUX			Rouleaux	7797-4		~	~	~	~	~	Valid Checking [1.1]					Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	RBC AGGLUTINATION	RBCAGG			RBC Agglutination	50670-9		~	~	~	~	~	Valid Checking [1.1]					Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	RBC BABY MORPHOLOGY				RBC Morphology (Baby)	6742-1		~	~	~	~	~	Valid Checking [1.1]					Slight fragmented RBCs, moderate polychromasia, echinocytes, target cells and acanthocytes. [1097]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	RBC MORPHOLOGY IN BLOOD				RBC Morphology	6742-1		~	~	~	~	~	Valid Checking [1.1]					RBC Morphology Consistent with Indices and RDW [1051], Slide Reviewed [1052]

MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	MEGAKARYOCYTE NUCLEI	MEGAKARYO			Megakaryocyte Nuclei	11110-4		~	~	~	~	~	Valid Checking [1.1]				Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	PLATELET CLUMP (PRESENCE) IN BLOOD BY LIGHT MICROSCOPY	PLT CLUMP			Clumped Platelets	7796-6		~	~	~	~	~	Valid Checking [1.1]				Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	PLATELET ESTIMATE IN BLOOD	PLT EST			Platelet Estimate	11125-2		~	~	~	~	~	Valid Checking [1.1]				Platelet smear estimate consistent with automated count [100000]. Platelet count not valid due to clumping. Appears decreased. [100004], Platelet count not valid due to clumping. Appears normal. [100005], Platelet count not valid due to clumping. Appears increased. [100006]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	AUER RODS PRESENCE IN BLOOD BY LIGHT MICROSCOPY	AUER RODS			Auer Rods	11281-3		~	~	~	~	~	Reference Range				
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	AUER RODS PRESENCE IN BLOOD BY LIGHT MICROSCOPY	AUER RODS			Auer Rods	11281-3		~	~	~	~	~	Valid Checking [1.1]				Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	AUER RODS PRESENCE IN BLOOD BY LIGHT MICROSCOPY	AUER RODS			Auer Rods	11281-3		~	~	~	~	~	Abnormality - Abnormal [2.2]				Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	DYSGRANULOPOIESIS	DYSGRANULO			Dysgranulopoiesis	6742-1		~	~	~	~	~	Valid Checking [1.1]				Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	SMUDGE CELLS	SMUDGE			Smudge Cells	6742-1		~	~	~	~	~	Valid Checking [1.1]				Present [20]
MORPHOLOGY [LAB2421]	MORPHOLOGY (WAM) [1230003638]	TOXIC CHANGES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	TOXIC			Toxic Changes	803-7		~	~	~	~	~	Valid Checking [1.1]				Present [20]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	UNSPUN COLOR OF CSF	COLOR, CSF			Unspun Color, CSF	6824-7		~	~	~	~	~	Reference Range				Colorless [1]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	UNSPUN COLOR OF CSF	COLOR, CSF			Unspun Color, CSF	6824-7		~	~	~	~	~	Valid Checking [1.1]				Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13], Colorless [1]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	UNSPUN COLOR OF CSF	COLOR, CSF			Unspun Color, CSF	6824-7		~	~	~	~	~	Abnormality - Abnormal [2.2]				Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	UNSPUN CLARITY CSF	Appearance			Unspun Clarity, CSF	10333-3		~	~	~	~	~	Reference Range				Clear [1]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	UNSPUN CLARITY CSF	Appearance			Unspun Clarity, CSF	10333-3		~	~	~	~	~	Valid Checking [1.1]				Clear [1], Cloudy [2], Hazy [3], Turbid [4]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	UNSPUN CLARITY CSF	Appearance			Unspun Clarity, CSF	10333-3		~	~	~	~	~	Abnormality - Abnormal [2.2]				Cloudy [2], Hazy [3], Turbid [4]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	SPUN COLOR OF CSF	COLOR, CSF			Spun Color, CSF	6824-7		~	~	~	~	~	Reference Range				Colorless [1]

LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	SPUN COLOR OF CSF	COLOR, CSF			Spun Color, CSF	6824-7		~	~	~	~	~	Valid Checking [1.1]				Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13], Colorless [1]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	SPUN COLOR OF CSF	COLOR, CSF			Spun Color, CSF	6824-7		~	~	~	~	~	Abnormality - Abnormal [2.2]				Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	SPUN CLARITY OF CSF	Appearance			Spun Clarity, CSF	10333-3		~	~	~	~	~	Reference Range				Clear [1]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	SPUN CLARITY OF CSF	Appearance			Spun Clarity, CSF	10333-3		~	~	~	~	~	Valid Checking [1.1]				Clear [1], Cloudy [2], Hazy [3], Turbid [4]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	SPUN CLARITY OF CSF	Appearance			Spun Clarity, CSF	10333-3		~	~	~	~	~	Abnormality - Abnormal [2.2]				Cloudy [2], Hazy [3], Turbid [4]
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	RED BLOOD CELL COUNT	RBC, CSF	uL		Red Blood Cell Count, CSF	26455-6		~	~	~	~	~	Display Reference Range [14.1]				0 uL
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	TOTAL NUCLEATED CELL COUNT IN CSF		uL		Total Nucleated Cell Count, CSF	0 up to 1 Years		~	0		1	Years	Reference Range	0	30	0-30	
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	TOTAL NUCLEATED CELL COUNT IN CSF		uL		Total Nucleated Cell Count, CSF	0 up to 1 Years		~	0		1	Years	Abnormality - Abnormal [2.2]	0	30	<0 or >30	
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	TOTAL NUCLEATED CELL COUNT IN CSF		uL		Total Nucleated Cell Count, CSF	1 Years up to 5 Years		~	1	Years	5	Years	Reference Range	0	20	0-20	
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	TOTAL NUCLEATED CELL COUNT IN CSF		uL		Total Nucleated Cell Count, CSF	1 Years up to 5 Years		~	1	Years	5	Years	Abnormality - Abnormal [2.2]	0	20	<0 or >20	
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	TOTAL NUCLEATED CELL COUNT IN CSF		uL		Total Nucleated Cell Count, CSF	5 Years up to 12 Years		~	5	Years	12	Years	Reference Range	0	10	0-10	
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [1230011106]	TOTAL NUCLEATED CELL COUNT IN CSF		uL		Total Nucleated Cell Count, CSF	5 Years up to 12 Years		~	5	Years	12	Years	Abnormality - Abnormal [2.2]	0	10	<0 or >10	

LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [123001106]	TOTAL NUCLATED CELL COUNT IN CSF								Total Nucleated Cell Count, CSF		12 Years up to unspecified	~	12	Years	unspecified		Reference Range	0	5	0-5				
LLSPIN CSF [LAB12390]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) (FOR LLSPIN ONLY) [123001106]	TOTAL NUCLATED CELL COUNT IN CSF								Total Nucleated Cell Count, CSF		12 Years up to unspecified	~	12	Years	unspecified		Abnormality - Abnormal [2.2]	0	5	<0 or >5				
BODY FLUID CELL COUNT MANUAL DIFF (NON-WAM) [LAB211A]	BODY FLUID MANUAL DIFFERENTIAL (NON-WAM) [1230100116]	BODY FLUID CELL DIFF COMMENT CAT LIST FOR MANUALS	FLDCMT							Comment			~	~	~	~	~	Valid Checking [1.1]						Bacteria seen [1000], Differential and/or cell count may be inaccurate due to cellular degeneration [1004], Too deteriorated to count [1005], Malignant Cells Present [1012], None [1013], See Note [1014], Yeast present [1010]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	UNSPUN COLOR OF CSF	COLOR, CSF							Unspun Color, CSF 6824-7			~	~	~	~	~	Reference Range						Colorless [1]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	UNSPUN COLOR OF CSF	COLOR, CSF							Unspun Color, CSF 6824-7			~	~	~	~	~	Valid Checking [1.1]						Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13], Colorless [1]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	UNSPUN COLOR OF CSF	COLOR, CSF							Unspun Color, CSF 6824-7			~	~	~	~	~	Abnormality - Abnormal [2.2]						Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	UNSPUN CLARITY CSF	Appearance							Unspun Clarity, CSF 10333-3			~	~	~	~	~	Reference Range						Clear [1]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	UNSPUN CLARITY CSF	Appearance							Unspun Clarity, CSF 10333-3			~	~	~	~	~	Valid Checking [1.1]						Clear [1], Cloudy [2], Hazy [3], Turbid [4]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	UNSPUN CLARITY CSF	Appearance							Unspun Clarity, CSF 10333-3			~	~	~	~	~	Abnormality - Abnormal [2.2]						Cloudy [2], Hazy [3], Turbid [4]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	SPUN COLOR OF CSF	COLOR, CSF							Spun Color, CSF 6824-7			~	~	~	~	~	Reference Range						Colorless [1]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	SPUN COLOR OF CSF	COLOR, CSF							Spun Color, CSF 6824-7			~	~	~	~	~	Valid Checking [1.1]						Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13], Colorless [1]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	SPUN COLOR OF CSF	COLOR, CSF							Spun Color, CSF 6824-7			~	~	~	~	~	Abnormality - Abnormal [2.2]						Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	SPUN CLARITY OF CSF	Appearance							Spun Clarity, CSF 10333-3			~	~	~	~	~	Reference Range						Clear [1]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	SPUN CLARITY OF CSF	Appearance							Spun Clarity, CSF 10333-3			~	~	~	~	~	Valid Checking [1.1]						Clear [1], Cloudy [2], Hazy [3], Turbid [4]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	SPUN CLARITY OF CSF	Appearance							Spun Clarity, CSF 10333-3			~	~	~	~	~	Abnormality - Abnormal [2.2]						Cloudy [2], Hazy [3], Turbid [4]	
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	RED BLOOD CELL COUNT	RBC, CSF	uL						Red Blood Cell Count, CSF 26455-6			~	~	~	~	~	Display Reference Range [14.1]					0 uL		
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	TOTAL NUCLATED CELL COUNT IN CSF								Total Nucleated Cell Count, CSF		0 up to 1 Years	~	0		1	Years	Reference Range	0	30	0-30				
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	TOTAL NUCLATED CELL COUNT IN CSF								Total Nucleated Cell Count, CSF		0 up to 1 Years	~	0		1	Years	Abnormality - Abnormal [2.2]	0	30	<0 or >30				
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	TOTAL NUCLATED CELL COUNT IN CSF								Total Nucleated Cell Count, CSF		1 Years up to 5 Years	~	1	Years	5	Years	Reference Range	0	20	0-20				

CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	TOTAL NUCLEATED CELL COUNT IN CSF					Total Nucleated Cell Count, CSF			1 Years up to 5 Years	~	1	Years	5	Years	Abnormality - Abnormal [2.2]	0	20	<0 or >20		
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	TOTAL NUCLEATED CELL COUNT IN CSF					Total Nucleated Cell Count, CSF			5 Years up to 12 Years	~	5	Years	12	Years	Reference Range	0	10	0-10		
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	TOTAL NUCLEATED CELL COUNT IN CSF					Total Nucleated Cell Count, CSF			5 Years up to 12 Years	~	5	Years	12	Years	Abnormality - Abnormal [2.2]	0	10	<0 or >10		
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	TOTAL NUCLEATED CELL COUNT IN CSF					Total Nucleated Cell Count, CSF			12 Years up to unspecified	~	12	Years	unspecified		Reference Range	0	5	0-5		
CSF CELL COUNT W/O DIFFERENTIAL [LAB212]	CSF CELL COUNT W/O DIFFERENTIAL [1230100120]	TOTAL NUCLEATED CELL COUNT IN CSF					Total Nucleated Cell Count, CSF			12 Years up to unspecified	~	12	Years	unspecified		Abnormality - Abnormal [2.2]	0	5	<0 or >5		
JOINT FLUID CRYSTALS [LAB213]	JOINT FLUID CRYSTALS [1230100121]	JOINT FLUID CRYSTALS	Fluid Crystals				Crystals, Joint Fluid				~	~	~	~	~	Reference Range					No Crystals Seen [1027]
JOINT FLUID CRYSTALS [LAB213]	JOINT FLUID CRYSTALS [1230100121]	JOINT FLUID CRYSTALS	Fluid Crystals				Crystals, Joint Fluid				~	~	~	~	~	Valid Checking [1.1]					No Crystals Seen [1027], Monosodium Urate Crystals Present [1028], Calcium Pyrophosphate Crystals Present [1029], Calcium Oxalate Crystals Present [1030], Cholesterol Crystals Present [1031], Other Crystals Present [1032], Monosodium Urate and Calcium Pyrophosphate Crystals Present [1129]
JOINT FLUID CRYSTALS [LAB213]	JOINT FLUID CRYSTALS [1230100121]	JOINT FLUID CRYSTALS	Fluid Crystals				Crystals, Joint Fluid				~	~	~	~	~	Abnormality - Abnormal [2.2]					Monosodium Urate Crystals Present [1028], Calcium Pyrophosphate Crystals Present [1029], Calcium Oxalate Crystals Present [1030], Cholesterol Crystals Present [1031], Other Crystals Present [1032], Monosodium Urate and Calcium Pyrophosphate Crystals Present [1129]
JOINT FLUID CRYSTALS [LAB213]	JOINT FLUID CRYSTALS [1230100121]	JOINT FLUID CRYSTALS	Fluid Crystals				Crystals, Joint Fluid				~	~	~	~	~	Display Reference Range [14.1]					No Crystals Present
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days		Days	Reference Range	39.6	57.2	39.6-57.2		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days		Days	Abnormality - Critical [2.1]	19.5		<19.5		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days		Days	Abnormality - Abnormal [2.2]	39.6	57.2	<39.6 or >57.2		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months		Months	Reference Range	32.0	44.5	32.0-44.5		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months		Months	Abnormality - Critical [2.1]	19.5		<19.5		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months		Months	Abnormality - Abnormal [2.2]	32.0	44.5	<32.0 or >44.5		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months		Months	Reference Range	27.7	35.1	27.7-35.1		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months		Months	Abnormality - Critical [2.1]	19.5		<19.5		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months		Months	Abnormality - Abnormal [2.2]	27.7	35.1	<27.7 or >35.1		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months		Months	Reference Range	29.5	37.1	29.5-37.1		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months		Months	Abnormality - Critical [2.1]	19.5		<19.5		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months		Months	Abnormality - Abnormal [2.2]	29.5	37.1	<29.5 or >37.1		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years		Years	Reference Range	30.9	37.9	30.9-37.9		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years		Years	Abnormality - Critical [2.1]	19.5		<19.5		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years		Years	Abnormality - Abnormal [2.2]	30.9	37.9	<30.9 or >37.9		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years		Years	Reference Range	31.2	37.8	31.2-37.8		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years		Years	Abnormality - Critical [2.1]	19.5		<19.5		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years		Years	Abnormality - Abnormal [2.2]	31.2	37.8	<31.2 or >37.8		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years		Years	Reference Range	32.4	39.5	32.4-39.5		
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years		Years	Abnormality - Critical [2.1]	19.5		<19.5		

HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2,2]	32.4	39.5	<32.4 or >39.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	33.4	40.4	33.4-40.4
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2,2]	33.4	40.4	<33.4 or >40.4
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2,2]	34.0	45.0	<34.0 or >45.0
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	39.8	53.6	39.8-53.6
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2,2]	39.8	53.6	<39.8 or >53.6
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Reference Range	30.5	45.0	30.5-45.0
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Abnormal [2,2]	30.5	45.0	<30.5 or >45.0
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Reference Range	26.8	37.5	26.8-37.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Abnormal [2,2]	26.8	37.5	<26.8 or >37.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Reference Range	28.6	37.2	28.6-37.2
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Abnormal [2,2]	28.6	37.2	<28.6 or >37.2
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	30.8	37.8	30.8-37.8
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2,2]	30.8	37.8	<30.8 or >37.8
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	37.7	31.0-37.7
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2,2]	31.0	37.7	<31.0 or >37.7
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.2	39.8	32.2-39.8
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2,2]	32.2	39.8	<32.2 or >39.8
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	33.9	43.5	33.9-43.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2,2]	33.9	43.5	<33.9 or >43.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2,1]	19.5		<19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2,2]	40.0	51.0	<40.0 or >51.0
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3		~	~	~	~	~	Reference Range	19.5		>=19.5
HEMATOCRIT, BLOOD [LAB289]	HEMATOCRIT [1230100194]	HEMATOCRIT	HCT	%	1	HCT	4544-3		~	~	~	~	~	Abnormality - Critical [2,1]	19.5		<19.5
HEMOGLOBIN [LAB291]	HEMOGLOBIN [1230100197]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
HEMOGLOBIN [LAB291]	HEMOGLOBIN [1230100197]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2,2]	13.4	20.0	<13.4 or >20.0
HEMOGLOBIN [LAB291]	HEMOGLOBIN [1230100197]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
HEMOGLOBIN [LAB291]	HEMOGLOBIN [1230100197]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2,1]	6.5		<6.5
HEMOGLOBIN [LAB291]	HEMOGLOBIN [1230100197]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2,2]	13.4	20.0	<13.4 or >20.0
HEMOGLOBIN [LAB291]	HEMOGLOBIN [1230100197]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months Lab Pa	Female	15	Days	1	Months	Reference Range	10.8	14.6	10.8-14.6
HEMOGLOBIN [LAB291]	HEMOGLOBIN [1230100197]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months Lab Pa	Female	15	Days	1	Months	Abnormality - Abnormal [2,2]	10.8	14.6	<10.8 or >14.6
HEMOGLOBIN [LAB291]	HEMOGLOBIN [1230100197]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Reference Range	10.8	14.6	10.8-14.6

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	4.12	5.74	<4.12 or >5.74		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	3.32	4.80	3.32-4.80		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	3.32	4.80	<3.32 or >4.80		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	2.93	3.87	2.93-3.87		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.93	3.87	<2.93 or >3.87		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	3.45	4.75	3.45-4.75		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	3.45	4.75	<3.45 or >4.75		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	3.97	5.01	3.97-5.01		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	3.97	5.01	<3.97 or >5.01		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	3.84	4.92	3.84-4.92		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	3.84	4.92	<3.84 or >4.92		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	3.90	4.96	3.90-4.96		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	3.90	4.96	<3.90 or >4.96		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	3.93	4.90	3.93-4.90		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	3.93	4.90	<3.93 or >4.90		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	3.90	5.20	3.90-5.20		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.90	5.20	<3.90 or >5.20		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	4.10	5.55	4.10-5.55		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	4.10	5.55	<4.10 or >5.55		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	3.16	4.63	3.16-4.63		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	3.16	4.63	<3.16 or >4.63		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	3.02	4.22	3.02-4.22		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	3.02	4.22	<3.02 or >4.22		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	3.43	4.80	3.43-4.80		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	3.43	4.80	<3.43 or >4.80		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	4.03	5.07	4.03-5.07		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	4.03	5.07	<4.03 or >5.07		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	3.89	4.97	3.89-4.97		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	3.89	4.97	<3.89 or >4.97		

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	3.96	5.03	3.96-5.03
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	3.96	5.03	<3.96 or >5.03
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	4.03	5.29	4.03-5.29
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	4.03	5.29	<4.03 or >5.29
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	4.60	6.10	4.60-6.10
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	4.60	6.10	<4.60 or >6.10
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	6.5		<6.5
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months Lab Pa	Female	15	Days	1	Months	Reference Range	10.8	14.6	10.8-14.6
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months Lab Pa	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	10.8	14.6	<10.8 or >14.6
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Reference Range	10.8	14.6	10.8-14.6
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Critical [2.1]	6.5		<6.5
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	10.8	14.6	<10.8 or >14.6
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months Lab F	Female	1	Months	2	Months	Reference Range	9.2	11.4	9.2-11.4
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months Lab F	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	9.2	11.4	<9.2 or >11.4
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Reference Range	9.2	11.4	9.2-11.4
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Critical [2.1]	6.5		<6.5
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	9.2	11.4	<9.2 or >11.4
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 2 Months up to 6 Months Lab F	Female	2	Months	6	Months	Reference Range	9.9	12.4	9.9-12.4
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 2 Months up to 6 Months Lab F	Female	2	Months	6	Months	Abnormality - Abnormal [2.2]	9.9	12.4	<9.9 or >12.4
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Reference Range	9.9	12.4	9.9-12.4
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Abnormality - Critical [2.1]	6.5		<6.5
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Abnormality - Abnormal [2.2]	9.9	12.4	<9.9 or >12.4
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 6 Months up to 2 Years Lab Pat	Female	6	Months	2	Years	Reference Range	10.2	12.7	10.2-12.7
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 6 Months up to 2 Years Lab Pat	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	10.2	12.7	10.2-12.7

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years Lab Patie	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	11.0	14.5	<11.0 or >14.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	11.0	14.5	11.0-14.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	6.5		<6.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	11.0	14.5	<11.0 or >14.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	6.5		<6.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	39.6	57.2	39.6-57.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	39.6	57.2	<39.6 or >57.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Reference Range	32.0	44.5	32.0-44.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	32.0	44.5	<32.0 or >44.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Reference Range	27.7	35.1	27.7-35.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	27.7	35.1	<27.7 or >35.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Reference Range	29.5	37.1	29.5-37.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Abnormality - Abnormal [2.2]	29.5	37.1	<29.5 or >37.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	30.9	37.9	30.9-37.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	30.9	37.9	<30.9 or >37.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.2	37.8	31.2-37.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.2	37.8	<31.2 or >37.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.4	39.5	32.4-39.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5		

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.4	39.5	<32.4 or >39.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	33.4	40.4	33.4-40.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	33.4	40.4	<33.4 or >40.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	39.8	53.6	39.8-53.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	39.8	53.6	<39.8 or >53.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Reference Range	30.5	45.0	30.5-45.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Abnormal [2.2]	30.5	45.0	<30.5 or >45.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Reference Range	26.8	37.5	26.8-37.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Abnormal [2.2]	26.8	37.5	<26.8 or >37.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Reference Range	28.6	37.2	28.6-37.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Abnormal [2.2]	28.6	37.2	<28.6 or >37.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	30.8	37.8	30.8-37.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	30.8	37.8	<30.8 or >37.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	37.7	31.0-37.7		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	37.7	<31.0 or >37.7		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.2	39.8	32.2-39.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.2	39.8	<32.2 or >39.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	33.9	43.5	33.9-43.5		

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	93	106	<93 or >106		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	90	103	90-103		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	90	103	<90 or >103		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	83	96	83-96		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	83	96	<83 or >96		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	75	88	75-88		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	75	88	<75 or >88		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	71	83	71-83		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	71	83	<71 or >83		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	72	85	72-85		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	72	85	<72 or >85		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	76	88	76-88		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	76	88	<76 or >88		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	77	91	77-91		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	77	91	<77 or >91		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	79	98	79-98		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	79	98	<79 or >98		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	91	103	91-103		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	91	103	<91 or >103		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	89	100	89-100		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	89	100	<89 or >100		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	84	94	84-94		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	84	94	<84 or >94		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	74	88	74-88		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	74	88	<74 or >88		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	70	82	70-82		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	70	82	<70 or >82		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	71	84	71-84		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	71	84	<71 or >84		

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	74	86	74-86		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	74	86	<74 or >86		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	77	89	77-89		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	77	89	<77 or >89		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	79	98	79-98		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCV	MCV	fl	0	MCV	787-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	79	98	<79 or >98		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	31.1	35.9	31.1-35.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	31.1	35.9	<31.1 or >35.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.4	35.3	30.4-35.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.4	35.3	<30.4 or >35.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	28.0	32.5	28.0-32.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	28.0	32.5	<28.0 or >32.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pr	1	MCH	785-6	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	24.4	29.5	24.4-29.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pr	1	MCH	785-6	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	24.4	29.5	<24.4 or >29.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	23.2	27.5	23.2-27.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	23.2	27.5	<23.2 or >27.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	23.7	28.6	23.7-28.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	23.7	28.6	<23.7 or >28.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	24.8	29.5	24.8-29.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	24.8	29.5	<24.8 or >29.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	24.8	30.2	24.8-30.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	24.8	30.2	<24.8 or >30.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	26.0	32.0	26.0-32.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	26.0	32.0	<26.0 or >32.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pr	1	MCH	785-6	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	31.3	35.6	31.3-35.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pr	1	MCH	785-6	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	31.3	35.6	<31.3 or >35.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pr	1	MCH	785-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	29.9	34.1	29.9-34.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	29.9	34.1	<29.9 or >34.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.8	32.0	27.8-32.0		

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.8	32.0	<27.8 or >32.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	24.4	28.9	24.4-28.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	24.4	28.9	<24.4 or >28.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	22.7	27.2	22.7-27.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	22.7	27.2	<22.7 or >27.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	23.7	28.3	23.7-28.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	23.7	28.3	<23.7 or >28.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	24.9	29.2	24.9-29.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	24.9	29.2	<24.9 or >29.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	25.5	30.2	25.5-30.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	25.5	30.2	<25.5 or >30.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	26.0	32.0	26.0-32.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCH	MCH	pg	1	MCH	785-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	26.0	32.0	<26.0 or >32.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	33.4	35.4	33.4-35.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	33.4	35.4	<33.4 or >35.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	33.2	35.0	33.2-35.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	33.2	35.0	<33.2 or >35.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	32.5	34.9	32.5-34.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	32.5	34.9	<32.5 or >34.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	32.1	34.4	32.1-34.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	32.1	34.4	<32.1 or >34.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	31.9	34.2	31.9-34.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	31.9	34.2	<31.9 or >34.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.8	34.6	31.8-34.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.8	34.6	<31.8 or >34.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	31.8	34.6	31.8-34.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	31.8	34.6	<31.8 or >34.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	31.5	34.2	31.5-34.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	31.5	34.2	<31.5 or >34.2		

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	30.7	35.5	30.7-35.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	30.7	35.5	<30.7 or >35.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	33.0	35.7	33.0-35.7		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	33.0	35.7	<33.0 or >35.7		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	32.7	35.1	32.7-35.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	32.7	35.1	<32.7 or >35.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	32.3	34.8	32.3-34.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	32.3	34.8	<32.3 or >34.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	31.9	34.4	31.9-34.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	31.9	34.4	<31.9 or >34.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	31.6	34.4	31.6-34.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	31.6	34.4	<31.6 or >34.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	32.0	34.7	32.0-34.7		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	32.0	34.7	<32.0 or >34.7		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.2	34.9	32.2-34.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.2	34.9	<32.2 or >34.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	31.8	34.8	31.8-34.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	31.8	34.8	<31.8 or >34.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	30.7	35.5	30.7-35.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	30.7	35.5	<30.7 or >35.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	14.6	17.3	14.6-17.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	14.6	17.3	<14.6 or >17.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	14.4	16.2	14.4-16.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	14.4	16.2	<14.4 or >16.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	13.6	15.8	13.6-15.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	13.6	15.8	<13.6 or >15.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	12.2	14.3	12.2-14.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	12.2	14.3	<12.2 or >14.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	12.7	15.1	12.7-15.1		

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	12.7	15.1	<12.7 or >15.1	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	12.4	14.9	12.4-14.9	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	12.4	14.9	<12.4 or >14.9	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	12.2	14.4	12.2-14.4	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	12.2	14.4	<12.2 or >14.4	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	12.3	14.6	12.3-14.6	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	12.3	14.6	<12.3 or >14.6	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	11.5	14.5	11.5-14.5	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	11.5	14.5	<11.5 or >14.5	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	14.8	17.0	14.8-17.0	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	14.8	17.0	<14.8 or >17.0	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	14.3	16.8	14.3-16.8	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	14.3	16.8	<14.3 or >16.8	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	13.8	16.1	13.8-16.1	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	13.8	16.1	<13.8 or >16.1	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	12.4	15.3	12.4-15.3	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	12.4	15.3	<12.4 or >15.3	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	12.9	15.6	12.9-15.6	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	12.9	15.6	<12.9 or >15.6	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	12.5	14.9	12.5-14.9	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	12.5	14.9	<12.5 or >14.9	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	12.3	14.1	12.3-14.1	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	12.3	14.1	<12.3 or >14.1	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	12.4	14.5	12.4-14.5	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	12.4	14.5	<12.4 or >14.5	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	11.5	14.5	11.5-14.5	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	RDW	RDW	%	1	RDW	788-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	11.5	14.5	<11.5 or >14.5	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fL	1	MPV	32623-1	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	10.4	12.0	10.4-12.0	
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fL	1	MPV	32623-1	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	10.4	12.0	<10.4 or >12.0	

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	12.2	10.0-12.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	12.2	<10.0 or >12.2		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	9.4	11.1	9.4-11.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	9.4	11.1	<9.4 or >11.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	9.0	10.9	9.0-10.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.0	10.9	<9.0 or >10.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	8.8	10.6	8.8-10.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	8.8	10.6	<8.8 or >10.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	8.9	11.0	8.9-11.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	8.9	11.0	<8.9 or >11.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	9.3	11.3	9.3-11.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	9.3	11.3	<9.3 or >11.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	9.6	11.7	9.6-11.7		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	9.6	11.7	<9.6 or >11.7		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	8.8	12.5	8.8-12.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.8	12.5	<8.8 or >12.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	10.2	11.9	10.2-11.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	10.2	11.9	<10.2 or >11.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.1	12.1	10.1-12.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.1	12.1	<10.1 or >12.1		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	9.2	10.8	9.2-10.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	9.2	10.8	<9.2 or >10.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	8.9	10.6	8.9-10.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	8.9	10.6	<8.9 or >10.6		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	8.7	10.5	8.7-10.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	8.7	10.5	<8.7 or >10.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	9.0	10.9	9.0-10.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	9.0	10.9	<9.0 or >10.9		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fl	1	MPV	32623-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	9.2	11.4	9.2-11.4		

CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fL	1	MPV	32623-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	9.2	11.4	<9.2 or >11.4		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fL	1	MPV	32623-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	9.6	11.8	9.6-11.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fL	1	MPV	32623-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	9.6	11.8	<9.6 or >11.8		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fL	1	MPV	32623-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	8.8	12.5	8.8-12.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	MPV	MPV	fL	1	MPV	32623-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.8	12.5	<8.8 or >12.5		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	NRBC	NRBC	per 100 1	1	nRBC	19048-8	0 up to 3 Days	~	0		3	Days	Reference Range	0.1	8.3	0.1-8.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	NRBC	NRBC	per 100 1	1	nRBC	19048-8	0 up to 3 Days	~	0		3	Days	Valid Checking [1.1]		600.0	<=600.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	NRBC	NRBC	per 100 1	1	nRBC	19048-8	0 up to 3 Days	~	0		3	Days	Abnormality - Abnormal [2.2]	0.1	8.3	<0.1 or >8.3		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	NRBC	NRBC	per 100 1	1	nRBC	19048-8	3 Days up to unspecified	~	3	Days	unspecified		Reference Range		0.0	<=0.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	NRBC	NRBC	per 100 1	1	nRBC	19048-8	3 Days up to unspecified	~	3	Days	unspecified		Valid Checking [1.1]		600.0	<=600.0		
CBC W/O DIFFERENTIAL [LAB294]	CBC W/O DIFFERENTIAL [1230100200]	NRBC	NRBC	per 100 1	1	nRBC	19048-8	3 Days up to unspecified	~	3	Days	unspecified		Abnormality - Abnormal [2.2]		0.0	>0.0		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	0 up to 4 Days	~	0		4	Days	Reference Range	147.5	216.4	147.5-216.4		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	0 up to 4 Days	~	0		4	Days	Abnormality - Abnormal [2.2]	147.5	216.4	<147.5 or >216.4		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	4 Days up to 31 Days	~	4	Days	31	Days	Reference Range	51.3	110.4	51.3-110.4		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	4 Days up to 31 Days	~	4	Days	31	Days	Abnormality - Abnormal [2.2]	51.3	110.4	<51.3 or >110.4		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	31 Days up to 61 Days	~	31	Days	61	Days	Reference Range	51.8	77.9	51.8-77.9		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	31 Days up to 61 Days	~	31	Days	61	Days	Abnormality - Abnormal [2.2]	51.8	77.9	<51.8 or >77.9		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	61 Days up to 180 Days	~	61	Days	180	Days	Reference Range	48.2	88.2	48.2-88.2		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	61 Days up to 180 Days	~	61	Days	180	Days	Abnormality - Abnormal [2.2]	48.2	88.2	<48.2 or >88.2		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	180 Days up to 2 Years	~	180	Days	2	Years	Reference Range	43.5	111.1	43.5-111.1		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	180 Days up to 2 Years	~	180	Days	2	Years	Abnormality - Abnormal [2.2]	43.5	111.1	<43.5 or >111.1		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	2 Years up to 6 Years	~	2	Years	6	Years	Reference Range	36.4	68.0	36.4-68.0		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	2 Years up to 6 Years	~	2	Years	6	Years	Abnormality - Abnormal [2.2]	36.4	68.0	<36.4 or >68.0		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	6 Years up to 12 Years	~	6	Years	12	Years	Reference Range	42.4	70.2	42.4-70.2		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	6 Years up to 12 Years	~	6	Years	12	Years	Abnormality - Abnormal [2.2]	42.4	70.2	<42.4 or >70.2		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	12 Years up to 18 Years	~	12	Years	18	Years	Reference Range	41.6	65.1	41.6-65.1		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	12 Years up to 18 Years	~	12	Years	18	Years	Abnormality - Abnormal [2.2]	41.6	65.1	<41.6 or >65.1		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	40.0	110.0	40.0-110.0		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	ABS RETICULOCYTE	ARETIC	10*3/ul 1	1	Reticulocyte Absolute	60474-4	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	110.0	<40.0 or >110.0		

RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	0 up to 4 Days	~	0		4	Days	Reference Range	30.5	35.1	30.5-35.1
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	0 up to 4 Days	~	0		4	Days	Abnormality - Abnormal [2.2]	30.5	35.1	<30.5 or >35.1
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	4 Days up to 31 Days	~	4	Days	31	Days	Reference Range	14.5	24.6	14.5-24.6
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	4 Days up to 31 Days	~	4	Days	31	Days	Abnormality - Abnormal [2.2]	14.5	24.6	<14.5 or >24.6
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	31 Days up to 61 Days	~	31	Days	61	Days	Reference Range	19.1	28.9	19.1-28.9
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	31 Days up to 61 Days	~	31	Days	61	Days	Abnormality - Abnormal [2.2]	19.1	28.9	<19.1 or >28.9
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	61 Days up to 180 Days	~	61	Days	180	Days	Reference Range	13.4	23.3	13.4-23.3
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	61 Days up to 180 Days	~	61	Days	180	Days	Abnormality - Abnormal [2.2]	13.4	23.3	<13.4 or >23.3
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	180 Days up to 2 Years	~	180	Days	2	Years	Reference Range	11.4	25.8	11.4-25.8
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	180 Days up to 2 Years	~	180	Days	2	Years	Abnormality - Abnormal [2.2]	11.4	25.8	<11.4 or >25.8
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	2 Years up to 6 Years	~	2	Years	6	Years	Reference Range	8.4	21.7	8.4-21.7
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	2 Years up to 6 Years	~	2	Years	6	Years	Abnormality - Abnormal [2.2]	8.4	21.7	<8.4 or >21.7
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	6 Years up to 12 Years	~	6	Years	12	Years	Reference Range	8.9	24.1	8.9-24.1
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	6 Years up to 12 Years	~	6	Years	12	Years	Abnormality - Abnormal [2.2]	8.9	24.1	<8.9 or >24.1
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	12 Years up to 18 Years	~	12	Years	18	Years	Reference Range	9	18.7	9-18.7
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	12 Years up to 18 Years	~	12	Years	18	Years	Abnormality - Abnormal [2.2]	9	18.7	<9 or >18.7
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	3.1	17.6	3.1-17.6
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	IMMATURE RETICULOCYTE FRACTION	IRF	%		Immature Reticulocyte Fraction	33516-6	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.1	17.6	<3.1 or >17.6
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 0 up to 180 Days	Female	0		180	Days	Reference Range	29.2	37.5	29.2-37.5
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 0 up to 180 Days	Female	0		180	Days	Abnormality - Abnormal [2.2]	29.2	37.5	<29.2 or >37.5
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	30.1	35.7	30.1-35.7
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	30.1	35.7	<30.1 or >35.7
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	29.3	37.3	29.3-37.3
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	29.3	37.3	<29.3 or >37.3
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	30.4	39.7	30.4-39.7
RETICULOCYTES, BLOOD (LAB296)	RETICULOCYTES, BLOOD (1230100202)	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	30.4	39.7	<30.4 or >39.7

RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	29.9	38.4	29.9-38.4
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	29.9	38.4	<29.9 or >38.4
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	28	38	28-38
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	28	38	<28 or >38
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 0 up to 180 Days	Male	0		180	Days	Reference Range	27.6	38.7	27.6-38.7
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 0 up to 180 Days	Male	0		180	Days	Abnormality - Abnormal [2.2]	27.6	38.7	<27.6 or >38.7
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	28.7	35.7	28.7-35.7
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	28.7	35.7	<28.7 or >35.7
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	27.7	37.8	27.7-37.8
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	27.7	37.8	<27.7 or >37.8
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.4	37.6	32.4-37.6
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.4	37.6	<32.4 or >37.6
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	30.3	40.4	30.3-40.4
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	30.3	40.4	<30.3 or >40.4
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	28	38	28-38
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE HEMOGLOBIN	RETHGB	pg		Reticulocyte Hemoglobin	71694-4	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	28	38	<28 or >38
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	3.50	5.40	3.50-5.40
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Female 0 up to 4 Days	Female	0		4	Days	Valid Checking [1.1]	0.20	20.00	0.20-20.00
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Abnormal [2.2]	3.50	5.40	<3.50 or >5.40
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Female 4 Days up to 31 Days	Female	4	Days	31	Days	Reference Range	1.10	2.40	1.10-2.40
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Female 4 Days up to 31 Days	Female	4	Days	31	Days	Valid Checking [1.1]	0.20	20.00	0.20-20.00
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Female 4 Days up to 31 Days	Female	4	Days	31	Days	Abnormality - Abnormal [2.2]	1.10	2.40	<1.10 or >2.40
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	2.10	3.50	2.10-3.50
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Valid Checking [1.1]	0.20	20.00	0.20-20.00

RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Valid Checking [1.1]	0.20	20.00	0.20-20.00		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	1.60	2.70	<1.60 or >2.70		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	1.00	1.80	1.00-1.80		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Valid Checking [1.1]	0.20	20.00	0.20-20.00		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	1.00	1.80	<1.00 or >1.80		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.80	1.50	0.80-1.50		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Valid Checking [1.1]	0.20	20.00	0.20-20.00		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.80	1.50	<0.80 or >1.50		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	1.00	1.90	1.00-1.90		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	0.20	20.00	0.20-20.00		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	1.00	1.90	<1.00 or >1.90		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.10	1.50	0.10-1.50		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Valid Checking [1.1]	0.20	20.00	0.20-20.00		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.10	1.50	<0.10 or >1.50		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	0.90	2.50	0.90-2.50		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Valid Checking [1.1]	0.20	20.00	0.20-20.00		
RETICULOCYTES, BLOOD [LAB296]	RETICULOCYTES, BLOOD [1230100202]	RETICULOCYTE COUNT	RETIC	%	2	Reticulocyte Count	17849-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.90	2.50	<0.90 or >2.50		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	144	449	144-449		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	144	449	<144 or >449		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	144	449	144-449		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	144	449	<144 or >449		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Reference Range	279	571	279-571		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	279	571	<279 or >571		

PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 12 Years up to 18 Years Lab Patie	Male	12	Years	18	Years	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 12 Years up to 18 Years Lab Patie	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	175	332	<175 or >332		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	175	332	175-332		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	175	332	<175 or >332		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Reference Range	155	369	155-369		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	155	369	<155 or >369		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	155	369	155-369		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT, BLOOD [LAB301]	PLATELET COUNT, BLOOD [1230100208]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	155	369	<155 or >369		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 0 up to 28 Days	Female	0		28	Days	Reference Range	0	2	0-2		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 0 up to 28 Days	Female	0		28	Days	Valid Checking [1.1]	1	111	1-111		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 0 up to 28 Days	Female	0		28	Days	Abnormality - Abnormal [2.2]	0	2	<0 or >2		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 0 up to 28 Days	Female	0		28	Days	Final Auto Verification [11.1]		110	<110		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 0 up to 28 Days	Female	0		28	Days	Prelim Auto Verification [12.1]		100	<100		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 28 Days up to 16 Years	Female	28	Days	16	Years	Reference Range	3	13	3-13		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 28 Days up to 16 Years	Female	28	Days	16	Years	Valid Checking [1.1]	1	111	1-111		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 28 Days up to 16 Years	Female	28	Days	16	Years	Abnormality - Abnormal [2.2]	3	13	<3 or >13		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 28 Days up to 16 Years	Female	28	Days	16	Years	Final Auto Verification [11.1]		110	<110		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 28 Days up to 16 Years	Female	28	Days	16	Years	Prelim Auto Verification [12.1]		110	<110		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Female 16 Years up to 50 Years	Female	16	Years	50	Years	Reference Range		20	<20		

SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Male 16 Years up to 50 Years	Male	16	Years	50	Years	Final Auto Verification [11.1]	110	<110		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Male 16 Years up to 50 Years	Male	16	Years	50	Years	Prelim Auto Verification [12.1]	110	<110		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Male 50 Years up to unspecified	Male	50	Years	unspecified		Reference Range	20	<20		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Male 50 Years up to unspecified	Male	50	Years	unspecified		Valid Checking [1.1]	1	111	1-111	
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Male 50 Years up to unspecified	Male	50	Years	unspecified		Abnormality - Abnormal [2.2]	20	>=20		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Male 50 Years up to unspecified	Male	50	Years	unspecified		Final Auto Verification [11.1]	110	<110		
SEDIMENTATION RATE, AUTOMATED [LAB322]	SEDIMENTATION RATE, AUTOMATED [1230100230]	SEDIMENTATION RATE	ESRW	mm/hr	0	Sedimentation Rate	30341-2	Male 50 Years up to unspecified	Male	50	Years	unspecified		Prelim Auto Verification [12.1]	110	<110		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days		Reference Range	13.4	20.0	13.4-20.0	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days		Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0	15	Days		Reference Range	13.4	20.0	13.4-20.0	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Critical [2.1]	6.5	<6.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months Lab Pa	Female	15	Days	1	Months	Reference Range	10.8	14.6	10.8-14.6	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months Lab Pa	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	10.8	14.6	<10.8 or >14.6	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Reference Range	10.8	14.6	10.8-14.6	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Critical [2.1]	6.5	<6.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	10.8	14.6	<10.8 or >14.6	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months Lab F	Female	1	Months	2	Months	Reference Range	9.2	11.4	9.2-11.4	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months Lab F	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	9.2	11.4	<9.2 or >11.4	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Reference Range	9.2	11.4	9.2-11.4	
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Critical [2.1]	6.5	<6.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	9.2	11.4	<9.2 or >11.4	

HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	10.8	13.3	10.8-13.3
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Critical [2.1]	6.5		<6.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	10.8	13.3	<10.8 or >13.3
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 18 Years up to unspecified Lab	Female	18	Years	unspecified		Reference Range	11.2	15.7	11.2-15.7
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 18 Years up to unspecified Lab	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	11.2	15.7	11.2-15.7
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Critical [2.1]	6.5		<6.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Reference Range	13.9	19.1	13.9-19.1
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Abnormality - Abnormal [2.2]	13.9	19.1	<13.9 or >19.1
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	13.9	19.1	13.9-19.1
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	6.5		<6.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	13.9	19.1	<13.9 or >19.1
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 15 Days up to 1 Months Lab Patie	Male	15	Days	1	Months	Reference Range	10.0	15.3	10.0-15.3
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 15 Days up to 1 Months Lab Patie	Male	15	Days	1	Months	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Reference Range	10.0	15.3	10.0-15.3
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Critical [2.1]	6.5		<6.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 1 Months up to 2 Months Lab Pat	Male	1	Months	2	Months	Reference Range	8.9	12.7	8.9-12.7
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 1 Months up to 2 Months Lab Pat	Male	1	Months	2	Months	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Reference Range	8.9	12.7	8.9-12.7
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Critical [2.1]	6.5		<6.5

HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Months up to 6 Months Lab Pat	Male	2	Months	6	Months	Reference Range	9.6	12.4	9.6-12.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Months up to 6 Months Lab Pat	Male	2	Months	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Reference Range	9.6	12.4	9.6-12.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Critical [2.1]	6.5		<6.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Months up to 2 Years Lab Patie	Male	6	Months	2	Years	Reference Range	10.1	12.5	10.1-12.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Months up to 2 Years Lab Patie	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.5	<10.1 or >12.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	10.1	12.5	10.1-12.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	6.5		<6.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.5	<10.1 or >12.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Reference Range	10.7	13.4	10.7-13.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.7	13.4	<10.7 or >13.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	10.7	13.4	10.7-13.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.7	13.4	<10.7 or >13.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years Lab Patie	Male	12	Years	18	Years	Reference Range	11.0	14.5	11.0-14.5		

HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years Lab Patie	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	11.0	14.5	<11.0 or >14.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	11.0	14.5	11.0-14.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	6.5		<6.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	11.0	14.5	<11.0 or >14.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	6.5		<6.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	39.6	57.2	39.6-57.2
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	39.6	57.2	<39.6 or >57.2
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Reference Range	32.0	44.5	32.0-44.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	32.0	44.5	<32.0 or >44.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Reference Range	27.7	35.1	27.7-35.1
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	27.7	35.1	<27.7 or >35.1
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Reference Range	29.5	37.1	29.5-37.1
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Abnormality - Abnormal [2.2]	29.5	37.1	<29.5 or >37.1
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	30.9	37.9	30.9-37.9

HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5	<19.5			
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	30.9	37.9	<30.9 or >37.9		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.2	37.8	31.2-37.8		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5	<19.5			
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.2	37.8	<31.2 or >37.8		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.4	39.5	32.4-39.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5	<19.5			
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.4	39.5	<32.4 or >39.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	33.4	40.4	33.4-40.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Critical [2.1]	19.5	<19.5			
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	33.4	40.4	<33.4 or >40.4		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Critical [2.1]	19.5	<19.5			
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0	15	Days		Reference Range	39.8	53.6	39.8-53.6		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0	15	Days		Abnormality - Critical [2.1]	19.5	<19.5			
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 0 up to 15 Days	Male	0	15	Days		Abnormality - Abnormal [2.2]	39.8	53.6	<39.8 or >53.6		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Reference Range	30.5	45.0	30.5-45.0		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Critical [2.1]	19.5	<19.5			
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 15 Days up to 1 Months	Male	15	Days	1	Months	Abnormality - Abnormal [2.2]	30.5	45.0	<30.5 or >45.0		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Reference Range	26.8	37.5	26.8-37.5		
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Critical [2.1]	19.5	<19.5			

HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 1 Months up to 2 Months	Male	1	Months	2	Months	Abnormality - Abnormal [2.2]	26.8	37.5	<26.8 or >37.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Reference Range	28.6	37.2	28.6-37.2
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Months up to 6 Months	Male	2	Months	6	Months	Abnormality - Abnormal [2.2]	28.6	37.2	<28.6 or >37.2
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	30.8	37.8	30.8-37.8
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	30.8	37.8	<30.8 or >37.8
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	37.7	31.0-37.7
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	37.7	<31.0 or >37.7
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.2	39.8	32.2-39.8
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.2	39.8	<32.2 or >39.8
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	33.9	43.5	33.9-43.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	33.9	43.5	<33.9 or >43.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	~	~	~	~	~	~	Reference Range	19.5		>=19.5
HEMOGLOBIN AND HEMATOCRIT, BLOOD [LAB753]	HEMOGLOBIN AND HEMATOCRIT [1230100808]	HEMATOCRIT	HCT	%	1	HCT	4544-3	~	~	~	~	~	~	Abnormality - Critical [2.1]	19.5		<19.5

CSF MANUAL DIFFERENTIAL (NON-WAM) [LAB21125]	CSF MANUAL DIFFERENTIAL (NON-WAM) [1230101006]	CSF MANUAL CELL COUNT COMMENT	CSFCMT								~	~	~	~	~	Valid Checking [1.1]				Bacteria seen [1000], Too deteriorated to count [1005], Differential and/or cell count may be inaccurate due to cellular degeneration [1004], Malignant Cells Present [1012], None [1013], See Note [1014], Yeast present [1010]
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	DIFFERENTIAL TYPE	DIFF TYPE								~	~	~	~	~	Valid Checking [1.1]				Automated [3], Manual [4]
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 0 up to 15 Days Lab Patient De	Female	0			15	Days	Reference Range	1.73	6.75	1.73-6.75		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 0 up to 15 Days Lab Patient De	Female	0			15	Days	Abnormality - Abnormal [2.2]	1.73	6.75	<1.73 or >6.75		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 0 up to 15 Days	Female	0			15	Days	Reference Range	1.73	6.75	1.73-6.75		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 0 up to 15 Days	Female	0			15	Days	Abnormality - Critical [2.1]	1.00		<1.00		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 0 up to 15 Days	Female	0			15	Days	Abnormality - Abnormal [2.2]	1.73	6.75	<1.73 or >6.75		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Reference Range	1.23	4.80	1.23-4.80			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	1.23	4.80	<1.23 or >4.80			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	1.23	4.80	1.23-4.80			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	1.00		<1.00			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	1.23	4.80	<1.23 or >4.80			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Reference Range	1.00	4.68	1.00-4.68			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	1.00	4.68	<1.00 or >4.68			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	1.00	4.68	1.00-4.68			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	1.00		<1.00			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	1.00	4.68	<1.00 or >4.68			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 61 Days up to 6 Months Lab Pa	Female	61	Days	6	Months	Reference Range	1.04	7.20	1.04-7.20			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 61 Days up to 6 Months Lab Pa	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	1.04	7.20	<1.04 or >7.20			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	1.04	7.20	1.04-7.20			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	1.00		<1.00			

WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 18 Years up to unspecified Lab	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.60	6.10	<1.60 or >6.10		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	1.60	6.10	1.60-6.10		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Critical [2.1]	1.00		<1.00		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.60	6.10	<1.60 or >6.10		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Reference Range	1.60	6.06	1.60-6.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Abnormality - Abnormal [2.2]	1.60	6.06	<1.60 or >6.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	1.60	6.06	1.60-6.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	1.00		<1.00		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	1.60	6.06	<1.60 or >6.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Reference Range	1.18	5.45	1.18-5.45		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	1.18	5.45	<1.18 or >5.45		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	1.18	5.45	1.18-5.45		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	1.00		<1.00		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	1.18	5.45	<1.18 or >5.45		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Reference Range	0.83	4.23	0.83-4.23		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.83	4.23	<0.83 or >4.23		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	1.00	4.23	1.00-4.23		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	1.00		<1.00		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.83	4.23	<0.83 or >4.23		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Display Reference Range [14.1]					0.83-4.23 10 ³ /uL
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 61 Days up to 6 Months Lab Patie	Male	61	Days	6	Months	Reference Range	0.97	5.45	0.97-5.45		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 61 Days up to 6 Months Lab Patie	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.97	5.45	<0.97 or >5.45		

WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	1.00	<1.00		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	1.54	7.04	<1.54 or >7.04	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Reference Range	1.60	6.10	1.60-6.10	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.60	6.10	<1.60 or >6.10	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	1.60	6.10	1.60-6.10	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	1.00	<1.00		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.60	6.10	<1.60 or >6.10	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	1.75	8.00	1.75-8.00	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	1.75	8.00	<1.75 or >8.00	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	2.42	8.20	2.42-8.20	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	2.42	8.20	<2.42 or >8.20	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	2.29	9.14	2.29-9.14	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.29	9.14	<2.29 or >9.14	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	2.14	8.99	2.14-8.99	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	2.14	8.99	<2.14 or >8.99	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	1.52	8.09	1.52-8.09	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	1.52	8.09	<1.52 or >8.09	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	1.25	5.77	1.25-5.77	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	1.25	5.77	<1.25 or >5.77	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	1.16	4.28	1.16-4.28	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	1.16	4.28	<1.16 or >4.28	
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	1.16	3.33	1.16-3.33	

WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	1.16	3.33	<1.16 or >3.33		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	1.20	3.90	1.20-3.90		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.20	3.90	<1.20 or >3.90		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	2.07	7.53	2.07-7.53		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	2.07	7.53	<2.07 or >7.53		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	2.11	8.38	2.11-8.38		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	2.11	8.38	<2.11 or >8.38		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	2.47	7.95	2.47-7.95		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.47	7.95	<2.47 or >7.95		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	2.45	8.89	2.45-8.89		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	2.45	8.89	<2.45 or >8.89		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	1.56	7.83	1.56-7.83		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	1.56	7.83	<1.56 or >7.83		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	1.13	5.52	1.13-5.52		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	1.13	5.52	<1.13 or >5.52		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.97	3.96	0.97-3.96		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.97	3.96	<0.97 or >3.96		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.97	3.26	0.97-3.26		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.97	3.26	<0.97 or >3.26		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	1.20	3.90	1.20-3.90		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.20	3.90	<1.20 or >3.90		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /ul	2	Monocytes Absolute	742-7	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	0.57	1.72	0.57-1.72		

WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	0.57	1.72	<0.57 or >1.72		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.42	1.21	0.42-1.21		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.42	1.21	<0.42 or >1.21		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	0.28	1.21	0.28-1.21		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.28	1.21	<0.28 or >1.21		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	0.24	1.17	0.24-1.17		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.24	1.17	<0.24 or >1.17		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	0.26	1.08	0.26-1.08		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.26	1.08	<0.26 or >1.08		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	0.24	0.92	0.24-0.92		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.24	0.92	<0.24 or >0.92		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	0.19	0.81	0.19-0.81		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.19	0.81	<0.19 or >0.81		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	0.19	0.72	0.19-0.72		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.19	0.72	<0.19 or >0.72		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	0.30	0.90	0.30-0.90		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.30	0.90	<0.30 or >0.90		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	0.52	1.77	0.52-1.77		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	0.52	1.77	<0.52 or >1.77		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	0.28	1.38	0.28-1.38		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.28	1.38	<0.28 or >1.38		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	0.28	1.05	0.28-1.05		

WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.28	1.05	<0.28 or >1.05		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	0.28	1.07	0.28-1.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.28	1.07	<0.28 or >1.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	0.25	1.15	0.25-1.15		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.25	1.15	<0.25 or >1.15		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.19	0.94	0.19-0.94		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.19	0.94	<0.19 or >0.94		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.19	0.85	0.19-0.85		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.19	0.85	<0.19 or >0.85		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.18	0.78	0.18-0.78		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.18	0.78	<0.18 or >0.78		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	0.30	0.90	0.30-0.90		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	MONOCYTES AUTO ABS WAM	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.30	0.90	<0.30 or >0.90		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 0 up to 15 Days	Female	0	15	Days		Reference Range	0.09	0.64	0.09-0.64		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Abnormal [2.2]	0.09	0.64	<0.09 or >0.64		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.06	0.75	0.06-0.75		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.06	0.75	<0.06 or >0.75		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	0.04	0.63	0.04-0.63		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.04	0.63	<0.04 or >0.63		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	0.02	0.74	0.02-0.74		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.02	0.74	<0.02 or >0.74		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	0.02	0.58	0.02-0.58		

WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.02	0.58	<0.02 or >0.58		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	0.03	0.46	0.03-0.46		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.03	0.46	<0.03 or >0.46		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	0.03	0.47	0.03-0.47		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.03	0.47	<0.03 or >0.47		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	0.02	0.32	0.02-0.32		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.02	0.32	<0.02 or >0.32		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	0.00	0.50	0.00-0.50		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.00	0.50	<0.00 or >0.50		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 0 up to 15 Days	Male	0	15	Days		Reference Range	0.12	0.66	0.12-0.66		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 0 up to 15 Days	Male	0	15	Days		Abnormality - Abnormal [2.2]	0.12	0.66	<0.12 or >0.66		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	0.08	0.80	0.08-0.80		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.08	0.80	<0.08 or >0.80		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	0.05	0.57	0.05-0.57		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.05	0.57	<0.05 or >0.57		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	0.03	0.61	0.03-0.61		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.03	0.61	<0.03 or >0.61		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	0.02	0.82	0.02-0.82		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.02	0.82	<0.02 or >0.82		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.03	0.53	0.03-0.53		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.03	0.53	<0.03 or >0.53		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.03	0.52	0.03-0.52		

WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.03	0.52	<0.03 or >0.52		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.04	0.38	0.04-0.38		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.04	0.38	<0.04 or >0.38		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	0.00	0.50	0.00-0.50		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.00	0.50	<0.00 or >0.50		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 0 up to 15 Days	Female	0	15	Days		Reference Range	0.02	0.07	0.02-0.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Abnormal [2.2]	0.02	0.07	<0.02 or >0.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.01	0.06	0.01-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.01	0.06	<0.01 or >0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	0.01	0.05	0.01-0.05		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.01	0.05	<0.01 or >0.05		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	0.01	0.07	0.01-0.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.01	0.07	<0.01 or >0.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	0.01	0.06	0.01-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.01	0.06	<0.01 or >0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	0.01	0.06	0.01-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.01	0.06	<0.01 or >0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	0.01	0.05	0.01-0.05		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.01	0.05	<0.01 or >0.05		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	0.01	0.05	0.01-0.05		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.01	0.05	<0.01 or >0.05		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	0.00	0.10	0.00-0.10		

WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.00	0.10	<0.00 or >0.10			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 0 up to 15 Days	Male	0	15	Days	Reference Range		0.02	0.11	0.02-0.11			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]		0.02	0.11	<0.02 or >0.11			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range		0.01	0.07	0.01-0.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]		0.01	0.07	<0.01 or >0.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range		0.01	0.07	0.01-0.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]		0.01	0.07	<0.01 or >0.07		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range		0.01	0.06	0.01-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]		0.01	0.06	<0.01 or >0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range		0.01	0.06	0.01-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]		0.01	0.06	<0.01 or >0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range		0.01	0.06	0.01-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]		0.01	0.06	<0.01 or >0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range		0.01	0.06	0.01-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]		0.01	0.06	<0.01 or >0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range		0.01	0.05	0.01-0.05		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]		0.01	0.05	<0.01 or >0.05		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range		0.00	0.10	0.00-0.10			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]		0.00	0.10	<0.00 or >0.10			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10*3/uL	2	Immature Granulocytes Absolute		0 up to 2 Days	~	0	2	Days	Reference Range		0.00	0.28	0.00-0.28			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10*3/uL	2	Immature Granulocytes Absolute		0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]		0.00	0.28	<0.00 or >0.28			
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10*3/uL	2	Immature Granulocytes Absolute		2 Days up to 14 Days	~	2	Days	14	Days	Reference Range		0.00	0.27	0.00-0.27		

WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	2 Days up to 14 Days	~	2	Days	14	Days	Abnormality - Abnormal [2.2]	0.00	0.27	<0.00 or >0.27		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	14 Days up to 30 Days	~	14	Days	30	Days	Reference Range	0.00	0.22	0.00-0.22		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	14 Days up to 30 Days	~	14	Days	30	Days	Abnormality - Abnormal [2.2]	0.00	0.22	<0.00 or >0.22		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	30 Days up to 90 Days	~	30	Days	90	Days	Reference Range	0.00	0.09	0.00-0.09		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	30 Days up to 90 Days	~	30	Days	90	Days	Abnormality - Abnormal [2.2]	0.00	0.09	<0.00 or >0.09		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	90 Days up to 6 Months	~	90	Days	6	Months	Reference Range	0.00	0.06	0.00-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	90 Days up to 6 Months	~	90	Days	6	Months	Abnormality - Abnormal [2.2]	0.00	0.06	<0.00 or >0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	6 Months up to 2 Years	~	6	Months	2	Years	Reference Range	0.00	0.14	0.00-0.14		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	6 Months up to 2 Years	~	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.00	0.14	<0.00 or >0.14		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	2 Years up to 6 Years	~	2	Years	6	Years	Reference Range	0.00	0.06	0.00-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	2 Years up to 6 Years	~	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.00	0.06	<0.00 or >0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	6 Years up to 12 Years	~	6	Years	12	Years	Reference Range	0.00	0.04	0.00-0.04		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	6 Years up to 12 Years	~	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.00	0.04	<0.00 or >0.04		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	12 Years up to 18 Years	~	12	Years	18	Years	Reference Range	0.00	0.03	0.00-0.03		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	12 Years up to 18 Years	~	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.00	0.03	<0.00 or >0.03		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	18 Years up to unspecified	~	18	Years	unspecified		Reference Range	0.00	0.06	0.00-0.06		
WBC DIFFERENTIAL [LAB5749]	WBC AUTO DIFFERENTIAL, BLOOD [1230101508]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /uL	2	Immature Granulocytes Absolute	18 Years up to unspecified	~	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.00	0.06	<0.00 or >0.06		
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	NEUTROPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	SEGS ABS	10 ³ /uL	2	Neutrophils Absolute	768-2 Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	1.73	6.75	1.73-6.75		
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	NEUTROPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	SEGS ABS	10 ³ /uL	2	Neutrophils Absolute	768-2 Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	1.73	6.75	<1.73 or >6.75		
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	NEUTROPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	SEGS ABS	10 ³ /uL	2	Neutrophils Absolute	768-2 Female 0 up to 15 Days	Female	0		15	Days	Reference Range	1.73	6.75	1.73-6.75		
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	NEUTROPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	SEGS ABS	10 ³ /uL	2	Neutrophils Absolute	768-2 Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	1.00		<1.00		
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	NEUTROPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	SEGS ABS	10 ³ /uL	2	Neutrophils Absolute	768-2 Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	1.73	6.75	<1.73 or >6.75		

MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	1.75	8.00	<1.75 or >8.00
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	2.42	8.20	2.42-8.20
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	2.42	8.20	<2.42 or >8.20
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	2.29	9.14	2.29-9.14
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.29	9.14	<2.29 or >9.14
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	2.14	8.99	2.14-8.99
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	2.14	8.99	<2.14 or >8.99
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	1.52	8.09	1.52-8.09
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	1.52	8.09	<1.52 or >8.09
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	1.25	5.77	1.25-5.77
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	1.25	5.77	<1.25 or >5.77
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	1.16	4.28	1.16-4.28
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	1.16	4.28	<1.16 or >4.28
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	1.16	3.33	1.16-3.33
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	1.16	3.33	<1.16 or >3.33
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	1.20	3.90	1.20-3.90
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.20	3.90	<1.20 or >3.90
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	2.07	7.53	2.07-7.53
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	2.07	7.53	<2.07 or >7.53
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	2.11	8.38	2.11-8.38
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	2.11	8.38	<2.11 or >8.38
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	LYMPHO ABS	10 ³ /uL	2	Lympocytes Absolute	732-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	2.47	7.95	2.47-7.95

MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.47	7.95	<2.47 or >7.95
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	2.45	8.89	2.45-8.89
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	2.45	8.89	<2.45 or >8.89
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	1.56	7.83	1.56-7.83
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	1.56	7.83	<1.56 or >7.83
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	1.13	5.52	1.13-5.52
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	1.13	5.52	<1.13 or >5.52
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.97	3.96	0.97-3.96
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.97	3.96	<0.97 or >3.96
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.97	3.26	0.97-3.26
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.97	3.26	<0.97 or >3.26
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	1.20	3.90	1.20-3.90
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	LYMPHOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Lymphocytes Absolute	732-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.20	3.90	<1.20 or >3.90
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Monocytes Absolute	743-5	Female 0 up to 15 Days	Female	0	15	Days	Days	Reference Range	0.57	1.72	0.57-1.72
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Monocytes Absolute	743-5	Female 0 up to 15 Days	Female	0	15	Days	Days	Abnormality - Abnormal [2.2]	0.57	1.72	<0.57 or >1.72
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Monocytes Absolute	743-5	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.42	1.21	0.42-1.21
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Monocytes Absolute	743-5	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.42	1.21	<0.42 or >1.21
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Monocytes Absolute	743-5	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	0.28	1.21	0.28-1.21
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Monocytes Absolute	743-5	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.28	1.21	<0.28 or >1.21
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Monocytes Absolute	743-5	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	0.24	1.17	0.24-1.17
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Monocytes Absolute	743-5	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.24	1.17	<0.24 or >1.17
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10³/UL) IN BLOOD BY MANUAL COUNT	Monocytes Absolute	743-5	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	0.26	1.08	0.26-1.08

MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.26	1.08	<0.26 or >1.08
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	0.24	0.92	0.24-0.92
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.24	0.92	<0.24 or >0.92
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	0.19	0.81	0.19-0.81
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.19	0.81	<0.19 or >0.81
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	0.19	0.72	0.19-0.72
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.19	0.72	<0.19 or >0.72
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	0.30	0.90	0.30-0.90
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.30	0.90	<0.30 or >0.90
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 0 up to 15 Days	Male	0	15	Days	Days	Reference Range	0.52	1.77	0.52-1.77
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 0 up to 15 Days	Male	0	15	Days	Days	Abnormality - Abnormal [2.2]	0.52	1.77	<0.52 or >1.77
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	0.28	1.38	0.28-1.38
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.28	1.38	<0.28 or >1.38
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	0.28	1.05	0.28-1.05
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.28	1.05	<0.28 or >1.05
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	0.28	1.07	0.28-1.07
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.28	1.07	<0.28 or >1.07
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	0.25	1.15	0.25-1.15
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.25	1.15	<0.25 or >1.15
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.19	0.94	0.19-0.94
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.19	0.94	<0.19 or >0.94
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.19	0.85	0.19-0.85

MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.19	0.85	<0.19 or >0.85
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.18	0.78	0.18-0.78
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.18	0.78	<0.18 or >0.78
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	0.30	0.90	0.30-0.90
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MONOCYTES (10 ³ /UL) IN BLOOD BY MANUAL COUNT	MONO ABS	10 ³ /ul	2	Monocytes Absolute	743-5	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.30	0.90	<0.30 or >0.90
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 0 up to 15 Days	Female	0	15	Days		Reference Range	0.09	0.64	0.09-0.64
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Abnormal [2.2]	0.09	0.64	<0.09 or >0.64
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.06	0.75	0.06-0.75
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.06	0.75	<0.06 or >0.75
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	0.04	0.63	0.04-0.63
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.04	0.63	<0.04 or >0.63
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	0.02	0.74	0.02-0.74
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.02	0.74	<0.02 or >0.74
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	0.02	0.58	0.02-0.58
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.02	0.58	<0.02 or >0.58
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	0.03	0.46	0.03-0.46
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.03	0.46	<0.03 or >0.46
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	0.03	0.47	0.03-0.47
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.03	0.47	<0.03 or >0.47
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	0.20	0.32	0.20-0.32
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.20	0.32	<0.20 or >0.32
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	0.00	0.50	0.00-0.50

MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.00	0.50	<0.00 or >0.50	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 0 up to 15 Days	Male	0	15	Days	Reference Range		0.12	0.66	0.12-0.66	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]		0.12	0.66	<0.12 or >0.66	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range		0.08	0.80	0.08-0.80
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]		0.08	0.80	<0.08 or >0.80
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range		0.05	0.57	0.05-0.57
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]		0.05	0.57	<0.05 or >0.57
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range		0.03	0.61	0.03-0.61
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]		0.03	0.61	<0.03 or >0.61
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range		0.02	0.82	0.02-0.82
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]		0.02	0.82	<0.02 or >0.82
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range		0.03	0.53	0.03-0.53
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]		0.03	0.53	<0.03 or >0.53
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range		0.03	0.52	0.03-0.52
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]		0.03	0.52	<0.03 or >0.52
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range		0.04	0.38	0.04-0.38
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]		0.04	0.38	<0.04 or >0.38
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range		0.00	0.50	0.00-0.50	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	EOSINOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	712-0	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]		0.00	0.50	<0.00 or >0.50	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /ul	2	Basophils Absolute	705-4	Female 0 up to 15 Days	Female	0	15	Days	Reference Range		0.02	0.07	0.02-0.07	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /ul	2	Basophils Absolute	705-4	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]		0.02	0.07	<0.02 or >0.07	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /ul	2	Basophils Absolute	705-4	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range		0.01	0.06	0.01-0.06

MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2,2]	0.01	0.06	<0.01 or >0.06		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	0.01	0.06	0.01-0.06		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2,2]	0.01	0.06	<0.01 or >0.06		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.01	0.06	0.01-0.06		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2,2]	0.01	0.06	<0.01 or >0.06		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.01	0.06	0.01-0.06		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2,2]	0.01	0.06	<0.01 or >0.06		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.01	0.05	0.01-0.05		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2,2]	0.01	0.05	<0.01 or >0.05		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	0.00	0.10	0.00-0.10		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	BASOPHILS (10³/UL) IN BLOOD BY MANUAL COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	705-4	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2,2]	0.00	0.10	<0.00 or >0.10		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	SICKLE CELLS	SKLE			Sickle Cells	801-1		~	~	~	~	~	Valid Checking [1.1]				Marked [4], Moderate [3], Slight [2]	
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	ACANTHOCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	Acanthocyt			Acanthocytes	7789-1		~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	ECHINOCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	ECHINOCYTE			Echinocytes	7790-9		~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	ELLIPTOCYTES/OVALOCYIT IN BLOOD BY LIGHT MICROSCOPY	ELLIPTOCYT			Elliptocytes /Ovalocytes	11274-8		~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	RBC FRAGS SCHISTOCYTES (PRESENCE) IN BLOOD	SCHIS			RBC Fragments/ Schistocytes	800-3		~	~	~	~	~	Reference Range					
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	RBC FRAGS SCHISTOCYTES (PRESENCE) IN BLOOD	SCHIS			RBC Fragments/ Schistocyte s	800-3		~	~	~	~	~	Valid Checking [1.1]				Moderate [3], Marked [4], Slight [2]	
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	RBC FRAGS SCHISTOCYTES (PRESENCE) IN BLOOD	SCHIS			RBC Fragments/ Schistocyte s	800-3		~	~	~	~	~	Abnormality - Abnormal [2,2]				Marked [4], Moderate [3], Slight [2]	
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	SPHEROCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	SPHEROCYTE			Spherocyte s	802-9		~	~	~	~	~	Reference Range					
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	SPHEROCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	SPHEROCYTE			Spherocyte s	802-9		~	~	~	~	~	Valid Checking [1.1]				Slight [2], Moderate [3], Marked [4]	
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	SPHEROCYTES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	SPHEROCYTE			Spherocyte s	802-9		~	~	~	~	~	Abnormality - Abnormal [2,2]				Marked [4], Moderate [3], Slight [2]	
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	TARGET CELLS IN BLOOD BY LIGHT MICROSCOPY	TARGETCELL			Target Cells	10381-2		~	~	~	~	~	Valid Checking [1.1]				Present [20]	

MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	TEARDROP CELLS PRESENCE IN BLOOD BY LIGHT MICROSCOPY	TEARDROP				Teardrop Cells	7791-7			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	POLYCHROMASIA IN BLOOD BY LIGHT MICROSCOPY	POLYCHROM				Polychromasia	10378-8			~	~	~	~	~	Valid Checking [1.1]				Slight [2], Moderate [3], Marked [4]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	HOWELL-JOLLY BODIES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	HJ BODIES				Howell-Jolly Bodies	7793-3			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	PAPPENHEIMER BODIES	PAPPENHEIM				Pappenheimer Bodies				~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	ROULEAUX PRESENCE IN BLOOD BY LIGHT MICROSCOPY	ROULEAUX				Rouleaux	7797-4			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	RBC AGGLUTINATION	RBCAGG				RBC Agglutination	50670-9			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	RBC MORPHOLOGY IN BLOOD					RBC Morphology	6742-1			~	~	~	~	~	Valid Checking [1.1]				RBC Morphology Consistent with Indices and RDW [1051], Slide Reviewed [1052]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	MEGAKARYOCYTE NUCLEI	MEGAKARYO				Megakaryocyte Nuclei	11110-4			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	PLATELET CLUMP (PRESENCE) IN BLOOD BY LIGHT MICROSCOPY	PLT CLUMP				Clumped Platelets	7796-6			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	PLATELET ESTIMATE IN BLOOD	PLT EST				Platelet Estimate	11125-2			~	~	~	~	~	Valid Checking [1.1]				Platelet smear estimate consistent with automated count [100000], Platelet count not valid due to clumping. Appears decreased. [100004], Platelet count not valid due to clumping. Appears normal. [100005], Platelet count not valid due to clumping. Appears increased. [100006]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	AUER RODS PRESENCE IN BLOOD BY LIGHT MICROSCOPY	AUER RODS				Auer Rods	11281-3			~	~	~	~	~	Reference Range					
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	AUER RODS PRESENCE IN BLOOD BY LIGHT MICROSCOPY	AUER RODS				Auer Rods	11281-3			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	AUER RODS PRESENCE IN BLOOD BY LIGHT MICROSCOPY	AUER RODS				Auer Rods	11281-3			~	~	~	~	~	Abnormality - Abnormal [2.2]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	DYSGRANULOPOIESIS	DYSGRANULO				Dysgranulopoiesis	6742-1			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	SMUDGE CELLS	SMUDGE				Smudge Cells	6742-1			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	TOXIC CHANGES PRESENCE IN BLOOD BY LIGHT MICROSCOPY	TOXIC				Toxic Changes	803-7			~	~	~	~	~	Valid Checking [1.1]				Present [20]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	DIFFERENTIAL TYPE	DIFF TYPE				Differential Type				~	~	~	~	~	Valid Checking [1.1]				Automated [3], Manual [4]	
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	8.16	14.56	8.16-14.56				
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	8.16	14.56	<8.16 or >14.56				
MANUAL DIFFERENTIAL [LAB1749]	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	8.16	14.56	8.16-14.56				

MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Reference Range	4.86	13.18	4.86-13.18
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	4.86	13.18	<4.86 or >13.18
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	4.86	13.18	4.86-13.18
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	2.00	80.00	<2.00 or >80.00
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	4.86	13.18	<4.86 or >13.18
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 6 Years up to 12 Years Lab Pati	Female	6	Years	12	Years	Reference Range	4.27	11.40	4.27-11.40
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 6 Years up to 12 Years Lab Pati	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	4.27	11.40	<4.27 or >11.40
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	4.27	11.40	4.27-11.40
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	2.00	80.00	<2.00 or >80.00
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	4.27	11.40	<4.27 or >11.40
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 12 Years up to 18 Years Lab Pat	Female	12	Years	18	Years	Reference Range	4.19	9.43	4.19-9.43
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 12 Years up to 18 Years Lab Pat	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	4.19	9.43	<4.19 or >9.43
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	4.19	9.43	4.19-9.43
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Critical [2.1]	2.00	80.00	<2.00 or >80.00
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	4.19	9.43	<4.19 or >9.43
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 18 Years up to unspecified Lab	Female	18	Years	unspecified		Reference Range	3.70	10.30	3.70-10.30
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 18 Years up to unspecified Lab	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.70	10.30	<3.70 or >10.30
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	3.70	10.30	3.70-10.30
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Critical [2.1]	1.20	80.00	<1.20 or >80.00
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.70	10.30	<3.70 or >10.30
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Days	Reference Range	8.04	15.40	8.04-15.40
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Days	Abnormality - Abnormal [2.2]	8.04	15.40	<8.04 or >15.40

MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 0 up to 15 Days	Male	0	15	Days	Reference Range	8.04	15.40	8.04-15.40			
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Critical [2.1]	5.00		<5.00			
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	8.04	15.40	<8.04 or >15.40			
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Reference Range	7.80	15.91	7.80-15.91		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	7.80	15.91	<7.80 or >15.91		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	7.80	15.91	7.80-15.91		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	5.00		<5.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	7.80	15.91	<7.80 or >15.91		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Reference Range	8.14	14.99	8.14-14.99		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.14	14.99	<8.14 or >14.99		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	8.14	14.99	8.14-14.99		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	2.00	80.00	<2.00 or >80.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.14	14.99	<8.14 or >14.99		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 61 Days up to 180 Days Lab Patien	Male	61	Days	180	Days	Reference Range	6.51	13.32	6.51-13.32		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 61 Days up to 180 Days Lab Patien	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	6.51	13.32	<6.51 or >13.32		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	6.51	13.32	6.51-13.32		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Critical [2.1]	2.00	80.00	<2.00 or >80.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	6.51	13.32	<6.51 or >13.32		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 180 Days up to 2 Years Lab Patien	Male	180	Days	2	Years	Reference Range	5.98	13.51	5.98-13.51		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 180 Days up to 2 Years Lab Patien	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	5.98	13.51	<5.98 or >13.51		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	5.98	13.51	5.98-13.51		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10*3/uL	2	WBC Count	6690-2	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Critical [2.1]	2.00	80.00	<2.00 or >80.00		

MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	5.98	13.51	<5.98 or >13.51		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Reference Range	5.14	13.38	5.14-13.38		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	5.14	13.38	<5.14 or >13.38		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	5.14	13.38	5.14-13.38		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	2.00	80.00	<2.00 or >80.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	5.14	13.38	<5.14 or >13.38		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 6 Years up to 12 Years Lab Patient	Male	6	Years	12	Years	Reference Range	4.31	11.00	4.31-11.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 6 Years up to 12 Years Lab Patient	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	4.31	11.00	<4.31 or >11.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	4.31	11.00	4.31-11.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	2.00	80.00	<2.00 or >80.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	4.31	11.00	<4.31 or >11.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 12 Years up to 18 Years Lab Patient	Male	12	Years	18	Years	Reference Range	3.84	9.84	3.84-9.84		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 12 Years up to 18 Years Lab Patient	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	3.84	9.84	<3.84 or >9.84		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	3.84	9.84	3.84-9.84		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	2.00	80.00	<2.00 or >80.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	3.84	9.84	<3.84 or >9.84		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 18 Years up to unspecified Lab Patient	Male	18	Years	unspecified		Reference Range	3.70	10.30	3.70-10.30		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 18 Years up to unspecified Lab Patient	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.70	10.30	<3.70 or >10.30		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	3.70	10.30	3.70-10.30		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	1.20	80.00	<1.20 or >80.00		
MANUAL DIFFERENTIAL (LAB1749)	MANUAL DIFFERENTIAL (NON-WAM) [1230101637]	WBC COUNT	WBC	10 ³ /ul	2	WBC Count	6690-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.70	10.30	<3.70 or >10.30		
MANUAL DIFFERENTIAL (LAB2410)	MANUAL DIFFERENTIAL (WAM) [1230101638]	NEUTROPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	NEUTRO ABS	10 ³ /ul	2	Neutrophils Absolute	751-8	Female 0 up to 15 Days Lab Patient	Female	0	15	Days		Reference Range	1.73	6.75	1.73-6.75		

MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	NEUTROPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	NEUTRO ABS	10 ³ /ul	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	1.60	6.10	1.60-6.10	
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	NEUTROPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	NEUTRO ABS	10 ³ /ul	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Critical [2.1]	1.00		<1.00	
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	NEUTROPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	NEUTRO ABS	10 ³ /ul	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	1.60	6.10	<1.60 or >6.10	
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	1.75	8.00	1.75-8.00
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	1.75	8.00	<1.75 or >8.00
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	2.42	8.20	2.42-8.20
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	2.42	8.20	<2.42 or >8.20
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	2.29	9.14	2.29-9.14
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.29	9.14	<2.29 or >9.14
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	2.14	8.99	2.14-8.99
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	2.14	8.99	<2.14 or >8.99
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	1.52	8.09	1.52-8.09
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	1.52	8.09	<1.52 or >8.09
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	1.25	5.77	1.25-5.77
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	1.25	5.77	<1.25 or >5.77
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	1.16	4.28	1.16-4.28
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	1.16	4.28	<1.16 or >4.28
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	1.16	3.33	1.16-3.33
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	1.16	3.33	<1.16 or >3.33
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 18 Years up to unspecified	Female	18	Years	unspecified	Reference Range	1.20	3.90	1.20-3.90	
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	1.20	3.90	<1.20 or >3.90	
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LYMPHOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	2.07	7.53	2.07-7.53

MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	2.07	7.53	<2.07 or >7.53		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	2.11	8.38	2.11-8.38		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	2.11	8.38	<2.11 or >8.38		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	2.47	7.95	2.47-7.95		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.47	7.95	<2.47 or >7.95		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	2.45	8.89	2.45-8.89		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	2.45	8.89	<2.45 or >8.89		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	1.56	7.83	1.56-7.83		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	1.56	7.83	<1.56 or >7.83		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	1.13	5.52	1.13-5.52		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	1.13	5.52	<1.13 or >5.52		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.97	3.96	0.97-3.96		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.97	3.96	<0.97 or >3.96		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.97	3.26	0.97-3.26		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.97	3.26	<0.97 or >3.26		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	1.20	3.90	1.20-3.90		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	LMPHOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	LYMPHS ABS	10 ³ /ul	2	Lymphocytes Absolute	731-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.20	3.90	<1.20 or >3.90		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /ul	2	Monocytes Absolute	742-7	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	0.57	1.72	0.57-1.72		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /ul	2	Monocytes Absolute	742-7	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	0.57	1.72	<0.57 or >1.72		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /ul	2	Monocytes Absolute	742-7	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.42	1.21	0.42-1.21		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /ul	2	Monocytes Absolute	742-7	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.42	1.21	<0.42 or >1.21		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10³/UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /ul	2	Monocytes Absolute	742-7	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	0.28	1.21	0.28-1.21		

MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.28	1.21	<0.28 or >1.21		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	0.24	1.17	0.24-1.17		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.24	1.17	<0.24 or >1.17		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	0.26	1.08	0.26-1.08		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.26	1.08	<0.26 or >1.08		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	0.24	0.92	0.24-0.92		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.24	0.92	<0.24 or >0.92		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	0.19	0.81	0.19-0.81		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.19	0.81	<0.19 or >0.81		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	0.19	0.72	0.19-0.72		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.19	0.72	<0.19 or >0.72		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	0.30	0.90	0.30-0.90		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.30	0.90	<0.30 or >0.90		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 0 up to 15 Days	Male	0	15	Days	Days	Reference Range	0.52	1.77	0.52-1.77		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 0 up to 15 Days	Male	0	15	Days	Days	Abnormality - Abnormal [2.2]	0.52	1.77	<0.52 or >1.77		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	0.28	1.38	0.28-1.38		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.28	1.38	<0.28 or >1.38		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	0.28	1.05	0.28-1.05		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.28	1.05	<0.28 or >1.05		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	0.28	1.07	0.28-1.07		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.28	1.07	<0.28 or >1.07		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	0.25	1.15	0.25-1.15		

MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.25	1.15	<0.25 or >1.15		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.19	0.94	0.19-0.94		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.19	0.94	<0.19 or >0.94		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.19	0.85	0.19-0.85		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.19	0.85	<0.19 or >0.85		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.18	0.78	0.18-0.78		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.18	0.78	<0.18 or >0.78		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	0.30	0.90	0.30-0.90		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	MONOCYTES (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	MONOS ABS	10 ³ /uL	2	Monocytes Absolute	742-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.30	0.90	<0.30 or >0.90		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 0 up to 15 Days	Female	0	15	Days		Reference Range	0.09	0.64	0.09-0.64		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Abnormal [2.2]	0.09	0.64	<0.09 or >0.64		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.06	0.75	0.06-0.75		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.06	0.75	<0.06 or >0.75		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	0.04	0.63	0.04-0.63		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.04	0.63	<0.04 or >0.63		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	0.02	0.74	0.02-0.74		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.02	0.74	<0.02 or >0.74		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	0.02	0.58	0.02-0.58		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.02	0.58	<0.02 or >0.58		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	0.03	0.46	0.03-0.46		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.03	0.46	<0.03 or >0.46		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10 ³ /UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /uL	2	Eosinophils Absolute	711-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	0.03	0.47	0.03-0.47		

MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.03	0.47	<0.03 or >0.47
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	0.02	0.32	0.02-0.32
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.02	0.32	<0.02 or >0.32
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 18 Years up to unspecified	Female	18	Years	unspecified	Reference Range	0.00	0.50	0.00-0.50	
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	0.00	0.50	<0.00 or >0.50	
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 0 up to 15 Days	Male	0	15	Days	Reference Range	0.12	0.66	0.12-0.66	
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	0.12	0.66	<0.12 or >0.66	
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	0.08	0.80	0.08-0.80
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.08	0.80	<0.08 or >0.80
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	0.05	0.57	0.05-0.57
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.05	0.57	<0.05 or >0.57
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	0.03	0.61	0.03-0.61
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.03	0.61	<0.03 or >0.61
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	0.02	0.82	0.02-0.82
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.02	0.82	<0.02 or >0.82
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.03	0.53	0.03-0.53
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.03	0.53	<0.03 or >0.53
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.03	0.52	0.03-0.52
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.03	0.52	<0.03 or >0.52
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.04	0.38	0.04-0.38
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.04	0.38	<0.04 or >0.38
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	EOSINOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	EOS ABS	10 ³ /ul	2	Eosinophils Absolute	711-2	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	0.00	0.50	0.00-0.50	

MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.01	0.07	<0.01 or >0.07		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	0.01	0.07	0.01-0.07		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.01	0.07	<0.01 or >0.07		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	0.01	0.06	0.01-0.06		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.01	0.06	<0.01 or >0.06		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	0.01	0.06	0.01-0.06		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.01	0.06	<0.01 or >0.06		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.01	0.06	0.01-0.06		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.01	0.06	<0.01 or >0.06		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.01	0.06	0.01-0.06		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.01	0.06	<0.01 or >0.06		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.01	0.05	0.01-0.05		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.01	0.05	<0.01 or >0.05		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	0.00	0.10	0.00-0.10		
MANUAL DIFFERENTIAL [LAB2410]	MANUAL DIFFERENTIAL (WAM) [1230101638]	BASOPHILS (10³/UL) IN BLOOD BY AUTOMATED COUNT	BASOS ABS	10 ³ /uL	2	Basophils Absolute	704-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.00	0.10	<0.00 or >0.10		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days		Reference Range	8.16	14.56	8.16-14.56		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days		Abnormality - Abnormal [2.2]	8.16	14.56	<8.16 or >14.56		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days	Female	0	15	Days		Reference Range	8.16	14.56	8.16-14.56		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Critical [2.1]	5.00		<5.00		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	WBC COUNT	WBC	10 ³ /uL	2	WBC Count	6690-2	Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Abnormal [2.2]	8.16	14.56	<8.16 or >14.56		

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	4.12	5.74	4.12-5.74
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	4.12	5.74	<4.12 or >5.74
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	3.32	4.80	3.32-4.80
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	3.32	4.80	<3.32 or >4.80
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	2.93	3.87	2.93-3.87
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.93	3.87	<2.93 or >3.87
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	3.45	4.75	3.45-4.75
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	3.45	4.75	<3.45 or >4.75
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	3.97	5.01	3.97-5.01
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	3.97	5.01	<3.97 or >5.01
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	3.84	4.92	3.84-4.92
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	3.84	4.92	<3.84 or >4.92
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	3.90	4.96	3.90-4.96
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	3.90	4.96	<3.90 or >4.96
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	3.93	4.90	3.93-4.90
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	3.93	4.90	<3.93 or >4.90
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	3.90	5.20	3.90-5.20

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	3.90	5.20	<3.90 or >5.20	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 0 up to 15 Days	Male	0	15	Days	Reference Range		4.10	5.55	4.10-5.55	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]		4.10	5.55	<4.10 or >5.55	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range		3.16	4.63	3.16-4.63
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]		3.16	4.63	<3.16 or >4.63
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range		3.02	4.22	3.02-4.22
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]		3.02	4.22	<3.02 or >4.22
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range		3.43	4.80	3.43-4.80
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]		3.43	4.80	<3.43 or >4.80
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range		4.03	5.07	4.03-5.07
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]		4.03	5.07	<4.03 or >5.07
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range		3.89	4.97	3.89-4.97
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]		3.89	4.97	<3.89 or >4.97
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range		3.96	5.03	3.96-5.03
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]		3.96	5.03	<3.96 or >5.03
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range		4.03	5.29	4.03-5.29
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]		4.03	5.29	<4.03 or >5.29

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	4.60	6.10	4.60-6.10	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RBC COUNT	RBC	10 ⁶ /ul	2	RBC Count	26453-1	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	4.60	6.10	<4.60 or >6.10	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Reference Range	13.4	20.0	13.4-20.0	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	13.4	20.0	13.4-20.0	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Critical [2.1]	6.5		<6.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months Lab Pa	Female	15	Days	1	Months	Reference Range	10.8	14.6	10.8-14.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months Lab Pa	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	10.8	14.6	<10.8 or >14.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Reference Range	10.8	14.6	10.8-14.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Critical [2.1]	6.5		<6.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	10.8	14.6	<10.8 or >14.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months Lab F	Female	1	Months	2	Months	Reference Range	9.2	11.4	9.2-11.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months Lab F	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	9.2	11.4	<9.2 or >11.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Reference Range	9.2	11.4	9.2-11.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Critical [2.1]	6.5		<6.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	9.2	11.4	<9.2 or >11.4

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	6.5	<6.5		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	11.0	14.5	<11.0 or >14.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMOGLOBIN	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	6.5	<6.5		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HGB	g/dL	1	HGB	718-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	39.6	57.2	39.6-57.2	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	19.5	<19.5		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	39.6	57.2	<39.6 or >57.2	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Reference Range	32.0	44.5	32.0-44.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Critical [2.1]	19.5	<19.5		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 15 Days up to 1 Months	Female	15	Days	1	Months	Abnormality - Abnormal [2.2]	32.0	44.5	<32.0 or >44.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Reference Range	27.7	35.1	27.7-35.1	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Critical [2.1]	19.5	<19.5		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 1 Months up to 2 Months	Female	1	Months	2	Months	Abnormality - Abnormal [2.2]	27.7	35.1	<27.7 or >35.1	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Female 2 Months up to 6 Months	Female	2	Months	6	Months	Reference Range	29.5	37.1	29.5-37.1	

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	37.7	<31.0 or >37.7
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.2	39.8	32.2-39.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.2	39.8	<32.2 or >39.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	33.9	43.5	33.9-43.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	19.5		<19.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	33.9	43.5	<33.9 or >43.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3		~	~	~	~	~	Reference Range	19.5		>=19.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	HEMATOCRIT	HCT	%	1	HCT	4544-3		~	~	~	~	~	Abnormality - Critical [2.1]	19.5		<19.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	144	449	144-449
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Critical [2.1]	20		<20
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	144	449	<144 or >449
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	144	449	144-449
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	155	369	<155 or >369	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	93	106	93-106	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	93	106	<93 or >106	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	90	103	90-103
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	90	103	<90 or >103
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	83	96	83-96
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	83	96	<83 or >96
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	75	88	75-88
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	75	88	<75 or >88
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	71	83	71-83
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	71	83	<71 or >83
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	72	85	72-85
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	72	85	<72 or >85
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	76	88	76-88
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	76	88	<76 or >88
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	77	91	77-91
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fL	0	MCV	787-2	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	77	91	<77 or >91

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	79	98	79-98
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	79	98	<79 or >98
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 0 up to 15 Days	Male	0	15	Days		Reference Range	91	103	91-103
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 0 up to 15 Days	Male	0	15	Days		Abnormality - Abnormal [2.2]	91	103	<91 or >103
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	89	100	89-100
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	89	100	<89 or >100
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	84	94	84-94
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	84	94	<84 or >94
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	74	88	74-88
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	74	88	<74 or >88
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	70	82	70-82
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	70	82	<70 or >82
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	71	84	71-84
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	71	84	<71 or >84
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	74	86	74-86
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	74	86	<74 or >86
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	77	89	77-89

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	77	89	<77 or >89
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	79	98	79-98
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCV	MCV	fl	0	MCV	787-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	79	98	<79 or >98
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	31.1	35.9	31.1-35.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	31.1	35.9	<31.1 or >35.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.4	35.3	30.4-35.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.4	35.3	<30.4 or >35.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	28.0	32.5	28.0-32.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	28.0	32.5	<28.0 or >32.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	24.4	29.5	24.4-29.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	24.4	29.5	<24.4 or >29.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	23.2	27.5	23.2-27.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	23.2	27.5	<23.2 or >27.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	23.7	28.6	23.7-28.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	23.7	28.6	<23.7 or >28.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	24.8	29.5	24.8-29.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	24.8	29.5	<24.8 or >29.5

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	24.8	30.2	24.8-30.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	24.8	30.2	<24.8 or >30.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	26.0	32.0	26.0-32.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	26.0	32.0	<26.0 or >32.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	31.3	35.6	31.3-35.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	31.3	35.6	<31.3 or >35.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	29.9	34.1	29.9-34.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	29.9	34.1	<29.9 or >34.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.8	32.0	27.8-32.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.8	32.0	<27.8 or >32.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	24.4	28.9	24.4-28.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	24.4	28.9	<24.4 or >28.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	22.7	27.2	22.7-27.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	22.7	27.2	<22.7 or >27.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	23.7	28.3	23.7-28.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	23.7	28.3	<23.7 or >28.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	24.9	29.2	24.9-29.2

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	24.9	29.2	<24.9 or >29.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	25.5	30.2	25.5-30.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	25.5	30.2	<25.5 or >30.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	26.0	32.0	26.0-32.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCH	MCH	pg	1	MCH	785-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	26.0	32.0	<26.0 or >32.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	33.4	35.4	33.4-35.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	33.4	35.4	<33.4 or >35.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	33.2	35.0	33.2-35.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	33.2	35.0	<33.2 or >35.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	32.5	34.9	32.5-34.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	32.5	34.9	<32.5 or >34.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	32.1	34.4	32.1-34.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	32.1	34.4	<32.1 or >34.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	31.9	34.2	31.9-34.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	31.9	34.2	<31.9 or >34.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.8	34.6	31.8-34.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.8	34.6	<31.8 or >34.6

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	31.8	34.6	31.8-34.6		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	31.8	34.6	<31.8 or >34.6		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	31.5	34.2	31.5-34.2		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	31.5	34.2	<31.5 or >34.2		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 18 Years up to unspecified	Female	18	Years	unspecified	Reference Range	30.7	35.5	30.7-35.5			
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	30.7	35.5	<30.7 or >35.5			
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 0 up to 15 Days	Male	0	15	Days	Reference Range	33.0	35.7	33.0-35.7			
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	33.0	35.7	<33.0 or >35.7			
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	32.7	35.1	32.7-35.1		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	32.7	35.1	<32.7 or >35.1		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	32.3	34.8	32.3-34.8		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	32.3	34.8	<32.3 or >34.8		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	31.9	34.4	31.9-34.4		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	31.9	34.4	<31.9 or >34.4		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	31.6	34.4	31.6-34.4		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	31.6	34.4	<31.6 or >34.4		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	32.0	34.7	32.0-34.7		

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	32.0	34.7	<32.0 or >34.7
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.2	34.9	32.2-34.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.2	34.9	<32.2 or >34.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	31.8	34.8	31.8-34.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	31.8	34.8	<31.8 or >34.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	30.7	35.5	30.7-35.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MCHC	MCHC	g/dL	1	MCHC	786-4	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	30.7	35.5	<30.7 or >35.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	14.6	17.3	14.6-17.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	14.6	17.3	<14.6 or >17.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	14.4	16.2	14.4-16.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	14.4	16.2	<14.4 or >16.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	13.6	15.8	13.6-15.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	13.6	15.8	<13.6 or >15.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	12.2	14.3	12.2-14.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	12.2	14.3	<12.2 or >14.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	12.7	15.1	12.7-15.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	12.7	15.1	<12.7 or >15.1

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	12.4	14.9	12.4-14.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	12.4	14.9	<12.4 or >14.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	12.2	14.4	12.2-14.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	12.2	14.4	<12.2 or >14.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	12.3	14.6	12.3-14.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	12.3	14.6	<12.3 or >14.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 18 Years up to unspecified	Female	18	Years	unspecified	Reference Range	11.5	14.5	11.5-14.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	11.5	14.5	<11.5 or >14.5	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 0 up to 15 Days	Male	0	15	Days	Reference Range	14.8	17.0	14.8-17.0	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	14.8	17.0	<14.8 or >17.0	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	14.3	16.8	14.3-16.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	14.3	16.8	<14.3 or >16.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	13.8	16.1	13.8-16.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	13.8	16.1	<13.8 or >16.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	12.4	15.3	12.4-15.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	12.4	15.3	<12.4 or >15.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	12.9	15.6	12.9-15.6

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	12.9	15.6	<12.9 or >15.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	12.5	14.9	12.5-14.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	12.5	14.9	<12.5 or >14.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	12.3	14.1	12.3-14.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	12.3	14.1	<12.3 or >14.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	12.4	14.5	12.4-14.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	12.4	14.5	<12.4 or >14.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	11.5	14.5	11.5-14.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	RDW	RDW	%	1	RDW	788-0	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	11.5	14.5	<11.5 or >14.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	10.4	12.0	10.4-12.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	10.4	12.0	<10.4 or >12.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	12.2	10.0-12.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	12.2	<10.0 or >12.2
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	9.4	11.1	9.4-11.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	9.4	11.1	<9.4 or >11.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	9.0	10.9	9.0-10.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	9.0	10.9	<9.0 or >10.9

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	8.8	10.6	8.8-10.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	8.8	10.6	<8.8 or >10.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	8.9	11.0	8.9-11.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	8.9	11.0	<8.9 or >11.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	9.3	11.3	9.3-11.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	9.3	11.3	<9.3 or >11.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	9.6	11.7	9.6-11.7
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	9.6	11.7	<9.6 or >11.7
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	8.8	12.5	8.8-12.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.8	12.5	<8.8 or >12.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	10.2	11.9	10.2-11.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	10.2	11.9	<10.2 or >11.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.1	12.1	10.1-12.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.1	12.1	<10.1 or >12.1
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	9.2	10.8	9.2-10.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	9.2	10.8	<9.2 or >10.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	8.9	10.6	8.9-10.6

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	8.9	10.6	<8.9 or >10.6
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	8.7	10.5	8.7-10.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	8.7	10.5	<8.7 or >10.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	9.0	10.9	9.0-10.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	9.0	10.9	<9.0 or >10.9
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	9.2	11.4	9.2-11.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	9.2	11.4	<9.2 or >11.4
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	9.6	11.8	9.6-11.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	9.6	11.8	<9.6 or >11.8
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	8.8	12.5	8.8-12.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MPV	MPV	fl	1	MPV	32623-1	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	8.8	12.5	<8.8 or >12.5
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NRBC	NRBC	per 100	1	nRBC	19048-8	0 up to 3 Days	~	0		3	Days	Reference Range	0.1	8.3	0.1-8.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NRBC	NRBC	per 100	1	nRBC	19048-8	0 up to 3 Days	~	0		3	Days	Valid Checking [1.1]		600.0	<=600.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NRBC	NRBC	per 100	1	nRBC	19048-8	0 up to 3 Days	~	0		3	Days	Abnormality - Abnormal [2.2]	0.1	8.3	<0.1 or >8.3
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NRBC	NRBC	per 100	1	nRBC	19048-8	3 Days up to unspecified	~	3	Days	unspecified		Reference Range		0.0	<=0.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NRBC	NRBC	per 100	1	nRBC	19048-8	3 Days up to unspecified	~	3	Days	unspecified		Valid Checking [1.1]		600.0	<=600.0
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NRBC	NRBC	per 100	1	nRBC	19048-8	3 Days up to unspecified	~	3	Days	unspecified		Abnormality - Abnormal [2.2]		0.0	>0.0

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	1.54	7.04	1.54-7.04
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	1.00		<1.00
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	1.54	7.04	<1.54 or >7.04
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Reference Range	1.60	6.10	1.60-6.10
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.60	6.10	<1.60 or >6.10
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	1.60	6.10	1.60-6.10
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	1.00		<1.00
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	NEUTROPHILS AUTO ABS WAM	NEUTRO ABS	10 ³ /uL	2	Neutrophils Absolute	751-8	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.60	6.10	<1.60 or >6.10
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	1.75	8.00	1.75-8.00
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	1.75	8.00	<1.75 or >8.00
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	2.42	8.20	2.42-8.20
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	2.42	8.20	<2.42 or >8.20
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	2.29	9.14	2.29-9.14
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.29	9.14	<2.29 or >9.14
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	2.14	8.99	2.14-8.99
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	2.14	8.99	<2.14 or >8.99
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10 ³ /uL	2	Lymphocytes Absolute	731-0	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	1.52	8.09	1.52-8.09

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	1.52	8.09	<1.52 or >8.09
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	1.25	5.77	1.25-5.77
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	1.25	5.77	<1.25 or >5.77
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	1.16	4.28	1.16-4.28
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	1.16	4.28	<1.16 or >4.28
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	1.16	3.33	1.16-3.33
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	1.16	3.33	<1.16 or >3.33
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	1.20	3.90	1.20-3.90
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.20	3.90	<1.20 or >3.90
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 0 up to 15 Days	Male	0	15	Days		Reference Range	2.07	7.53	2.07-7.53
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 0 up to 15 Days	Male	0	15	Days		Abnormality - Abnormal [2.2]	2.07	7.53	<2.07 or >7.53
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	2.11	8.38	2.11-8.38
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	2.11	8.38	<2.11 or >8.38
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	2.47	7.95	2.47-7.95
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	2.47	7.95	<2.47 or >7.95
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	2.45	8.89	2.45-8.89
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	2.45	8.89	<2.45 or >8.89

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	1.56	7.83	1.56-7.83
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	1.56	7.83	<1.56 or >7.83
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	1.13	5.52	1.13-5.52
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	1.13	5.52	<1.13 or >5.52
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.97	3.96	0.97-3.96
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.97	3.96	<0.97 or >3.96
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.97	3.26	0.97-3.26
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.97	3.26	<0.97 or >3.26
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 18 Years up to unspecified	Male	18	Years	unspecified	Reference Range	1.20	3.90	1.20-3.90	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	LYMPHOCYTES AUTO ABS WAM	LYMPHS ABS	10*3/uL	2	Lymphocytes Absolute	731-0	Male 18 Years up to unspecified	Male	18	Years	unspecified	Abnormality - Abnormal [2.2]	1.20	3.90	<1.20 or >3.90	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	0.57	1.72	0.57-1.72	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	0.57	1.72	<0.57 or >1.72	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.42	1.21	0.42-1.21
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.42	1.21	<0.42 or >1.21
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	0.28	1.21	0.28-1.21
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.28	1.21	<0.28 or >1.21
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	0.24	1.17	0.24-1.17

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.24	1.17	<0.24 or >1.17
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	0.26	1.08	0.26-1.08
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.26	1.08	<0.26 or >1.08
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	0.24	0.92	0.24-0.92
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.24	0.92	<0.24 or >0.92
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	0.19	0.81	0.19-0.81
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.19	0.81	<0.19 or >0.81
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	0.19	0.72	0.19-0.72
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.19	0.72	<0.19 or >0.72
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 18 Years up to unspecified	Female	18	Years	unspecified		0.30	0.90	0.30-0.90	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Female 18 Years up to unspecified	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	0.30	0.90	<0.30 or >0.90	
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	0.52	1.77	0.52-1.77
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	0.52	1.77	<0.52 or >1.77
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	0.28	1.38	0.28-1.38
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.28	1.38	<0.28 or >1.38
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	0.28	1.05	0.28-1.05
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.28	1.05	<0.28 or >1.05

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	0.28	1.07	0.28-1.07
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.28	1.07	<0.28 or >1.07
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	0.25	1.15	0.25-1.15
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.25	1.15	<0.25 or >1.15
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.19	0.94	0.19-0.94
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.19	0.94	<0.19 or >0.94
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.19	0.85	0.19-0.85
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.19	0.85	<0.19 or >0.85
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.18	0.78	0.18-0.78
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.18	0.78	<0.18 or >0.78
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	0.30	0.90	0.30-0.90
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	MONOCYTES AUTO ABS WAM	MONOS ABS	10*3/uL	2	Monocytes Absolute	742-7	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.30	0.90	<0.30 or >0.90
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Female 0 up to 15 Days	Female	0	15	Days	Days	Reference Range	0.09	0.64	0.09-0.64
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Female 0 up to 15 Days	Female	0	15	Days	Days	Abnormality - Abnormal [2.2]	0.09	0.64	<0.09 or >0.64
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.06	0.75	0.06-0.75
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	0.06	0.75	<0.06 or >0.75
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	0.04	0.63	0.04-0.63

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	0.05	0.57	0.05-0.57
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	0.05	0.57	<0.05 or >0.57
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	0.03	0.61	0.03-0.61
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	0.03	0.61	<0.03 or >0.61
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	0.02	0.82	0.02-0.82
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	0.02	0.82	<0.02 or >0.82
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	0.03	0.53	0.03-0.53
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	0.03	0.53	<0.03 or >0.53
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	0.03	0.52	0.03-0.52
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	0.03	0.52	<0.03 or >0.52
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	0.04	0.38	0.04-0.38
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	0.04	0.38	<0.04 or >0.38
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	0.00	0.50	0.00-0.50
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	EOSINOPHILS AUTO ABS WAM	EOS ABS	10*3/uL	2	Eosinophils Absolute	711-2	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	0.00	0.50	<0.00 or >0.50
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	0.02	0.07	0.02-0.07
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	0.02	0.07	<0.02 or >0.07
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	BASOPHILS AUTO ABS WAM	BASOS ABS	10*3/uL	2	Basophils Absolute	704-7	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	0.01	0.06	0.01-0.06

CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /ul	2	Immature Granulocytes Absolute	18 Years up to unspecified	~	18	Years	unspecified	Reference Range	0.00	0.06	0.00-0.06		
CBC WITH AUTO DIFFERENTIAL [LAB293] PERIPHERAL BLOOD SMEAR, PSMEAR [LAB1755] CBC WITH AUTO DIFFERENTIAL PED ONC [LAB2931]	CBC WITH AUTO DIFFERENTIAL (WAM) [1230101639]	ABS IMMATURE GRANULOCYTES	CIG	10 ³ /ul	2	Immature Granulocytes Absolute	18 Years up to unspecified	~	18	Years	unspecified	Abnormality - Abnormal [2.2]	0.00	0.06	<0.00 or >0.06		
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	UNSPUN COLOR OF CSF	COLOR, CSF			Unspun Color, CSF	6824-7	~	~	~	~	Reference Range				Colorless [1]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	UNSPUN COLOR OF CSF	COLOR, CSF			Unspun Color, CSF	6824-7	~	~	~	~	Valid Checking [1.1]				Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13], Colorless [1]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	UNSPUN COLOR OF CSF	COLOR, CSF			Unspun Color, CSF	6824-7	~	~	~	~	Abnormality - Abnormal [2.2]				Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	UNSPUN CLARITY CSF	Appearance			Unspun Clarity, CSF	10333-3	~	~	~	~	Reference Range				Clear [1]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	UNSPUN CLARITY CSF	Appearance			Unspun Clarity, CSF	10333-3	~	~	~	~	Valid Checking [1.1]				Clear [1], Cloudy [2], Hazy [3], Turbid [4]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	UNSPUN CLARITY CSF	Appearance			Unspun Clarity, CSF	10333-3	~	~	~	~	Abnormality - Abnormal [2.2]				Cloudy [2], Hazy [3], Turbid [4]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	SPUN COLOR OF CSF	COLOR, CSF			Spun Color, CSF	6824-7	~	~	~	~	Reference Range				Colorless [1]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	SPUN COLOR OF CSF	COLOR, CSF			Spun Color, CSF	6824-7	~	~	~	~	Valid Checking [1.1]				Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13], Colorless [1]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	SPUN COLOR OF CSF	COLOR, CSF			Spun Color, CSF	6824-7	~	~	~	~	Abnormality - Abnormal [2.2]				Red [6], Brown [8], Pink [4], Orange [3], Yellow [2], White [13]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	SPUN CLARITY OF CSF	Appearance			Spun Clarity, CSF	10333-3	~	~	~	~	Reference Range				Clear [1]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	SPUN CLARITY OF CSF	Appearance			Spun Clarity, CSF	10333-3	~	~	~	~	Valid Checking [1.1]				Clear [1], Cloudy [2], Hazy [3], Turbid [4]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	SPUN CLARITY OF CSF	Appearance			Spun Clarity, CSF	10333-3	~	~	~	~	Abnormality - Abnormal [2.2]				Cloudy [2], Hazy [3], Turbid [4]	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	RED BLOOD CELL COUNT	RBC, CSF	ul		Red Blood Cell Count, CSF	26455-6	~	~	~	~	Display Reference Range [14.1]					0 ul.

CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	TOTAL NUCLEATED CELL COUNT IN CSF	μL		Total Nucleated Cell Count, CSF	0 up to 1 Years	~	0	1	Years	Reference Range	0	30	0-30		
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	TOTAL NUCLEATED CELL COUNT IN CSF	μL		Total Nucleated Cell Count, CSF	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	0	30	<0 or >30		
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	TOTAL NUCLEATED CELL COUNT IN CSF	μL		Total Nucleated Cell Count, CSF	1 Years up to 5 Years	~	1	Years	5	Years	Reference Range	0	20	0-20	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	TOTAL NUCLEATED CELL COUNT IN CSF	μL		Total Nucleated Cell Count, CSF	1 Years up to 5 Years	~	1	Years	5	Years	Abnormality - Abnormal [2.2]	0	20	<0 or >20	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	TOTAL NUCLEATED CELL COUNT IN CSF	μL		Total Nucleated Cell Count, CSF	5 Years up to 12 Years	~	5	Years	12	Years	Reference Range	0	10	0-10	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	TOTAL NUCLEATED CELL COUNT IN CSF	μL		Total Nucleated Cell Count, CSF	5 Years up to 12 Years	~	5	Years	12	Years	Abnormality - Abnormal [2.2]	0	10	<0 or >10	
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	TOTAL NUCLEATED CELL COUNT IN CSF	μL		Total Nucleated Cell Count, CSF	12 Years up to unspecified	~	12	Years	unspecified	Reference Range	0	5	0-5		
CSF CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21134]	CSF CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110106]	TOTAL NUCLEATED CELL COUNT IN CSF	μL		Total Nucleated Cell Count, CSF	12 Years up to unspecified	~	12	Years	unspecified	Abnormality - Abnormal [2.2]	0	5	<0 or >5		
BODY FLUID CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21123]	BODY FLUID CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110116]	APPEARANCE OF BODY FLUID			Appearance ,Body fluid 9335-1		~	~	~	~	~	Reference Range				Clear [1], Turbid [5]
BODY FLUID CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21123]	BODY FLUID CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110116]	APPEARANCE OF BODY FLUID			Appearance ,Body fluid 9335-1		~	~	~	~	~	Abnormality - Abnormal [2.2]				Cloudy [3]
BODY FLUID CELL COUNT W/ MANUAL DIFFERENTIAL [LAB21123]	BODY FLUID CELL COUNT W/ MANUAL DIFFERENTIAL (WAM) [1230110116]	APPEARANCE OF BODY FLUID			Appearance ,Body fluid 9335-1		~	~	~	~	~	Display Reference Range [14.1]				
BODY FLUID CELL COUNT W/O DIFF [LAB209]	BODY FLUID CELL COUNT W/O DIFF [1230111010]	APPEARANCE OF BODY FLUID			Appearance ,Body fluid 9335-1		~	~	~	~	~	Reference Range				Clear [1], Turbid [5]
BODY FLUID CELL COUNT W/O DIFF [LAB209]	BODY FLUID CELL COUNT W/O DIFF [1230111010]	APPEARANCE OF BODY FLUID			Appearance ,Body fluid 9335-1		~	~	~	~	~	Abnormality - Abnormal [2.2]				Cloudy [3]
BODY FLUID CELL COUNT W/O DIFF [LAB209]	BODY FLUID CELL COUNT W/O DIFF [1230111010]	APPEARANCE OF BODY FLUID			Appearance ,Body fluid 9335-1		~	~	~	~	~	Display Reference Range [14.1]				
OCULAR FLUID CELL COUNT W/ MANUAL DIFFERENTIAL [LAB11342]	OCULAR FLUID CELL COUNT W/ MANUAL DIFFERENTIAL [1230180001]	APPEARANCE OF OCULAR FLUID	Appearance		Appearance Ocular Fluid		~	~	~	~	~	Reference Range				Clear [1], Hazy [3], Turbid [4]
OCULAR FLUID CELL COUNT W/ MANUAL DIFFERENTIAL [LAB11342]	OCULAR FLUID CELL COUNT W/ MANUAL DIFFERENTIAL [1230180001]	APPEARANCE OF OCULAR FLUID	Appearance		Appearance Ocular Fluid		~	~	~	~	~	Abnormality - Abnormal [2.2]				Cloudy [2]

OCULAR FLUID CELL COUNT W/ MANUAL DIFFERENTIAL [LAB11342]	OCULAR FLUID CELL COUNT W/ MANUAL DIFFERENTIAL [1230180001]	APPEARANCE OF OCULAR FLUID	Appearance			Appearance Ocular Fluid			~	~	~	~	~	Display Reference Range [14.1]					
PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	144	449	144-449		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	144	449	<144 or >449		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	144	449	144-449		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	144	449	<144 or >449		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Reference Range	279	571	279-571		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	279	571	<279 or >571		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	279	571	279-571		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	279	571	<279 or >571		

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 31 Days up to 61 Days Lab Pat	Female	31	Days	61	Days	Reference Range	331	597	331-597		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 31 Days up to 61 Days Lab Pat	Female	31	Days	61	Days	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 31 Days up to 61 Days Lab Pat	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	331	597	<331 or >597		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	331	597	331-597		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	331	597	<331 or >597		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Reference Range	247	580	247-580		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 61 Days up to 180 Days Lab Pat	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	247	580	<247 or >580		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Reference Range	247	580	247-580		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 61 Days up to 180 Days	Female	61	Days	180	Days	Abnormality - Abnormal [2.2]	247	580	<247 or >580		

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Reference Range	214	459	214-459
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Abnormality - Critical [2.1]	20		<20
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 180 Days up to 2 Years Lab Pat	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	214	459	<214 or >459
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	214	459	214-459
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Critical [2.1]	20	1000	<20 or >1000
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	214	459	<214 or >459
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 2 Years up to 6 Years Lab Pat	Female	2	Years	6	Years	Reference Range	189	394	189-394
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 2 Years up to 6 Years Lab Pat	Female	2	Years	6	Years	Abnormality - Critical [2.1]	20		<20
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 2 Years up to 6 Years Lab Pat	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	189	394	<189 or >394
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	189	394	189-394
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	20	1000	<20 or >1000
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	189	394	<189 or >394

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 6 Years up to 12 Years Lab Pat	Female	6	Years	12	Years	Reference Range	199	367	199-367
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 6 Years up to 12 Years Lab Pat	Female	6	Years	12	Years	Abnormality - Critical [2.1]	20		<20
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 6 Years up to 12 Years Lab Pat	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	199	367	<199 or >367
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	199	367	199-367
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	20	1000	<20 or >1000
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	199	367	<199 or >367
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 12 Years up to 18 Years Lab Pat	Female	12	Years	18	Years	Reference Range	194	345	194-345
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 12 Years up to 18 Years Lab Pat	Female	12	Years	18	Years	Abnormality - Critical [2.1]	20		<20
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 12 Years up to 18 Years Lab Pat	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	194	345	<194 or >345
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	194	345	194-345
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Critical [2.1]	20	1000	<20 or >1000
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	194	345	<194 or >345

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 18 Years up to unspecified	Lab	Female	18	Years	unspecified	Reference Range	155	369	155-369
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 18 Years up to unspecified	Lab	Female	18	Years	unspecified	Abnormality - Critical [2.1]	20		<20
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 18 Years up to unspecified	Lab	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	155	369	<155 or >369
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 18 Years up to unspecified	Lab	Female	18	Years	unspecified	Reference Range	155	369	155-369
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 18 Years up to unspecified	Lab	Female	18	Years	unspecified	Abnormality - Critical [2.1]	20	1000	<20 or >1000
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Female 18 Years up to unspecified	Lab	Female	18	Years	unspecified	Abnormality - Abnormal [2.2]	155	369	<155 or >369
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Reference Range	218	419	218-419
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Abnormality - Critical [2.1]	20		<20
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Abnormality - Abnormal [2.2]	218	419	<218 or >419
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	218	419	218-419
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	218	419	<218 or >419

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Reference Range	248	586	248-586		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	248	586	<248 or >586		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	248	586	248-586		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	248	586	<248 or >586		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Reference Range	229	562	229-562		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	229	562	<229 or >562		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	229	562	229-562		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	229	562	<229 or >562		

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 61 Days up to 180 Days Lab Patie	Male	61	Days	180	Days	Reference Range	244	529	244-529		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 61 Days up to 180 Days Lab Patie	Male	61	Days	180	Days	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 61 Days up to 180 Days Lab Patie	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	244	529	<244 or >529		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Reference Range	244	529	244-529		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 61 Days up to 180 Days	Male	61	Days	180	Days	Abnormality - Abnormal [2.2]	244	529	<244 or >529		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 180 Days up to 2 Years Lab Patie	Male	180	Days	2	Years	Reference Range	206	445	206-445		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 180 Days up to 2 Years Lab Patie	Male	180	Days	2	Years	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 180 Days up to 2 Years Lab Patie	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	206	445	<206 or >445		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	206	445	206-445		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	206	445	<206 or >445		

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Reference Range	202	403	202-403		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	202	403	<202 or >403		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	202	403	202-403		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	202	403	<202 or >403		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 6 Years up to 12 Years Lab Patient	Male	6	Years	12	Years	Reference Range	206	369	206-369		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 6 Years up to 12 Years Lab Patient	Male	6	Years	12	Years	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 6 Years up to 12 Years Lab Patient	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	206	369	<206 or >369		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	206	369	206-369		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /uL	0	Platelet Count	777-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	206	369	<206 or >369		

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 12 Years up to 18 Years Lab Patie	Male	12	Years	18	Years	Reference Range	175	332	175-332		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 12 Years up to 18 Years Lab Patie	Male	12	Years	18	Years	Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 12 Years up to 18 Years Lab Patie	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	175	332	<175 or >332		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	175	332	175-332		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	175	332	<175 or >332		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Reference Range	155	369	155-369		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Critical [2.1]	20		<20		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 18 Years up to unspecified Lab Pa	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	155	369	<155 or >369		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	155	369	155-369		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Critical [2.1]	20	1000	<20 or >1000		
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	PLATELET COUNT, BLOOD	PLTB	10 ³ /ul	0	Platelet Count	777-3	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	155	369	<155 or >369		

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 0 up to 180 Days	Female	0		180	Days	Reference Range	1.3	6.8	1.3-6.8
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 0 up to 180 Days	Female	0		180	Days	Abnormality - Abnormal [2.2]	1.3	6.8	<1.3 or >6.8
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Reference Range	1.4	4.5	1.4-4.5
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 180 Days up to 2 Years	Female	180	Days	2	Years	Abnormality - Abnormal [2.2]	1.4	4.5	<1.4 or >4.5
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	1	3.6	1-3.6
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	1	3.6	<1 or >3.6
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	1	4.7	1-4.7
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	1	4.7	<1 or >4.7
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Reference Range	1.4	6.4	1.4-6.4
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 12 Years up to 18 Years	Female	12	Years	18	Years	Abnormality - Abnormal [2.2]	1.4	6.4	<1.4 or >6.4
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Reference Range	1.2	10.5	1.2-10.5
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Female 18 Years up to unspecified	Female	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.2	10.5	<1.2 or >10.5

PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 0 up to 180 Days	Male	0		180	Days	Reference Range	2	6.8	>6.8
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 0 up to 180 Days	Male	0		180	Days	Abnormality - Abnormal [2.2]	2	6.8	<2 or >6.8
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Reference Range	1.4	3.8	1.4-3.8
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 180 Days up to 2 Years	Male	180	Days	2	Years	Abnormality - Abnormal [2.2]	1.4	3.8	<1.4 or >3.8
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	1.1	3.6	1.1-3.6
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	1.1	3.6	<1.1 or >3.6
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	1	4.9	1-4.9
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	1	4.9	<1 or >4.9
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Reference Range	1.6	6.1	1.6-6.1
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 12 Years up to 18 Years	Male	12	Years	18	Years	Abnormality - Abnormal [2.2]	1.6	6.1	<1.6 or >6.1
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Reference Range	1.2	10.5	1.2-10.5
PLATELET COUNT WITH IMMATURE PLATELET FRACTION [LAB10091]	PLATELET COUNT WITH IMMATURE PLATELET FRACTION, BLOOD [1230300875]	IMMATURE PLATELET FRACTION	IPF	%		Immature Platelet Fraction	71693-6	Male 18 Years up to unspecified	Male	18	Years	unspecified		Abnormality - Abnormal [2.2]	1.2	10.5	<1.2 or >10.5
COLORECTAL CA MONITOR, FECAL OCCULT BLOOD [LAB10627]	COLORECTAL Ca MONITOR, FECAL OCCULT BLOOD [1230100331]	OCCULT BLOOD, FECAL RESULT	OCCULT	%		Occult Blood, Fecal Result				~	~	~	~	Reference Range			Negative [20]

COLORECTAL CA MONITOR, FECAL OCCULT BLOOD [LAB10627]	COLORECTAL Ca MONITOR, FECAL OCCULT BLOOD [1230100331]	OCCULT BLOOD, FECAL RESULT	OCCULT			Occult Blood, Fecal Result						Valid Checking [1.1]			Positive [10], Negative [20]
COLORECTAL CA MONITOR, FECAL OCCULT BLOOD [LAB10627]	COLORECTAL Ca MONITOR, FECAL OCCULT BLOOD [1230100331]	OCCULT BLOOD, FECAL RESULT	OCCULT			Occult Blood, Fecal Result						Abnormality - Abnormal [2.2]			Positive [10]
COLORECTAL CA MONITOR, FECAL OCCULT BLOOD [LAB10627]	COLORECTAL Ca MONITOR, FECAL OCCULT BLOOD [1230100331]	OCCULT BLOOD, FECAL RESULT	OCCULT			Occult Blood, Fecal Result						Display Reference Range [14.1]			Negative
COLORECTAL CA MONITOR, FECAL OCCULT BLOOD [LAB10627]	COLORECTAL Ca MONITOR, FECAL OCCULT BLOOD [1230100331]	INTERNAL QUALITY CONTROL	INTERQUAL			Internal Quality Control						Valid Checking [1.1]			Pass [1], Fail [0]
GROUP A STREPTOCOCCUS ANTIGEN [LAB885] POCT INFECTIOUS AGENT DNA/RNA INFLUENZA 1S1; 2 TYPES [POC87502]	GROUP A STREPTOCOCCUS ANTIGEN [1230301599]	GROUP A STREPTOCOCCUS ANTIGEN RESULT	GRPA			Group A Streptococcus Antigen Result	LAB RC ED PERFORMING LAB					Reference Range			Negative [20]
GROUP A STREPTOCOCCUS ANTIGEN [LAB885] POCT INFECTIOUS AGENT DNA/RNA INFLUENZA 1S1; 2 TYPES [POC87502]	GROUP A STREPTOCOCCUS ANTIGEN [1230301599]	GROUP A STREPTOCOCCUS ANTIGEN RESULT	GRPA			Group A Streptococcus Antigen Result	LAB RC ED PERFORMING LAB					Valid Checking [1.1]			Positive [10], Negative [20]
GROUP A STREPTOCOCCUS ANTIGEN [LAB885] POCT INFECTIOUS AGENT DNA/RNA INFLUENZA 1S1; 2 TYPES [POC87502]	GROUP A STREPTOCOCCUS ANTIGEN [1230301599]	GROUP A STREPTOCOCCUS ANTIGEN RESULT	GRPA			Group A Streptococcus Antigen Result	LAB RC ED PERFORMING LAB					Abnormality - Abnormal [2.2]			Positive [10]
GROUP A STREPTOCOCCUS ANTIGEN [LAB885] POCT INFECTIOUS AGENT DNA/RNA INFLUENZA 1S1; 2 TYPES [POC87502]	GROUP A STREPTOCOCCUS ANTIGEN [1230301599]	GROUP A STREPTOCOCCUS ANTIGEN RESULT	GRPA			Group A Streptococcus Antigen Result						Reference Range			Negative [20]
GROUP A STREPTOCOCCUS ANTIGEN [LAB885] POCT INFECTIOUS AGENT DNA/RNA INFLUENZA 1S1; 2 TYPES [POC87502]	GROUP A STREPTOCOCCUS ANTIGEN [1230301599]	GROUP A STREPTOCOCCUS ANTIGEN RESULT	GRPA			Group A Streptococcus Antigen Result						Valid Checking [1.1]			Positive [10], Negative [20], Indeterminate [30]
GROUP A STREPTOCOCCUS ANTIGEN [LAB885] POCT INFECTIOUS AGENT DNA/RNA INFLUENZA 1S1; 2 TYPES [POC87502]	GROUP A STREPTOCOCCUS ANTIGEN [1230301599]	GROUP A STREPTOCOCCUS ANTIGEN RESULT	GRPA			Group A Streptococcus Antigen Result						Abnormality - Abnormal [2.2]			Positive [10], Indeterminate [30]
GROUP A STREPTOCOCCUS ANTIGEN [LAB885] POCT INFECTIOUS AGENT DNA/RNA INFLUENZA 1S1; 2 TYPES [POC87502]	GROUP A STREPTOCOCCUS ANTIGEN [1230301599]	INTERNAL QUALITY CONTROL	GRPA			Internal Quality Control						Display Reference Range [14.1]			Negative
GROUP A STREPTOCOCCUS ANTIGEN [LAB885] POCT INFECTIOUS AGENT DNA/RNA INFLUENZA 1S1; 2 TYPES [POC87502]	GROUP A STREPTOCOCCUS ANTIGEN [1230301599]	INTERNAL QUALITY CONTROL	INTERQUAL			Internal Quality Control						Valid Checking [1.1]			Pass [1], Fail [0]
GROUP A STREPTOCOCCUS BY PCR GSH [LAB11334]	GROUP A STREPTOCOCCUS BY PCR GSH [1238400013]	GROUP A STREPTOCOCCUS PCR RESULT	GASPCR			Group A Streptococcus PCR Result						Reference Range			Not Detected [1004]
GROUP A STREPTOCOCCUS BY PCR GSH [LAB11334]	GROUP A STREPTOCOCCUS BY PCR GSH [1238400013]	GROUP A STREPTOCOCCUS PCR RESULT	GASPCR			Group A Streptococcus PCR Result						Valid Checking [1.1]			Detected [1003], Not Detected [1004], Invalid [1006]
GROUP A STREPTOCOCCUS BY PCR GSH [LAB11334]	GROUP A STREPTOCOCCUS BY PCR GSH [1238400013]	GROUP A STREPTOCOCCUS PCR RESULT	GASPCR			Group A Streptococcus PCR Result						Abnormality - Abnormal [2.2]			Detected [1003], Invalid [1006]
GROUP A STREPTOCOCCUS BY PCR GSH [LAB11334]	GROUP A STREPTOCOCCUS BY PCR GSH [1238400013]	GROUP A STREPTOCOCCUS PCR RESULT	GASPCR			Group A Streptococcus PCR Result						Reportable Checking [3.1]			Detected [1003]
GROUP A STREPTOCOCCUS BY PCR GSH [LAB11334]	GROUP A STREPTOCOCCUS BY PCR GSH [1238400013]	GROUP A STREPTOCOCCUS PCR RESULT	GASPCR			Group A Streptococcus PCR Result						Display Reference Range [14.1]			Not Detected
GROUP A STREPTOCOCCUS BY PCR GSH [LAB11334]	GROUP A STREPTOCOCCUS BY PCR GSH [1238400013]	REFLEX CULTURE REQUESTED?	RCREQ			Reflex Culture Requested?						Valid Checking [1.1]			Yes [1], No [2]
BACTERIAL VAGINOSIS ANTIGEN [LAB10568]	BACTERIAL VAGINOSIS ANTIGEN [1238800128]	BACTERIAL VAGINOSIS ANTIGEN RESULT	BVAG			Bacterial Vaginosis Antigen Result						Reference Range			Negative [20]

BACTERIAL VAGINOSIS ANTIGEN [LAB10568]	BACTERIAL VAGINOSIS ANTIGEN [1238800128]	BACTERIAL VAGINOSIS ANTIGEN RESULT	BVAG			Bacterial Vaginosis Antigen Result								Valid Checking [1.1]			Positive [10], Negative [20], Invalid [1006]	
BACTERIAL VAGINOSIS ANTIGEN [LAB10568]	BACTERIAL VAGINOSIS ANTIGEN [1238800128]	BACTERIAL VAGINOSIS ANTIGEN RESULT	BVAG			Bacterial Vaginosis Antigen Result								Abnormality - Abnormal [2.2]			Positive [10], Invalid [1006]	
BACTERIAL VAGINOSIS ANTIGEN [LAB10568]	BACTERIAL VAGINOSIS ANTIGEN [1238800128]	BACTERIAL VAGINOSIS ANTIGEN RESULT	BVAG			Bacterial Vaginosis Antigen Result								Display Reference Range [14.1]				Negative
BACTERIAL VAGINOSIS ANTIGEN [LAB10568]	BACTERIAL VAGINOSIS ANTIGEN [1238800128]	INTERNAL QUALITY CONTROL	INTERQUAL			Internal Quality Control								Valid Checking [1.1]			Pass [1], Fail [0]	
TRICHOMONAS VAGINALIS ANTIGEN [LAB10628]	TRICHOMONAS VAGINALIS ANTIGEN [1238800133]	TRICHOMONAS VAGINALIS ANTIGEN RESULT	TVAG			Trichomonas vaginalis Antigen Result								Reference Range			Negative [20]	
TRICHOMONAS VAGINALIS ANTIGEN [LAB10628]	TRICHOMONAS VAGINALIS ANTIGEN [1238800133]	TRICHOMONAS VAGINALIS ANTIGEN RESULT	TVAG			Trichomonas vaginalis Antigen Result								Valid Checking [1.1]			Positive [10], Negative [20], Invalid, due to possible inhibitors present in the sample, please resubmit. [1005]	
TRICHOMONAS VAGINALIS ANTIGEN [LAB10628]	TRICHOMONAS VAGINALIS ANTIGEN [1238800133]	TRICHOMONAS VAGINALIS ANTIGEN RESULT	TVAG			Trichomonas vaginalis Antigen Result								Abnormality - Abnormal [2.2]			Positive [10], Invalid, due to possible inhibitors present in the sample, please resubmit. [1005]	
TRICHOMONAS VAGINALIS ANTIGEN [LAB10628]	TRICHOMONAS VAGINALIS ANTIGEN [1238800133]	TRICHOMONAS VAGINALIS ANTIGEN RESULT	TVAG			Trichomonas vaginalis Antigen Result								Display Reference Range [14.1]				Negative
TRICHOMONAS VAGINALIS ANTIGEN [LAB10628]	TRICHOMONAS VAGINALIS ANTIGEN [1238800133]	INTERNAL QUALITY CONTROL	INTERQUAL			Internal Quality Control								Valid Checking [1.1]			Pass [1], Fail [0]	
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	INFLUENZA A VIRUS PCR RESULT - LIAT	FLUALIAT			Influenza A Virus PCR Result	92142-9	GSH Cobas Liat #1 SN:M1-E-21669						Reference Range			Not Detected [1004]	
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	INFLUENZA A VIRUS PCR RESULT - LIAT	FLUALIAT			Influenza A Virus PCR Result	92142-9	GSH Cobas Liat #1 SN:M1-E-21669						Valid Checking [1.1]			Detected [1003], Not Detected [1004], Invalid [1006]	
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	INFLUENZA A VIRUS PCR RESULT - LIAT	FLUALIAT			Influenza A Virus PCR Result	92142-9	GSH Cobas Liat #1 SN:M1-E-21669						Abnormality - Abnormal [2.2]			Detected [1003], Invalid [1006]	
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	INFLUENZA A VIRUS PCR RESULT - LIAT	FLUALIAT			Influenza A Virus PCR Result	92142-9	GSH Cobas Liat #1 SN:M1-E-21669						Reportable Checking [3.1]			Detected [1003]	
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	INFLUENZA A VIRUS PCR RESULT - LIAT	FLUALIAT			Influenza A Virus PCR Result	92142-9	GSH Cobas Liat #1 SN:M1-E-21669						Display Reference Range [14.1]				Not Detected
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	INFLUENZA A VIRUS PCR RESULT - LIAT	FLUALIAT			Influenza A Virus PCR Result	92142-9							Reference Range			Not Detected [1004]	
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	INFLUENZA A VIRUS PCR RESULT - LIAT	FLUALIAT			Influenza A Virus PCR Result	92142-9							Valid Checking [1.1]			Detected [1003], Not Detected [1004], Invalid [1006]	
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	INFLUENZA A VIRUS PCR RESULT - LIAT	FLUALIAT			Influenza A Virus PCR Result	92142-9							Abnormality - Abnormal [2.2]			Detected [1003], Invalid [1006]	
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	INFLUENZA A VIRUS PCR RESULT - LIAT	FLUALIAT			Influenza A Virus PCR Result	92142-9							Reportable Checking [3.1]			Detected [1003]	

SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	SARS COV-2/COVID-19 RNA PCR RESULT	SARSCOVID			SARS CoV-2/COVID-19 RNA PCR Result	94500-6	CH PAVH BD MAX 2	~	~	~	~	~	~	Valid Checking [1.1]				Detected [1003], Not Detected [1004], Invalid [1006], Indeterminate [30], Unresolved [1157], Inconclusive [1158]
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	SARS COV-2/COVID-19 RNA PCR RESULT	SARSCOVID			SARS CoV-2/COVID-19 RNA PCR Result	94500-6	CH PAVH BD MAX 2	~	~	~	~	~	~	Abnormality - Abnormal [2.2]				Detected [1003], Invalid [1006]
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	SARS COV-2/COVID-19 RNA PCR RESULT	SARSCOVID			SARS CoV-2/COVID-19 RNA PCR Result	94500-6	CH PAVH BD MAX 2	~	~	~	~	~	~	Reportable Checking [3.1]				Detected [1003]
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	SARS COV-2/COVID-19 RNA PCR RESULT	SARSCOVID			SARS CoV-2/COVID-19 RNA PCR Result	94500-6	CH PAVH BD MAX 2	~	~	~	~	~	~	Display Reference Range [14.1]				Not Detected
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	SARS COV-2/COVID-19 RNA PCR RESULT	SARSCOVID			SARS CoV-2/COVID-19 RNA PCR Result	94500-6	CH PAVH BD MAX 2	~	~	~	~	~	~	Reference Range				Not Detected [1004]
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	SARS COV-2/COVID-19 RNA PCR RESULT	SARSCOVID			SARS CoV-2/COVID-19 RNA PCR Result	94500-6	CH PAVH BD MAX 2	~	~	~	~	~	~	Valid Checking [1.1]				Detected [1003], Not Detected [1004], Invalid [1006]
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	SARS COV-2/COVID-19 RNA PCR RESULT	SARSCOVID			SARS CoV-2/COVID-19 RNA PCR Result	94500-6	CH PAVH BD MAX 2	~	~	~	~	~	~	Abnormality - Abnormal [2.2]				Detected [1003], Invalid [1006]
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	SARS COV-2/COVID-19 RNA PCR RESULT	SARSCOVID			SARS CoV-2/COVID-19 RNA PCR Result	94500-6	CH PAVH BD MAX 2	~	~	~	~	~	~	Reportable Checking [3.1]				Detected [1003]
SARS COV2 COVID 19/INFLUENZA A, B [LAB120360] SARS COV2 COVID 19/INFLUENZA A, B CH LAB ONLY [LAB11266]	SARS-CoV-2 COVID-19/Influenza A,B [1238800240]	SARS COV-2/COVID-19 RNA PCR RESULT	SARSCOVID			SARS CoV-2/COVID-19 RNA PCR Result	94500-6	CH PAVH BD MAX 2	~	~	~	~	~	~	Display Reference Range [14.1]				Not Detected
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT PH, OTHER				pH, Other	11558-4		~	~	~	~	~	~	Valid Checking [1.1]	6.8	7.9	6.8-7.9	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT PCO2, OTHER			mm Hg	PCO2, Other	11557-6		~	~	~	~	~	~	Valid Checking [1.1]	17	130	17-130	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT PO2, OTHER			mm Hg	PO2, Other	11556-8		~	~	~	~	~	~	Valid Checking [1.1]	15	550	15-550	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Reference Range	7.26	7.49	7.26-7.49		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	0 up to 1 Days	~	0		1	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	7.29	7.45	7.29-7.45		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	1 Days up to 2 Days	~	1	Days	2	Days	Linearity Checking [9.1]	6.70	7.80	<6.70 or >7.80		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PH, TEMP CORRECTED, ARTERIAL	OTPH	2		pH, Temp Corrected, Arterial	49701-6	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45		

POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years Lab Patient	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Reference Range	35	48	35-48
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Critical [2.1]	60		>=60
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Abnormality - Abnormal [2.2]	35	48	<35 or >48
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PCO2, TEMP CORRECTED, ARTERIAL	OTCO2	mmHg	0	pCO2, Temp Corrected, Arterial	34705-4	Male 2 Years up to 150 Years	Male	2	Years	150	Years	Linearity Checking [9.1]	9	115	<9 or >115
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days Lab Patient Department is ~		0		1	Days	Reference Range	31	85	31-85
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days Lab Patient Department is ~		0		1	Days	Abnormality - Abnormal [2.2]	31	85	<31 or >85
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days Lab Patient Department is ~		0		1	Days	Linearity Checking [9.1]	15	550	<15 or >550
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days		0		1	Days	Reference Range	50	85	>50-85
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days		0		1	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days		0		1	Days	Abnormality - Abnormal [2.2]	31	85	<31 or >85
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	0 up to 1 Days		0		1	Days	Linearity Checking [9.1]	15	550	<15 or >550
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days Lab Patient Departm ~		1	Days	2	Days	Reference Range	54	95	54-95
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days Lab Patient Departm ~		1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days Lab Patient Departm ~		1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days		1	Days	2	Days	Reference Range	54	95	54-95
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days		1	Days	2	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days		1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	1 Days up to 2 Days		1	Days	2	Days	Linearity Checking [9.1]	15	550	<15 or >550
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months Lab Patient Depar ~		2	Days	2	Months	Reference Range	83	108	83-108
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months Lab Patient Depar ~		2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OTO2	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	2 Days up to 2 Months Lab Patient Depar ~		2	Days	2	Months	Linearity Checking [9.1]	15	550	<15 or >550

POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Critical [2.1]	60	<=60		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70	<=70		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	70 Years up to 80 Years	~	70	Years	80	Years	Linearity Checking [9.1]	15	550	<15 or >550	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Reference Range	60	>60		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Abnormality - Abnormal [2.2]	60	<=60		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Linearity Checking [9.1]	15	550	<15 or >550	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified		Reference Range	60	>60		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified		Abnormality - Critical [2.1]	60	<=60		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified		Abnormality - Abnormal [2.2]	60	<=60		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	PO2, TEMP CORRECTED, ARTERIAL	OT02	mmHg	0	pO2, Temp Corrected, Arterial	19254-2	80 Years up to unspecified	~	80	Years	unspecified		Linearity Checking [9.1]	15	550	<15 or >550	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT POTASSIUM, VENOUS		mmol/L		Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT POTASSIUM, VENOUS		mmol/L		Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Valid Checking [1.1]	1	10.0	1-10.0	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT POTASSIUM, VENOUS		mmol/L		Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT POTASSIUM, VENOUS		mmol/L		Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT POTASSIUM, VENOUS		mmol/L		Potassium, Venous	39789-3	0 up to 1 Years	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT POTASSIUM, VENOUS		mmol/L		Potassium, Venous	39789-3	0 up to 1 Years	~	0		1	Years	Valid Checking [1.1]	1	10.0	1-10.0	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT POTASSIUM, VENOUS		mmol/L		Potassium, Venous	39789-3	0 up to 1 Years	~	0		1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT POTASSIUM, VENOUS		mmol/L		Potassium, Venous	39789-3	0 up to 1 Years	~	0		1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT POTASSIUM, VENOUS		mmol/L		Potassium, Venous	39789-3	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified		Reference Range	3.6	4.9	3.6-4.9	

POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5		
POCT OTHER BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60061]	POCT Blood Gas Other EPOC [159]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	0 up to 1 Days	~	0		1	Days	Reference Range	7.26	7.49	7.26-7.49		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	0 up to 1 Days	~	0		1	Days	Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	7.29	7.45	7.29-7.45		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days	Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	7.31	7.42	7.31-7.42		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	7.26	7.43	7.26-7.43		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	6.80	7.90	6.80-7.90		

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL	.	.	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, ARTERIAL	.	.	2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	7.26	7.43	<7.26 or >7.43
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	27	40	27-40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	27	40	27-40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Critical [2.1]	60	>=60	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Reference Range	27	41	27-41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Reference Range	27	41	27-41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Critical [2.1]	60	>=60	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 24 Months up to unspecified L	Female	24	Months	unspecified		Reference Range	32	45	32-45
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 24 Months up to unspecified L	Female	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 24 Months up to unspecified L	Female	24	Months	unspecified		Abnormality - Abnormal [2.2]	32	45	<32 or >45
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 24 Months up to unspecified	Female	24	Months	unspecified		Reference Range	32	45	32-45
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 24 Months up to unspecified	Female	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PCO2, ARTERIAL	mm Hg	0	.	pCO2, Arterial	2019-8	Female 24 Months up to unspecified	Female	24	Months	unspecified		Abnormality - Critical [2.1]	60	>=60	

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, ARTERIAL, PEDS	.	.	mm Hg	pO2, Arterial	2703-7	80 Years up to unspecified	Lab Patient D	~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60	<=60			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, ARTERIAL, PEDS	.	.	mm Hg	pO2, Arterial	2703-7	80 Years up to unspecified		~	80	Years	unspecified	Reference Range	60	>60			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, ARTERIAL, PEDS	.	.	mm Hg	pO2, Arterial	2703-7	80 Years up to unspecified		~	80	Years	unspecified	Valid Checking [1.1]	15	550	15-550		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, ARTERIAL, PEDS	.	.	mm Hg	pO2, Arterial	2703-7	80 Years up to unspecified		~	80	Years	unspecified	Abnormality - Critical [2.1]	60	<=60			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, ARTERIAL, PEDS	.	.	mm Hg	pO2, Arterial	2703-7	80 Years up to unspecified		~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60	<=60			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SO2, ARTERIAL	.	.	%	SO2, Arterial	2708-6	0 up to 4 Days		~	0	4	Days	Reference Range	40	90	40-90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SO2, ARTERIAL	.	.	%	SO2, Arterial	2708-6	0 up to 4 Days		~	0	4	Days	Abnormality - Abnormal [2.2]	40	90	<40 or >90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SO2, ARTERIAL	.	.	%	SO2, Arterial	2708-6	4 Days up to unspecified		~	4	Days	unspecified	Reference Range	94	98	94-98		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SO2, ARTERIAL	.	.	%	SO2, Arterial	2708-6	4 Days up to unspecified		~	4	Days	unspecified	Abnormality - Abnormal [2.2]	94	98	<94 or >98		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT BASE EXCESS ARTERIAL	.	.	mmol/L	Base Excess, Arterial	1925-7	0 up to 4 Days		~	0	4	Days	Reference Range	-10	-2	-10--2		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT BASE EXCESS ARTERIAL	.	.	mmol/L	Base Excess, Arterial	1925-7	0 up to 4 Days		~	0	4	Days	Abnormality - Abnormal [2.2]	-10	-2	<-10 or >-2		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT BASE EXCESS ARTERIAL	.	.	mmol/L	Base Excess, Arterial	1925-7	4 Days up to 24 Months		~	4	Days	24	Months	Reference Range	-7	-1	-7--1	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT BASE EXCESS ARTERIAL	.	.	mmol/L	Base Excess, Arterial	1925-7	4 Days up to 24 Months		~	4	Days	24	Months	Abnormality - Abnormal [2.2]	-7	-1	<-7 or >-1	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT BASE EXCESS ARTERIAL	.	.	mmol/L	Base Excess, Arterial	1925-7	24 Months up to 12 Years		~	24	Months	12	Years	Reference Range	-4	2	-4-2	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT BASE EXCESS ARTERIAL	.	.	mmol/L	Base Excess, Arterial	1925-7	24 Months up to 12 Years		~	24	Months	12	Years	Abnormality - Abnormal [2.2]	-4	2	<-4 or >2	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT BASE EXCESS ARTERIAL	.	.	mmol/L	Base Excess, Arterial	1925-7	12 Years up to unspecified		~	12	Years	unspecified	Reference Range	-2	3	-2-3		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT BASE EXCESS ARTERIAL	.	.	mmol/L	Base Excess, Arterial	1925-7	12 Years up to unspecified		~	12	Years	unspecified	Abnormality - Abnormal [2.2]	-2	3	<-2 or >3		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HCO3, ARTERIAL	.	.	mmol/L	HCO3, Arterial	1960-4	0 up to 14 Days		~	0	14	Days	Reference Range	17	24	17-24		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HCO3, ARTERIAL	.	.	mmol/L	HCO3, Arterial	1960-4	0 up to 14 Days		~	0	14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HCO3, ARTERIAL	.	.	mmol/L	HCO3, Arterial	1960-4	14 Days up to 2 Months		~	14	Days	2	Months	Reference Range	19	24	19-24	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HCO3, ARTERIAL	.	.	mmol/L	HCO3, Arterial	1960-4	14 Days up to 2 Months		~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HCO3, ARTERIAL	.	.	mmol/L	HCO3, Arterial	1960-4	2 Months up to 2 Years		~	2	Months	2	Years	Reference Range	16	24	16-24	

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HCO3, ARTERIAL			mmol/L	HCO3, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HCO3, ARTERIAL			mmol/L	HCO3, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified		Reference Range	22	26	22-26
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HCO3, ARTERIAL			mmol/L	HCO3, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified		Abnormality - Abnormal [2.2]	22	26	<22 or >26
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 0 up to 15 Days	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 0 up to 15 Days	Female	0		15	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMOGLOBIN, ARTERIAL, PEDS			g/dL	Hemoglobi n, Arterial		Female 31 Days up to 61 Days	Female	31	Days	61	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	40.0	57.0	40.0-57.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5	<19.5		

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Reference Range	133	146	133-146
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	100	180	100-180
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Valid Checking [1.1]	100	180	100-180
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	136	145	136-145
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	100	180	100-180
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	136	145	<136 or >145
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	mmol/L	Potassium, Arterial	32713-0	0 up to 1 Years Lab Patient Department	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	mmol/L	Potassium, Arterial	32713-0	0 up to 1 Years Lab Patient Department	~	0		1	Years	Valid Checking [1.1]	1.0	10.0	1.0-10.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	mmol/L	Potassium, Arterial	32713-0	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	0 up to 1 Years	~	0	1	Years	Valid Checking [1.1]	1.0	10.0	1.0-10.0			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Valid Checking [1.1]	1.0	10.0	1.0-10.0			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	1.0	10.0	1.0-10.0			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT POTASSIUM	.	.	.	Potassium, Arterial	32713-0	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT CHLORIDE	.	.	.	Chloride, Whole Blood		0 up to 8 Days	~	0	8	Days	Reference Range	96	111	96-111			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT CHLORIDE	.	.	.	Chloride, Whole Blood		0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	50	140	50-140			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT CHLORIDE	.	.	.	Chloride, Whole Blood		0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT CHLORIDE	.	.	.	Chloride, Whole Blood		8 Days up to 7 Months	~	8	Days	7	Months	Reference Range	96	110	96-110		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT CHLORIDE	.	.	.	Chloride, Whole Blood		8 Days up to 7 Months	~	8	Days	7	Months	Valid Checking [1.1]	50	140	50-140		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT CHLORIDE	.	.	.	Chloride, Whole Blood		8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT CHLORIDE	.	.	.	Chloride, Whole Blood		7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108	96-108		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT CHLORIDE	.	.	.	Chloride, Whole Blood		7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1.1]	50	140	50-140		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT CHLORIDE	.	.	.	Chloride, Whole Blood		7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108		

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT IONIZED CALCIUM	.	mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT IONIZED CALCIUM	.	mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.5 or >5.1
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT IONIZED CALCIUM	.	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT IONIZED CALCIUM	.	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT IONIZED CALCIUM	.	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT IONIZED CALCIUM	.	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT IONIZED CALCIUM	.	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT IONIZED CALCIUM	.	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT IONIZED CALCIUM	.	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		0 up to 2 Days Lab Patient Department is	~	0		2	Days	Reference Range	41	60	41-60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		0 up to 2 Days Lab Patient Department is	~	0		2	Days	Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		0 up to 2 Days Lab Patient Department is	~	0		2	Days	Abnormality - Critical [2.1]	40		<=40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		0 up to 2 Days Lab Patient Department is	~	0		2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		0 up to 2 Days	~	0		2	Days	Reference Range	41	60	41-60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		0 up to 2 Days	~	0		2	Days	Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		0 up to 2 Days	~	0		2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		0 up to 2 Days	~	0		2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	2 Days up to 1 Years	~	2	Days	1	Years	Valid Checking [1.1]	10	700	10-700		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Reference Range	60	99	60-99		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Valid Checking [1.1]	10	700	10-700		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Abnormality - Critical [2.1]	50		<=50		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	1 Years up to 17 Years Lab Patient Depart	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	1 Years up to 17 Years	~	1	Years	17	Years	Valid Checking [1.1]	10	700	10-700		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Reference Range	74	99	74-99		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Valid Checking [1.1]	10	700	10-700		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Critical [2.1]	50		<=50		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	10	700	10-700		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT GLUCOSE, PEDS	.	.	.	Glucose, Whole Blood	.	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9	Lab Patient Department is ED	~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6		

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9							Reference Range	0.5	1.6	0.5-1.6		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9							Valid Checking [1.1]	0.3	17.0	0.3-17.0		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9							Abnormality - Critical [2.1]		8.0	>8.0		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9							Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		0 up to 1 Days						Reference Range	7.26	7.49	7.26-7.49		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		0 up to 1 Days						Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		0 up to 1 Days						Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		0 up to 1 Days						Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		1 Days up to 2 Days						Reference Range	7.29	7.45	7.29-7.45		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		1 Days up to 2 Days						Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		1 Days up to 2 Days						Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		1 Days up to 2 Days						Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		2 Days up to 60 Years						Reference Range	7.35	7.45	7.35-7.45		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		2 Days up to 60 Years						Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		2 Days up to 60 Years						Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		2 Days up to 60 Years						Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		60 Years up to 90 Years						Reference Range	7.31	7.42	7.31-7.42		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		60 Years up to 90 Years						Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		60 Years up to 90 Years						Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		60 Years up to 90 Years						Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		90 Years up to unspecified						Reference Range	7.26	7.43	7.26-7.43		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial		90 Years up to unspecified						Valid Checking [1.1]	6.80	7.90	6.80-7.90		

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS				pO2, Temp Corrected, Arterial		80 Years up to unspecified Lab Patient D	~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60		<=60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS				pO2, Temp Corrected, Arterial		80 Years up to unspecified	~	80	Years	unspecified	Reference Range	60		>60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS				pO2, Temp Corrected, Arterial		80 Years up to unspecified	~	80	Years	unspecified	Valid Checking [1.1]	15	550	15-550		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS				pO2, Temp Corrected, Arterial		80 Years up to unspecified	~	80	Years	unspecified	Abnormality - Critical [2.1]	60		<=60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS				pO2, Temp Corrected, Arterial		80 Years up to unspecified	~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60		<=60		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM [LAB11191]	POCT Arterial Pediatric Blood Gas GEM [738]	CRITICAL READBACK				Critical Readback			~	~	~	~	Valid Checking [1.1]					Y [1131], N [1132]
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT PH, OTHER				pH, Other	11558-4		~	~	~	~	Valid Checking [1.1]	6.8	7.9	6.8-7.9		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT PCO2, OTHER				PCO2, Other	11557-6		~	~	~	~	Valid Checking [1.1]	17	130	17-130		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT PO2, OTHER, PEDS				POCT pO2, Other, Peds			~	~	~	~	Valid Checking [1.1]	15	550	15-550		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT HEMOGLOBIN, OTHER, PEDS				POCT Hemoglobin, Other, Peds			~	~	~	~	Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT SODIUM, OTHER				Sodium, Other			~	~	~	~	Valid Checking [1.1]	100	180	100-180		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT POTASSIUM, OTHER				Potassium, Other			~	~	~	~	Valid Checking [1.1]	1.0	10.0	1.0-10.0		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT CHLORIDE, OTHER				POCT Chloride, Other			~	~	~	~	Valid Checking [1.1]	70	140	70-140		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT IONIZED CALCIUM, OTHER				Ionized Calcium, Other			~	~	~	~	Valid Checking [1.1]	1.0	12.0	1.0-12.0		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT GLUCOSE, OTHER, PEDS				POCT Glucose, Other, Peds			~	~	~	~	Valid Checking [1.1]	10	700	10-700		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT LACTATE, OTHER				Lactate, Other			~	~	~	~	Valid Checking [1.1]	0.3	17	0.3-17		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT PH, TEMP CORRECT, OTHER				pH, Temp Correct, Other		0 up to 150 Years	~	0	150	Years	Valid Checking [1.1]	6.8	7.9	6.8-7.9		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT PCO2, TEMP CORRECT, OTHER				PCO2, Temp Correct, Other			~	~	~	~	Valid Checking [1.1]	17	130	17-130		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	POCT PO2, TEMP CORRECTED, OTHER, PEDS				POCT pO2, Temp Corrected, Other, Peds			~	~	~	~	Valid Checking [1.1]	15	550	15-550		
POCT OTHER PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11193]	POCT Pediatric Blood Gas Other GEM [741]	CRITICAL READBACK				Critical Readback			~	~	~	~	Valid Checking [1.1]					Y [1131], N [1132]
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL				pH, Arterial	2744-1	0 up to 1 Days	~	0	1	Days	Reference Range	7.26	7.49	7.26-7.49		

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	0 up to 1 Days	~	0			1	Days	Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	0 up to 1 Days	~	0			1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	0 up to 1 Days	~	0			1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days		2	Days	Reference Range	7.29	7.45	7.29-7.45
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days		2	Days	Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days		2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days		2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	7.31	7.42	7.31-7.42	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified			Reference Range	7.26	7.43	7.26-7.43
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL			2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified			Valid Checking [1.1]	6.80	7.90	6.80-7.90

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL				2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, ARTERIAL				2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	7.26	7.43	<7.26 or >7.43
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Reference Range	27	40	27-40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 0 up to 4 Days Lab Patient Dep	Female	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Reference Range	27	40	27-40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Critical [2.1]		60	>=60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 0 up to 4 Days	Female	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24 Months	Reference Range	27	41	27-41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24 Months	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24 Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 4 Days up to 24 Months	Female	4	Days	24 Months	Reference Range	27	41	27-41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 4 Days up to 24 Months	Female	4	Days	24 Months	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 4 Days up to 24 Months	Female	4	Days	24 Months	Abnormality - Critical [2.1]		60	>=60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 4 Days up to 24 Months	Female	4	Days	24 Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL		mm Hg	0		pCO2, Arterial	2019-8	Female 24 Months up to unspecified L	Female	24	Months	unspecified	Reference Range	32	45	32-45

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Valid Checking [1.1]	17	130	17-130	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Abnormal [2.2]	32	45	<32 or >45	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Reference Range	32	45	32-45	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Valid Checking [1.1]	17	130	17-130	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Critical [2.1]		60	>=60	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Female 24 Months up to unspecified	Female	24	Months	unspecified	Abnormality - Abnormal [2.2]	32	45	<32 or >45	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Reference Range	27	40	27-40	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Valid Checking [1.1]	17	130	17-130	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0	4	Days	Reference Range	27	40	27-40	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0	4	Days	Valid Checking [1.1]	17	130	17-130	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Critical [2.1]		60	>=60	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Reference Range	27	41	27-41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL			mm Hg	0	pCO2, Arterial	2019-8	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	27	41	27-41

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Reference Range	35	48	35-48
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	35	48	<35 or >48
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	35	48	35-48
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 24 Months up to unspecified	Male	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, ARTERIAL	mm Hg	0	pCO2, Arterial	2019-8	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	35	48	<35 or >48
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg		pO2, Arterial	2703-7	0 up to 1 Days Lab Patient Department is ~		0	1	Days		Reference Range	31	85	31-85
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg		pO2, Arterial	2703-7	0 up to 1 Days Lab Patient Department is ~		0	1	Days		Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg		pO2, Arterial	2703-7	0 up to 1 Days Lab Patient Department is ~		0	1	Days		Abnormality - Abnormal [2.2]	31	85	<31 or >85
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg		pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days		Reference Range	50	85	>50-85
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg		pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days		Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg		pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days		Abnormality - Critical [2.1]	50	300	<=50 or >=300
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg		pO2, Arterial	2703-7	0 up to 1 Days	~	0	1	Days		Abnormality - Abnormal [2.2]	31	85	<31 or >85

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Reference Range	54	95	54-95
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	1 Days up to 2 Days Lab Patient Departm	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	54	95	54-95
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Reference Range	83	108	83-108
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Days up to 2 Months Lab Patient Depar	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Reference Range	83	108	83-108
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Critical [2.1]	50	300	<=50 or >=300
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Days up to 2 Months	~	2	Days	2	Months	Abnormality - Abnormal [2.2]	83	108	<83 or >108
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Months up to 60 Years Lab Patient Dep	~	2	Months	60	Years	Reference Range	83	108	83-108
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Months up to 60 Years Lab Patient Dep	~	2	Months	60	Years	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	mm Hg	pO2, Arterial	2703-7	2 Months up to 60 Years Lab Patient Dep	~	2	Months	60	Years	Abnormality - Abnormal [2.2]	83	108	<83 or >108

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Reference Range	83	108	83-108
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Abnormality - Critical [2.1]	60		<=60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	2 Months up to 60 Years	~	2	Months	60	Years	Abnormality - Abnormal [2.2]	83	108	<83 or >108
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Reference Range	80		>80
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	60 Years up to 70 Years Lab Patient Dep	~	60	Years	70	Years	Abnormality - Abnormal [2.2]	80		<=80
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Reference Range	80		>80
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Abnormality - Critical [2.1]	60		<=60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	60 Years up to 70 Years	~	60	Years	70	Years	Abnormality - Abnormal [2.2]	80		<=80
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Reference Range	70		>70
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	70 Years up to 80 Years Lab Patient Dep	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70		<=70
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Reference Range	70		>70
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	.	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Critical [2.1]	60		<=60

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	pO2, Arterial	2703-7	70 Years up to 80 Years	~	70	Years	80	Years	Abnormality - Abnormal [2.2]	70	<=70				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	pO2, Arterial	2703-7	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Reference Range	60	>60				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	pO2, Arterial	2703-7	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Valid Checking [1.1]	15	550	15-550			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	pO2, Arterial	2703-7	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified		Abnormality - Abnormal [2.2]	60	<=60				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified		Reference Range	60	>60				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified		Valid Checking [1.1]	15	550	15-550			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified		Abnormality - Critical [2.1]	60	<=60				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, ARTERIAL, PEDS	.	.	pO2, Arterial	2703-7	80 Years up to unspecified	~	80	Years	unspecified		Abnormality - Abnormal [2.2]	60	<=60				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SO2, ARTERIAL	.	0	SO2, Arterial	2708-6	0 up to 4 Days	~	0	4	Days		Reference Range	40	90	40-90			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SO2, ARTERIAL	.	0	SO2, Arterial	2708-6	0 up to 4 Days	~	0	4	Days		Abnormality - Abnormal [2.2]	40	90	<40 or >90			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SO2, ARTERIAL	.	0	SO2, Arterial	2708-6	4 Days up to unspecified	~	4	Days	unspecified		Reference Range	94	98	94-98			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SO2, ARTERIAL	.	0	SO2, Arterial	2708-6	4 Days up to unspecified	~	4	Days	unspecified		Abnormality - Abnormal [2.2]	94	98	<94 or >98			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT BASE EXCESS ARTERIAL	.		Base Excess, Arterial	1925-7	0 up to 4 Days	~	0	4	Days		Reference Range	-10	-2	-10--2			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT BASE EXCESS ARTERIAL	.		Base Excess, Arterial	1925-7	0 up to 4 Days	~	0	4	Days		Abnormality - Abnormal [2.2]	-10	-2	<-10 or >-2			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT BASE EXCESS ARTERIAL	.		Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Reference Range	-7	-1	-7--1			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT BASE EXCESS ARTERIAL	.		Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Abnormality - Abnormal [2.2]	-7	-1	<-7 or >-1			
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT BASE EXCESS ARTERIAL	.		Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Reference Range	-4	2	-4-2			

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT BASE EXCESS ARTERIAL	.	.	.	Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Abnormality - Abnormal [2.2]	-4	2	<-4 or >2
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT BASE EXCESS ARTERIAL	.	.	.	Base Excess, Arterial	1925-7	12 Years up to unspecified	~	12	Years	unspecified	Reference Range	-2	3	-2.3	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT BASE EXCESS ARTERIAL	.	.	.	Base Excess, Arterial	1925-7	12 Years up to unspecified	~	12	Years	unspecified	Abnormality - Abnormal [2.2]	-2	3	<-2 or >3	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HCO3, ARTERIAL	.	.	.	HCO3, Arterial	1960-4	0 up to 14 Days	~	0	14	Days	Reference Range	17	24	17-24	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HCO3, ARTERIAL	.	.	.	HCO3, Arterial	1960-4	0 up to 14 Days	~	0	14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HCO3, ARTERIAL	.	.	.	HCO3, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HCO3, ARTERIAL	.	.	.	HCO3, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HCO3, ARTERIAL	.	.	.	HCO3, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HCO3, ARTERIAL	.	.	.	HCO3, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HCO3, ARTERIAL	.	.	.	HCO3, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified	Reference Range	22	26	22-26	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HCO3, ARTERIAL	.	.	.	HCO3, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified	Abnormality - Abnormal [2.2]	22	26	<22 or >26	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS	g/dL	1	.	Hemoglobin, Arterial	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Reference Range	13.4	20.0	13.4-20.0		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS	g/dL	1	.	Hemoglobin, Arterial	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS	g/dL	1	.	Hemoglobin, Arterial	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS	g/dL	1	.	Hemoglobin, Arterial	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	13.4	20.0	13.4-20.0		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS	g/dL	1	.	Hemoglobin, Arterial	Female 0 up to 15 Days	Female	0	15	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS	g/dL	1	.	Hemoglobin, Arterial	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Critical [2.1]	6.5		<6.5		

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 61 Days up to 6 Months Lab Pa	Female	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Female 61 Days up to 6 Months Lab Pa	Female	61	Days	6	Months	Valid Checking [1.1]	3.0	22.0	3.0-22.0

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 61 Days up to 6 Months Lab Pa	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 6 Months up to 2 Years Lab Pat	Female	6	Months	2	Years	Reference Range	10.1	12.7	10.1-12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 6 Months up to 2 Years Lab Pat	Female	6	Months	2	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 6 Months up to 2 Years Lab Pat	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	10.1	12.7	10.1-12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS					Hemoglobi n, Arterial	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Female 17 Years up to 150 Years Lab P	Female	17	Years	150	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0						
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Female 17 Years up to 150 Years Lab P	Female	17	Years	150	Years	Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7						
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Reference Range	11.2	15.7	11.2-15.7						
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0						
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Abnormality - Critical [2.1]	6.5		<6.5						
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7						
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Reference Range	13.4	20.0	13.4-20.0							
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0							
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 0 up to 15 Days Lab Patient Depa	Male	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0							
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 0 up to 15 Days	Male	0	15	Days	Reference Range	13.4	20.0	13.4-20.0							
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 0 up to 15 Days	Male	0	15	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0							
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Critical [2.1]	6.5		<6.5							
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 0 up to 15 Days	Male	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0							
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3						
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0						
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3						
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS																			
			g/dl	1	Hemoglobin, Arterial	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3						

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 61 Days up to 6 Months Lab Patie	Male	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 61 Days up to 6 Months Lab Patie	Male	61	Days	6	Months	Valid Checking [1.1]	3.0	22.0	3.0-22.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 61 Days up to 6 Months Lab Patie	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Valid Checking [1.1]	3.0	22.0	3.0-22.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	6.5		<6.5	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4	

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 17 Years up to 150 Years Lab Pati	Male	17	Years	150	Years	Reference Range	13.7	17.5	13.7-17.5				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 17 Years up to 150 Years Lab Pati	Male	17	Years	150	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 17 Years up to 150 Years Lab Pati	Male	17	Years	150	Years	Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Reference Range	13.7	17.5	13.7-17.5				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0				
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMOGLOBIN, ARTERIAL, PEDS				Hemoglobi n, Arterial	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Abnormality - Critical [2.1]	6.5		<6.5				

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	40.0	57.0	40.0-57.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5	<19.5		
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0	

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%		Hematocrit, Arterial	32354-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 17 Years up to unspecified	Male	17	Years	unspecified	Reference Range	40.0	51.0	40.0-51.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 17 Years up to unspecified	Male	17	Years	unspecified	Abnormality - Critical [2.1]	19.5		<19.5	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT HEMATOCRIT	%	Hematocrit, Arterial	32354-3	Male 17 Years up to unspecified	Male	17	Years	unspecified	Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Reference Range	133	146	133-146
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	100	180	100-180
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Valid Checking [1.1]	100	180	100-180
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Reference Range	136	145	136-145	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Valid Checking [1.1]	100	180	100-180	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT SODIUM	mmol/L	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM	mmol/L	Potassium, Arterial	32713-0	0 up to 1 Years Lab Patient Department	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	0 up to 1 Years Lab Patient Department	~	0		1	Years	Valid Checking [1.1]	1.0	10.0	1.0-10.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	0 up to 1 Years	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	0 up to 1 Years	~	0		1	Years	Valid Checking [1.1]	1.0	10.0	1.0-10.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	0 up to 1 Years	~	0		1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	0 up to 1 Years	~	0		1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Valid Checking [1.1]	1.0	10.0	1.0-10.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	1.0	10.0	1.0-10.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT POTASSIUM		mmol/L	1	Potassium, Arterial	32713-0	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE		mmol/L		Chloride, Whole Blood		0 up to 8 Days	~	0		8	Days	Reference Range	96	111	96-111
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE		mmol/L		Chloride, Whole Blood		0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	50	140	50-140

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE																	
				mmol/L		Chloride, Whole Blood		0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2,2]	96	111		<96 or >111	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE				Chloride, Whole Blood		8 Days up to 7 Months	~	8	Days	7	Months	Reference Range	96	110		96-110	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE				Chloride, Whole Blood		8 Days up to 7 Months	~	8	Days	7	Months	Valid Checking [1,1]	50	140		50-140	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE				Chloride, Whole Blood		8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2,2]	96	110		<96 or >110	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE				Chloride, Whole Blood		7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108		96-108	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE				Chloride, Whole Blood		7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1,1]	50	140		50-140	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE				Chloride, Whole Blood		7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2,2]	96	108		<96 or >108	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE				Chloride, Whole Blood		1 Years up to unspecified	~	1	Years	unspecified		Reference Range	97	107		97-107	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE				Chloride, Whole Blood		1 Years up to unspecified	~	1	Years	unspecified		Valid Checking [1,1]	50	140		50-140	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT CHLORIDE				Chloride, Whole Blood		1 Years up to unspecified	~	1	Years	unspecified		Abnormality - Abnormal [2,2]	97	107		<97 or >107	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM				Ionized Calcium, Arterial	34581-9	0 up to 1 Days Lab Patient Department is	~	0		1	Days	Reference Range	4.3	5.1		4.3-5.1	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM				Ionized Calcium, Arterial	34581-9	0 up to 1 Days Lab Patient Department is	~	0		1	Days	Valid Checking [1,1]	1.0	12.0		1.0-12.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM				Ionized Calcium, Arterial	34581-9	0 up to 1 Days Lab Patient Department is	~	0		1	Days	Abnormality - Abnormal [2,2]	4.3	5.1		<4.3 or >5.1	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM				Ionized Calcium, Arterial	34581-9	0 up to 1 Days	~	0		1	Days	Reference Range	4.3	5.1		4.3-5.1	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM				Ionized Calcium, Arterial	34581-9	0 up to 1 Days	~	0		1	Days	Valid Checking [1,1]	1.0	12.0		1.0-12.0	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM				Ionized Calcium, Arterial	34581-9	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2,1]	3.0	6.5		<=3.0 or >=6.5	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM				Ionized Calcium, Arterial	34581-9	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2,2]	4.3	5.1		<4.3 or >5.1	

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days	~	1	Days	7	Days	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified	Reference Range	4.5	5.3	4.5-5.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT IONIZED CALCIUM	mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		0 up to 2 Days Lab Patient Department is	~	0		2 Days	Reference Range	41	60	41-60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		0 up to 2 Days Lab Patient Department is	~	0		2 Days	Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		0 up to 2 Days Lab Patient Department is	~	0		2 Days	Abnormality - Critical [2.1]	40		<=40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		0 up to 2 Days Lab Patient Department is	~	0		2 Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		0 up to 2 Days	~	0		2 Days	Reference Range	41	60	41-60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		0 up to 2 Days	~	0		2 Days	Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		0 up to 2 Days	~	0		2 Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		0 up to 2 Days	~	0		2 Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years Lab Patient Departm	~	2	Days	1 Years	Reference Range	50	80	50-80
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years Lab Patient Departm	~	2	Days	1 Years	Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years Lab Patient Departm	~	2	Days	1 Years	Abnormality - Critical [2.1]	40		<=40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years Lab Patient Departm	~	2	Days	1 Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL		Glucose, Whole Blood		2 Days up to 1 Years	~	2	Days	1 Years	Reference Range	50	80	50-80

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	2 Days up to 1 Years	~	2	Days	1	Years	Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	1 Years up to 17 Years Lab Patient Depar	~	1	Years	17	Years	Reference Range	60	99	60-99
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	1 Years up to 17 Years Lab Patient Depar	~	1	Years	17	Years	Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	1 Years up to 17 Years Lab Patient Depar	~	1	Years	17	Years	Abnormality - Critical [2.1]	50		<=50
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	1 Years up to 17 Years Lab Patient Depar	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	1 Years up to 17 Years	~	1	Years	17	Years	Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Reference Range	74	99	74-99
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Valid Checking [1.1]	10	700	10-700
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Critical [2.1]	50		<=50
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS	mg/dL	Glucose, Whole Blood	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	10	700	10-700

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS					Glucose, Whole Blood		17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT GLUCOSE, PEDS					Glucose, Whole Blood		17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1		Lactate, Arterial	2518-9	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1		Lactate, Arterial	2518-9	Lab Patient Department is ED	~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1		Lactate, Arterial	2518-9	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1		Lactate, Arterial	2518-9		~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1		Lactate, Arterial	2518-9		~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1		Lactate, Arterial	2518-9		~	~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1		Lactate, Arterial	2518-9		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL					pH, Temp Corrected, Arterial		0 up to 1 Days	~	0		1	Days	Reference Range	7.26	7.49	7.26-7.49
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL					pH, Temp Corrected, Arterial		0 up to 1 Days	~	0		1	Days	Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL					pH, Temp Corrected, Arterial		0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL					pH, Temp Corrected, Arterial		0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL					pH, Temp Corrected, Arterial		1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	7.29	7.45	7.29-7.45
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL					pH, Temp Corrected, Arterial		1 Days up to 2 Days	~	1	Days	2	Days	Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL					pH, Temp Corrected, Arterial		1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL					pH, Temp Corrected, Arterial		1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	2 Days up to 60 Years	~	2	Days	60	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	7.31	7.42	7.31-7.42
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	60 Years up to 90 Years	~	60	Years	90	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	7.26	7.43	7.26-7.43
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PH, TEMP CORRECTED, ARTERIAL				pH, Temp Corrected, Arterial	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	7.26	7.43	<7.26 or >7.43
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL			mm Hg	pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	27	40	27-40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL			mm Hg	pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL			mm Hg	pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL			mm Hg	pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	27	40	27-40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL			mm Hg	pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days	Female	0	.	4	Days	Abnormality - Critical [2.1]	60	>=60	.	.	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days	Female	0	.	4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Reference Range	27	41	27-41	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Reference Range	27	41	27-41	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Critical [2.1]	60	>=60	.	.	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 24 Months up to unspecified L	Female	24	Months	unspecified		Reference Range	32	45	32-45	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 24 Months up to unspecified L	Female	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 24 Months up to unspecified L	Female	24	Months	unspecified		Abnormality - Abnormal [2.2]	32	45	<32 or >45	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 24 Months up to unspecified	Female	24	Months	unspecified		Reference Range	32	45	32-45	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 24 Months up to unspecified	Female	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 24 Months up to unspecified	Female	24	Months	unspecified		Abnormality - Critical [2.1]	60	>=60	.	.	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Female 24 Months up to unspecified	Female	24	Months	unspecified		Abnormality - Abnormal [2.2]	32	45	<32 or >45	.	.
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 0 up to 4 Days Lab Patient Depart	Male	0	.	4	Days	Reference Range	27	40	27-40	.	.

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 0 up to 4 Days Lab Patient Depart	Male	0		4	Days	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 0 up to 4 Days Lab Patient Depart	Male	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 0 up to 4 Days	Male	0		4	Days	Reference Range	27	40	27-40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 0 up to 4 Days	Male	0		4	Days	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 0 up to 4 Days	Male	0		4	Days	Abnormality - Critical [2.1]		60	>=60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 0 up to 4 Days	Male	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Reference Range	27	41	27-41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	27	41	27-41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	27	41	<27 or >41
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Reference Range	35	48	35-48
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	35	48	<35 or >48
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	.	mm Hg	pCO2, Temp Corrected, Arterial	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	35	48	35-48

POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	mm Hg	pCO2, Temp Corrected, Arterial	Male 24 Months up to unspecified	Male	24	Months	unspecified	Valid Checking [1.1]	17	130	17-130	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	mm Hg	pCO2, Temp Corrected, Arterial	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Critical [2.1]		60	>=60	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PCO2, TEMP CORRECTED, ARTERIAL	mm Hg	pCO2, Temp Corrected, Arterial	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	35	48	<35 or >48	
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	0 up to 1 Days Lab Patient Department is ~		0		1	Days	Reference Range	31	85	31-85
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	0 up to 1 Days Lab Patient Department is ~		0		1	Days	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	0 up to 1 Days Lab Patient Department is ~		0		1	Days	Abnormality - Abnormal [2.2]	31	85	<31 or >85
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	0 up to 1 Days	~	0		1	Days	Reference Range	50	85	>50-85
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	0 up to 1 Days	~	0		1	Days	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	31	85	<31 or >85
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	1 Days up to 2 Days Lab Patient Departm ~		1	Days	2	Days	Reference Range	54	95	54-95
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	1 Days up to 2 Days Lab Patient Departm ~		1	Days	2	Days	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	1 Days up to 2 Days Lab Patient Departm ~		1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	54	95	54-95
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	1 Days up to 2 Days	~	1	Days	2	Days	Valid Checking [1.1]	15	550	15-550
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
POCT ARTERIAL PEDIATRIC BLOOD GAS GEM PERFUSION [LAB11203]	POCT Arterial Pediatric Blood Gas GEM Perfusion [7380]	POCT PO2, TEMP CORRECTED, ARTERIAL, PEDS	mm Hg	pO2, Temp Corrected, Arterial	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	54	95	<54 or >95

POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	7.29	7.45	7.29-7.45		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		1 Days up to 2 Days	~	1	Days	2	Days	Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		2 Days up to 60 Years	~	2	Days	60	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	7.31	7.42	7.31-7.42		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		60 Years up to 90 Years	~	60	Years	90	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		90 Years up to unspecified	~	90	Years	unspecified		Reference Range	7.26	7.43	7.26-7.43		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	6.80	7.90	6.80-7.90		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, ARTERIAL, EPOC				pH, Arterial		90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	7.26	7.43	<7.26 or >7.43		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PCO2, ARTERIAL, EPOC	mm Hg		2019-8	pCO2, Arterial	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	27	40	27-40			
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PCO2, ARTERIAL, EPOC	mm Hg		2019-8	pCO2, Arterial	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Valid Checking [1.1]	5	130	5-130			
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PCO2, ARTERIAL, EPOC	mm Hg		2019-8	pCO2, Arterial	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40			
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PCO2, ARTERIAL, EPOC	mm Hg		2019-8	pCO2, Arterial	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	27	40	27-40			

POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SO2, ARTERIAL	.	%	0	SO2, Arterial	2708-6	0 up to 4 Days	~	0		4	Days	Abnormality - Abnormal [2.2]	40	90	<40 or >90
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SO2, ARTERIAL	.	%	0	SO2, Arterial	2708-6	4 Days up to unspecified	~	4	Days	unspecified		Reference Range	94	98	94-98
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SO2, ARTERIAL	.	%	0	SO2, Arterial	2708-6	4 Days up to unspecified	~	4	Days	unspecified		Abnormality - Abnormal [2.2]	94	98	<94 or >98
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT BASE EXCESS ARTERIAL	.	mmol/L		Base Excess, Arterial	1925-7	0 up to 4 Days	~	0		4	Days	Reference Range	-10	-2	-10--2
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT BASE EXCESS ARTERIAL	.	mmol/L		Base Excess, Arterial	1925-7	0 up to 4 Days	~	0		4	Days	Abnormality - Abnormal [2.2]	-10	-2	<-10 or >-2
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT BASE EXCESS ARTERIAL	.	mmol/L		Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Reference Range	-7	-1	-7--1
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT BASE EXCESS ARTERIAL	.	mmol/L		Base Excess, Arterial	1925-7	4 Days up to 24 Months	~	4	Days	24	Months	Abnormality - Abnormal [2.2]	-7	-1	<-7 or >-1
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT BASE EXCESS ARTERIAL	.	mmol/L		Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Reference Range	-4	2	-4-2
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT BASE EXCESS ARTERIAL	.	mmol/L		Base Excess, Arterial	1925-7	24 Months up to 12 Years	~	24	Months	12	Years	Abnormality - Abnormal [2.2]	-4	2	<-4 or >2
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT BASE EXCESS ARTERIAL	.	mmol/L		Base Excess, Arterial	1925-7	12 Years up to unspecified	~	12	Years	unspecified		Reference Range	-2	3	-2-3
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HCO3, ARTERIAL	.	mmol/L		HCO3, Arterial	1960-4	0 up to 14 Days	~	0		14	Days	Reference Range	17	24	17-24
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HCO3, ARTERIAL	.	mmol/L		HCO3, Arterial	1960-4	0 up to 14 Days	~	0		14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HCO3, ARTERIAL	.	mmol/L		HCO3, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HCO3, ARTERIAL	.	mmol/L		HCO3, Arterial	1960-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HCO3, ARTERIAL	.	mmol/L		HCO3, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HCO3, ARTERIAL	.	mmol/L		HCO3, Arterial	1960-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HCO3, ARTERIAL	.	mmol/L		HCO3, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified		Reference Range	22	26	22-26
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HCO3, ARTERIAL	.	mmol/L		HCO3, Arterial	1960-4	2 Years up to unspecified	~	2	Years	unspecified		Abnormality - Abnormal [2.2]	22	26	<22 or >26
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	40.0	57.0	40.0-57.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0

POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5	<19.5	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5	<19.5	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5	<19.5	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 6 Months up to 12 Years	Male	6	Months	12	Years	Reference Range	31.0	38.0	31.0-38.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 6 Months up to 12 Years	Male	6	Months	12	Years	Abnormality - Critical [2.1]	19.5	<19.5	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 6 Months up to 12 Years	Male	6	Months	12	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	32.0	40.0	32.0-40.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5	<19.5	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		40.0	51.0	40.0-51.0	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		19.5	<19.5		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		40.0	51.0	<40.0 or >51.0	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM		mmol/L		Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Reference Range	133	146	133-146
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM		mmol/L		Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	100	180	100-180
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM		mmol/L		Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM		mmol/L		Sodium, Arterial	32717-1	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM		mmol/L		Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144

POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM	.	.	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Valid Checking [1.1]	100	180	100-180	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM	.	.	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM	.	.	Sodium, Arterial	32717-1	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM	.	.	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	136	145	136-145	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM	.	.	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	100	180	100-180	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT SODIUM	.	.	Sodium, Arterial	32717-1	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	120	165	<=120 or >=165	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood	32717-1	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	136	145	<136 or >145	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		0 up to 1 Years Lab Patient Department	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		0 up to 1 Years Lab Patient Department	~	0		1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		0 up to 1 Years	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		0 up to 1 Years	~	0		1	Years	Valid Checking [1.1]	1.5	10.0	1.5-10.0	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		0 up to 1 Years	~	0		1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		0 up to 1 Years	~	0		1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		1 Years up to unspecified Lab Patient De	~	1	Years	unspecified		Reference Range	3.6	4.9	3.6-4.9	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		1 Years up to unspecified Lab Patient De	~	1	Years	unspecified		Valid Checking [1.1]	1.5	10.0	1.5-10.0	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		1 Years up to unspecified Lab Patient De	~	1	Years	unspecified		Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		1 Years up to unspecified Lab Patient De	~	1	Years	unspecified		Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		1 Years up to unspecified	~	1	Years	unspecified		Reference Range	3.6	4.9	3.6-4.9	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		1 Years up to unspecified	~	1	Years	unspecified		Valid Checking [1.1]	1.5	10.0	1.5-10.0	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood		1 Years up to unspecified	~	1	Years	unspecified		Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5	

POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT POTASSIUM EPOC	.	.	Potassium, Whole Blood	.	1 Years up to unspecified	~	1	Years	unspecified	.	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	0 up to 8 Days	~	0		8 Days	.	Reference Range	96	111	96-111
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	0 up to 8 Days	~	0		8 Days	.	Valid Checking [1.1]	65	140	65-140
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	0 up to 8 Days	~	0		8 Days	.	Abnormality - Abnormal [2.2]	96	111	<96 or >111
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	8 Days up to 7 Months	~	8	Days	7 Months	.	Reference Range	96	110	96-110
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	8 Days up to 7 Months	~	8	Days	7 Months	.	Valid Checking [1.1]	65	140	65-140
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	8 Days up to 7 Months	~	8	Days	7 Months	.	Abnormality - Abnormal [2.2]	96	110	<96 or >110
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	7 Months up to 1 Years	~	7	Months	1 Years	.	Reference Range	96	108	96-108
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	7 Months up to 1 Years	~	7	Months	1 Years	.	Valid Checking [1.1]	65	140	65-140
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	7 Months up to 1 Years	~	7	Months	1 Years	.	Abnormality - Abnormal [2.2]	96	108	<96 or >108
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	1 Years up to unspecified	~	1	Years	unspecified	.	Reference Range	97	107	97-107
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	1 Years up to unspecified	~	1	Years	unspecified	.	Valid Checking [1.1]	65	140	65-140
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT CHLORIDE EPOC	.	.	Chloride, Whole Blood	.	1 Years up to unspecified	~	1	Years	unspecified	.	Abnormality - Abnormal [2.2]	97	107	<97 or >107
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM	.	1	Ionized Calcium, Arterial	34581-9	0 up to 1 Days Lab Patient Department is	~	0		1 Days	.	Reference Range	4.3	5.1	4.3-5.1
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM	.	1	Ionized Calcium, Arterial	34581-9	0 up to 1 Days Lab Patient Department is	~	0		1 Days	.	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM	.	1	Ionized Calcium, Arterial	34581-9	0 up to 1 Days Lab Patient Department is	~	0		1 Days	.	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM	.	1	Ionized Calcium, Arterial	34581-9	0 up to 1 Days	~	0		1 Days	.	Reference Range	4.3	5.1	4.3-5.1
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM	.	1	Ionized Calcium, Arterial	34581-9	0 up to 1 Days	~	0		1 Days	.	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM	.	1	Ionized Calcium, Arterial	34581-9	0 up to 1 Days	~	0		1 Days	.	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM	.	1	Ionized Calcium, Arterial	34581-9	0 up to 1 Days	~	0		1 Days	.	Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM	.	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7 Days	.	Reference Range	4.0	4.7	4.0-4.7
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM	.	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7 Days	.	Valid Checking [1.1]	1.0	12.0	1.0-12.0

POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days	~	1	Days	7	Days	Valid Checking [1.1]	1.0	12.0	1.0-12.0		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Valid Checking [1.1]	1.0	12.0	1.0-12.0		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Valid Checking [1.1]	1.0	12.0	1.0-12.0		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Valid Checking [1.1]	1.0	12.0	1.0-12.0		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	1.0	12.0	1.0-12.0		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT IONIZED CALCIUM		mg/dL	1	Ionized Calcium, Arterial	34581-9	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	0 up to 2 Days	~	0	2	Days		Reference Range	41	60	41-60		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	0 up to 2 Days	~	0	2	Days		Valid Checking [1.1]	20	700	20-700		
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	0 up to 2 Days	~	0	2	Days		Abnormality - Critical [2.1]	40	300	<=40 or >=300		

POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	0 up to 2 Days	~	0		2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	2 Days up to 1 Years	~	2	Days	1	Years	Valid Checking [1.1]	20	700	20-700
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	1 Years up to 17 Years	~	1	Years	17	Years	Valid Checking [1.1]	20	700	20-700
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	20	700	20-700
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT GLUCOSE ARTERIAL, EPOC	GLU	mg/dL		Glucose, Arterial	41651-1	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT LACTATE, ARTERIAL	GLU	mg/dL		Glucose, Arterial	41651-1	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9	Lab Patient Department is ED	~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9		~	~	~	~	~	Reference Range	0.5	1.6	0.5-1.6
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9		~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9		~	~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT LACTATE, ARTERIAL	LAART	mmol/L	1	Lactate, Arterial	2518-9		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	1.6	<0.5 or >1.6
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial		0 up to 1 Days	~	0		1	Days	Reference Range	7.26	7.49	7.26-7.49
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial		0 up to 1 Days	~	0		1	Days	Valid Checking [1.1]	6.5	7.8	6.5-7.8

POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	0 up to 1 Days	~	0		1	Days	Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	1 Days up to 2 Days	~	1	Days	2	Days	Reference Range	7.29	7.45	7.29-7.45	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	1 Days up to 2 Days	~	1	Days	2	Days	Valid Checking [1.1]	6.80	7.90	6.80-7.90	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	1 Days up to 2 Days	~	1	Days	2	Days	Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	2 Days up to 60 Years	~	2	Days	60	Years	Reference Range	7.35	7.45	7.35-7.45	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	2 Days up to 60 Years	~	2	Days	60	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	2 Days up to 60 Years	~	2	Days	60	Years	Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	60 Years up to 90 Years	~	60	Years	90	Years	Reference Range	7.31	7.42	7.31-7.42	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	60 Years up to 90 Years	~	60	Years	90	Years	Valid Checking [1.1]	6.80	7.90	6.80-7.90	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	60 Years up to 90 Years	~	60	Years	90	Years	Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	7.26	7.43	7.26-7.43	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	6.80	7.90	6.80-7.90	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PH, TEMP CORRECTED, ARTERIAL EPOC				pH, Temp Corrected, Arterial	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	7.26	7.43	<7.26 or >7.43	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PCO2, TEMP CORRECTED, ARTERIAL EPOC		mm Hg		pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	27	40	27-40	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PCO2, TEMP CORRECTED, ARTERIAL EPOC		mm Hg		pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Valid Checking [1.1]	5	130	5-130	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PCO2, TEMP CORRECTED, ARTERIAL EPOC		mm Hg		pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	27	40	<27 or >40	
POCT ARTERIAL BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60055]	POCT Arterial Blood Gas EPOC [1230115000]	POCT PCO2, TEMP CORRECTED, ARTERIAL EPOC		mm Hg		pCO2, Temp Corrected, Arterial	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	27	40	27-40	

POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PO2, VENOUS	.	.	.	pO2, Venous	2705-2	Reference Range	25	40	25-40	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PO2, VENOUS	.	.	.	pO2, Venous	2705-2	Valid Checking [1.1]	30	550	30-550	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PO2, VENOUS	.	.	.	pO2, Venous	2705-2	Abnormality - Abnormal [2.2]	25	40	<25 or >40	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SO2, VENOUS	.	0	.	SO2, Venous	2711-0	0 up to 4 Days	.	0	.	4	Days	Reference Range	40	85	40-85	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SO2, VENOUS	.	0	.	SO2, Venous	2711-0	0 up to 4 Days	.	0	.	4	Days	Abnormality - Abnormal [2.2]	40	85	<40 or >85	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SO2, VENOUS	.	0	.	SO2, Venous	2711-0	4 Days up to unspecified	.	4	Days	unspecified	.	Reference Range	65	80	65-80	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SO2, VENOUS	.	0	.	SO2, Venous	2711-0	4 Days up to unspecified	.	4	Days	unspecified	.	Abnormality - Abnormal [2.2]	65	80	<65 or >80	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	0 up to 4 Days	.	0	.	4	Days	Reference Range	-10	-2	-10-2	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	0 up to 4 Days	.	0	.	4	Days	Abnormality - Abnormal [2.2]	-10	-2	<-10 or >-2	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	4 Days up to 2 Years	.	4	Days	2	Years	Reference Range	-7	-1	-7-1	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	4 Days up to 2 Years	.	4	Days	2	Years	Abnormality - Abnormal [2.2]	-7	-1	<-7 or >-1	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	2 Years up to 12 Years	.	2	Years	12	Years	Reference Range	-4	2	-4-2	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	2 Years up to 12 Years	.	2	Years	12	Years	Abnormality - Abnormal [2.2]	-4	2	<-4 or >2	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	12 Years up to 150 Years	.	12	Years	150	Years	Reference Range	-2	3	-2-3	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	12 Years up to 150 Years	.	12	Years	150	Years	Abnormality - Abnormal [2.2]	-2	3	<-2 or >3	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	0 up to 14 Days	.	0	.	14	Days	Reference Range	17	24	17-24	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	0 up to 14 Days	.	0	.	14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	14 Days up to 2 Months	.	14	Days	2	Months	Reference Range	19	24	19-24	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	14 Days up to 2 Months	.	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	2 Months up to 2 Years	.	2	Months	2	Years	Reference Range	16	24	16-24	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	2 Months up to 2 Years	.	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24	.	.
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	2 Years up to unspecified	.	2	Years	unspecified	.	Reference Range	22	26	22-26	.	.

POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 12 Years up to 17 Years Lab Patel	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 17 Years up to 150 Years Lab Patel	Male	17	Years	150	Years	Reference Range	13.7	17.5	13.7-17.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 17 Years up to 150 Years Lab Patel	Male	17	Years	150	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 17 Years up to 150 Years Lab Patel	Male	17	Years	150	Years	Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 17 Years up to 150 Years Lab Patel	Male	17	Years	150	Years	Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Reference Range	13.7	17.5	13.7-17.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMOGLOBIN, VENOUS		g/dL	1	Hemoglobin, Venous	30350-3	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	40.0	57.0	40.0-57.0		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5		
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0		

POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5	<19.5	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 6 Months up to 12 Years	Male	6	Months	12	Years	Reference Range	31.0	38.0	31.0-38.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 6 Months up to 12 Years	Male	6	Months	12	Years	Abnormality - Critical [2.1]	19.5	<19.5	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 6 Months up to 12 Years	Male	6	Months	12	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	32.0	40.0	32.0-40.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5	<19.5	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT HEMATOCRIT, EPOC	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5	<19.5	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS	HCT	%	1	Hematocrit, Whole Blood	4544-3	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Reference Range	133	146	133-146
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	100	180	100-180
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Valid Checking [1.1]	100	180	100-180
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	136	145	136-145
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	100	180	100-180
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT SODIUM, VENOUS		mmol/L		Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	120	165	<=120 or >=165

POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT CHLORIDE, VENOUS, EPOC				mmol/L	Chloride, Venous	41649-5	8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT CHLORIDE, VENOUS, EPOC				mmol/L	Chloride, Venous	41649-5	7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108	96-108
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT CHLORIDE, VENOUS, EPOC				mmol/L	Chloride, Venous	41649-5	7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1.1]	65	140	65-140
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT CHLORIDE, VENOUS, EPOC				mmol/L	Chloride, Venous	41649-5	7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT CHLORIDE, VENOUS, EPOC				mmol/L	Chloride, Venous	41649-5	1 Years up to unspecified	~	1	Years	unspecified		Reference Range	97	107	97-107
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT CHLORIDE, VENOUS, EPOC				mmol/L	Chloride, Venous	41649-5	1 Years up to unspecified	~	1	Years	unspecified		Valid Checking [1.1]	65	140	65-140
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT CHLORIDE, VENOUS, EPOC				mmol/L	Chloride, Venous	41649-5	1 Years up to unspecified	~	1	Years	unspecified		Abnormality - Abnormal [2.2]	97	107	<97 or >107
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days		Reference Range	4.3	5.1	4.3-5.1
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days		Valid Checking [1.1]	0.8	12.0	0.8-12.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days		Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	0 up to 1 Days	~	0	1	Days		Reference Range	4.3	5.1	4.3-5.1
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	0 up to 1 Days	~	0	1	Days		Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	0 up to 1 Days	~	0	1	Days		Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	0 up to 1 Days	~	0	1	Days		Abnormality - Abnormal [2.2]	4.3	5.1	<4.3 or >5.1
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	1 Days up to 7 Days	~	1	Days	7	Days	Reference Range	4.0	4.7	4.0-4.7
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	1 Days up to 7 Days	~	1	Days	7	Days	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	1 Days up to 7 Days	~	1	Days	7	Days	Abnormality - Abnormal [2.2]	4.0	4.7	<4.0 or >4.7
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS				mg/dL	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years Lab Patient Departm	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1

POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Reference Range	4.5	5.3	4.5-5.3	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Valid Checking [1.1]	1.0	12.0	1.0-12.0	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified	Reference Range	4.5	5.3	4.5-5.3	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified	Valid Checking [1.1]	1.0	12.0	1.0-12.0	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified	Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days	Reference Range	41	60	41-60	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days	Valid Checking [1.1]	20	700	20-700	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	2 Days up to 1 Years	~	2	Days	1	Years	Valid Checking [1.1]	20	700	20-700
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99

POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	1 Years up to 17 Years	~	1	Years	17	Years	Valid Checking [1.1]	20	700	20-700	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	20	700	20-700	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT GLUCOSE VENOUS, EPOC	GLU	mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT LACTATE, VENOUS	GLU	mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PH, TEMP CORRECTED, VENOUS EPOC				pH, Temp Corrected, Venous			~	~	~	~	~	Reference Range	7.32	7.43	7.32-7.43	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PH, TEMP CORRECTED, VENOUS EPOC				pH, Temp Corrected, Venous			~	~	~	~	~	Valid Checking [1.1]	6.5	7.8	6.5-7.8	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PH, TEMP CORRECTED, VENOUS EPOC				pH, Temp Corrected, Venous			~	~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PH, TEMP CORRECTED, VENOUS EPOC				pH, Temp Corrected, Venous			~	~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	33	47	33-47	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Valid Checking [1.1]	5	130	5-130	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days	Female	0		4	Days	Reference Range	33	47	33-47	

POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 0 up to 4 Days	Male	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months Lab Patient	Male	4	Days	24	Months	Reference Range	33	48	33-48
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months Lab Patient	Male	4	Days	24	Months	Valid Checking [1.1]	5	130	5-130
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months Lab Patient	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Valid Checking [1.1]	5	130	5-130
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Reference Range	40	55	40-55	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Valid Checking [1.1]	5	130	5-130	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified	Reference Range	40	55	40-55	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified	Valid Checking [1.1]	5	130	5-130	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Critical [2.1]		60	>=60	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PCO2, TEMP CORRECTED, VENOUS EPOC				mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55	
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PO2, TEMP CORRECTED, VENOUS				mm Hg	pO2, Temp Corrected, Venous	0 up to 1 Days	~	0		1	Days	Reference Range	50	300	>50-300
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PO2, TEMP CORRECTED, VENOUS				mm Hg	pO2, Temp Corrected, Venous	0 up to 1 Days	~	0		1	Days	Valid Checking [1.1]	15	550	15-550
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PO2, TEMP CORRECTED, VENOUS				mm Hg	pO2, Temp Corrected, Venous	0 up to 1 Days	~	0		1	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PO2, TEMP CORRECTED, VENOUS				mm Hg	pO2, Temp Corrected, Venous	1 Days up to 150 Years	~	1	Days	150	Years	Reference Range	25	40	25-40
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PO2, TEMP CORRECTED, VENOUS				mm Hg	pO2, Temp Corrected, Venous	1 Days up to 150 Years	~	1	Days	150	Years	Valid Checking [1.1]	15	550	15-550
POCT VENOUS BLOOD GAS EPOC UNSOLICITED RESULTS [LAB60053]	POCT Venous Blood Gas EPOC [1230115001]	POCT PO2, TEMP CORRECTED, VENOUS				mm Hg	pO2, Temp Corrected, Venous	1 Days up to 150 Years	~	1	Days	150	Years	Abnormality - Abnormal [2.2]	25	40	<25 or >40
POCT GLUCOSE METER UNSOLICITED RESULTS [LAB60005]	POCT Glucose [1230115004]	POCT GLUCOSE (GLUCOMETER/TELC OR VERISON)	PGLU	mg/dL	0		POCT Glucose	52041-1 0 up to 2 Days Lab Patient Department is	~	0		2	Days	Reference Range	41	60	41-60
POCT GLUCOSE METER UNSOLICITED RESULTS [LAB60005]	POCT Glucose [1230115004]	POCT GLUCOSE (GLUCOMETER/TELC OR VERISON)	PGLU	mg/dL	0		POCT Glucose	52041-1 0 up to 2 Days Lab Patient Department is	~	0		2	Days	Valid Checking [1.1]	10	600	10-600

POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Female 60 Years up to 90 Years	Female	60	Years	90	Years	Reference Range	0.6	1.1	0.6-1.1		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Female 60 Years up to 90 Years	Female	60	Years	90	Years	Valid Checking [1.1]	0.8	1.4	0.8-1.4		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Female 60 Years up to 90 Years	Female	60	Years	90	Years	Abnormality - Abnormal [2.2]	0.6	1.1	<0.6 or >1.1		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Female 90 Years up to unspecified	Female	90	Years	unspecified	Reference Range	0.6	1.3	0.6-1.3			
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Female 90 Years up to unspecified	Female	90	Years	unspecified	Valid Checking [1.1]	0.8	1.4	0.8-1.4			
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Female 90 Years up to unspecified	Female	90	Years	unspecified	Abnormality - Abnormal [2.2]	0.6	1.3	<0.6 or >1.3			
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 0 up to 18 Years	Male	0		18	Years	Valid Checking [1.1]	0.8	1.4	0.8-1.4		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 18 Years up to 60 Years	Male	18	Years	60	Years	Reference Range	0.8	1.3	0.8-1.3		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 18 Years up to 60 Years	Male	18	Years	60	Years	Valid Checking [1.1]	0.8	1.4	0.8-1.4		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 18 Years up to 60 Years	Male	18	Years	60	Years	Abnormality - Abnormal [2.2]	0.8	1.3	<0.8 or >1.3		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 60 Years up to 90 Years	Male	60	Years	90	Years	Reference Range	0.8	1.3	0.8-1.3		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 60 Years up to 90 Years	Male	60	Years	90	Years	Valid Checking [1.1]	0.8	1.4	0.8-1.4		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 60 Years up to 90 Years	Male	60	Years	90	Years	Abnormality - Abnormal [2.2]	0.8	1.3	<0.8 or >1.3		
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 90 Years up to unspecified	Male	90	Years	unspecified	Reference Range	1.0	1.7	1.0-1.7			
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 90 Years up to unspecified	Male	90	Years	unspecified	Valid Checking [1.1]	0.8	1.4	0.8-1.4			
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT CREATININE		mg/dL	1	Creatinine, Point of Care	38483-4	Male 90 Years up to unspecified	Male	90	Years	unspecified	Abnormality - Abnormal [2.2]	1.0	1.7	<1.0 or >1.7			
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT EGFR		mL/min/1.73m ²	POCT eGFR			0 up to 20 Years	~	0		20	Years	Display Reference Range [14.1]					Testing on the Nova StatSensor is not approved for ages <18 years.
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT EGFR		mL/min/1.73m ²	POCT eGFR			20 Years up to unspecified	~	20	Years	unspecified	Reference Range	60		>60			
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT EGFR		mL/min/1.73m ²	POCT eGFR			20 Years up to unspecified	~	20	Years	unspecified	Valid Checking [1.1]		60	<=60			
POCT CREATININE UNSOLICITED RESULTS [LAB60020]	POCT Creatinine [1230133347]	POCT EGFR		mL/min/1.73m ²	POCT eGFR			20 Years up to unspecified	~	20	Years	unspecified	Abnormality - Abnormal [2.2]	60		<=60			
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Female 0 up to 18 Years	Female	0		18	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Female 18 Years up to 90 Years	Female	18	Years	90	Years	Reference Range	0.6	1.1	0.6-1.1		
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Female 18 Years up to 90 Years	Female	18	Years	90	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0		
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Female 18 Years up to 90 Years	Female	18	Years	90	Years	Abnormality - Abnormal [2.2]	0.6	1.1	<0.6 or >1.1		
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Female 90 Years up to unspecified	Female	90	Years	unspecified	Reference Range	0.6	1.3	0.6-1.3			

POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Female 90 Years up to unspecified	Female	90	Years	unspecified		Valid Checking [1.1]	0.2	15.0	0.2-15.0
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Female 90 Years up to unspecified	Female	90	Years	unspecified		Abnormality - Abnormal [2.2]	0.6	1.3	<0.6 or >1.3
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Male 0 up to 18 Years	Male	0	18	Years		Valid Checking [1.1]	0.2	15.0	0.2-15.0
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Male 18 Years up to 90 Years	Male	18	Years	90	Years	Reference Range	0.8	1.3	0.8-1.3
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Male 18 Years up to 90 Years	Male	18	Years	90	Years	Valid Checking [1.1]	0.2	15.0	0.2-15.0
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Male 18 Years up to 90 Years	Male	18	Years	90	Years	Abnormality - Abnormal [2.2]	0.8	1.3	<0.8 or >1.3
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Male 90 Years up to unspecified	Male	90	Years	unspecified		Reference Range	1.0	1.7	1.0-1.7
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Male 90 Years up to unspecified	Male	90	Years	unspecified		Valid Checking [1.1]	0.2	15.0	0.2-15.0
POCT CREATININE ISTAT UNSOLICITED RESULTS [LAB60090]	POCT CREATININE ISTAT [1230233347]	POCT CREATININE ISTAT		mg/dL	1	Creatinine, Point of Care	38483-4	Male 90 Years up to unspecified	Male	90	Years	unspecified		Abnormality - Abnormal [2.2]	1.0	1.7	<1.0 or >1.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	0 up to 1 Days	~	0	1	Days		Reference Range	7.26	7.49	7.26-7.49	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	0 up to 1 Days	~	0	1	Days		Valid Checking [1.1]	6.80	7.90	6.80-7.90	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	0 up to 1 Days	~	0	1	Days		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	0 up to 1 Days	~	0	1	Days		Abnormality - Abnormal [2.2]	7.26	7.49	<7.26 or >7.49	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days		Reference Range	7.29	7.45	7.29-7.45
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days		Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	1 Days up to 2 Days	~	1	Days	2	Days		Abnormality - Abnormal [2.2]	7.29	7.45	<7.29 or >7.45
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years		Reference Range	7.35	7.45	7.35-7.45
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years		Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	2 Days up to 60 Years	~	2	Days	60	Years		Abnormality - Abnormal [2.2]	7.35	7.45	<7.35 or >7.45
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years		Reference Range	7.31	7.42	7.31-7.42
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years		Valid Checking [1.1]	6.80	7.90	6.80-7.90
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years		Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	60 Years up to 90 Years	~	60	Years	90	Years		Abnormality - Abnormal [2.2]	7.31	7.42	<7.31 or >7.42
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PH, ARTERIAL		2	pH, Arterial	2744-1	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	7.26	7.43	7.26-7.43	

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, ARTERIAL	.	.	pO2, Arterial	2703-7	80 Years up to unspecified	Lab Patient D	~	80	Years	unspecified	Reference Range	60	>60		
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, ARTERIAL	.	.	pO2, Arterial	2703-7	80 Years up to unspecified	Lab Patient D	~	80	Years	unspecified	Valid Checking [1.1]	30	550	30-550	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, ARTERIAL	.	.	pO2, Arterial	2703-7	80 Years up to unspecified	Lab Patient D	~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60	<=60		
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, ARTERIAL	.	.	pO2, Arterial	2703-7	80 Years up to unspecified		~	80	Years	unspecified	Reference Range	60	>60		
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, ARTERIAL	.	.	pO2, Arterial	2703-7	80 Years up to unspecified		~	80	Years	unspecified	Valid Checking [1.1]	30	550	30-550	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, ARTERIAL	.	.	pO2, Arterial	2703-7	80 Years up to unspecified		~	80	Years	unspecified	Abnormality - Critical [2.1]	60	<=60		
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, ARTERIAL	.	.	pO2, Arterial	2703-7	80 Years up to unspecified		~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60	<=60		
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT SO2, ARTERIAL	.	0	SO2, Arterial	2708-6	0 up to 4 Days		~	0		4 Days	Reference Range	40	90	40-90	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT SO2, ARTERIAL	.	0	SO2, Arterial	2708-6	0 up to 4 Days		~	0		4 Days	Abnormality - Abnormal [2.2]	40	90	<40 or >90	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT SO2, ARTERIAL	.	0	SO2, Arterial	2708-6	4 Days up to unspecified		~	4	Days	unspecified	Reference Range	94	98	94-98	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT SO2, ARTERIAL	.	0	SO2, Arterial	2708-6	4 Days up to unspecified		~	4	Days	unspecified	Abnormality - Abnormal [2.2]	94	98	<94 or >98	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT BASE EXCESS ARTERIAL	.	.	Base Excess, Arterial	1925-7	0 up to 4 Days		~	0		4 Days	Reference Range	-10	-2	-10-2	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT BASE EXCESS ARTERIAL	.	.	Base Excess, Arterial	1925-7	0 up to 4 Days		~	0		4 Days	Abnormality - Abnormal [2.2]	-10	-2	<-10 or >-2	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT BASE EXCESS ARTERIAL	.	.	Base Excess, Arterial	1925-7	4 Days up to 24 Months		~	4	Days	24 Months	Reference Range	-7	-1	-7-1	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT BASE EXCESS ARTERIAL	.	.	Base Excess, Arterial	1925-7	4 Days up to 24 Months		~	4	Days	24 Months	Abnormality - Abnormal [2.2]	-7	-1	<-7 or >-1	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT BASE EXCESS ARTERIAL	.	.	Base Excess, Arterial	1925-7	24 Months up to 12 Years		~	24	Months	12 Years	Reference Range	-4	2	-4-2	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT BASE EXCESS ARTERIAL	.	.	Base Excess, Arterial	1925-7	24 Months up to 12 Years		~	24	Months	12 Years	Abnormality - Abnormal [2.2]	-4	2	<-4 or >2	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT BASE EXCESS ARTERIAL	.	.	Base Excess, Arterial	1925-7	12 Years up to unspecified		~	12	Years	unspecified	Reference Range	-2	3	-2-3	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT BASE EXCESS ARTERIAL	.	.	Base Excess, Arterial	1925-7	12 Years up to unspecified		~	12	Years	unspecified	Abnormality - Abnormal [2.2]	-2	3	<-2 or >3	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HCO3, ARTERIAL	.	.	HCO3, Arterial	1960-4	0 up to 14 Days		~	0		14 Days	Reference Range	17	24	17-24	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HCO3, ARTERIAL	.	.	HCO3, Arterial	1960-4	0 up to 14 Days		~	0		14 Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HCO3, ARTERIAL	.	.	HCO3, Arterial	1960-4	14 Days up to 2 Months		~	14	Days	2 Months	Reference Range	19	24	19-24	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HCO3, ARTERIAL	.	.	HCO3, Arterial	1960-4	14 Days up to 2 Months		~	14	Days	2 Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HCO3, ARTERIAL	.	.	HCO3, Arterial	1960-4	2 Months up to 2 Years		~	2	Months	2 Years	Reference Range	16	24	16-24	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HCO3, ARTERIAL	.	.	HCO3, Arterial	1960-4	2 Months up to 2 Years		~	2	Months	2 Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HCO3, ARTERIAL	.	.	HCO3, Arterial	1960-4	2 Years up to unspecified		~	2	Years	unspecified	Reference Range	22	26	22-26	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HCO3, ARTERIAL	.	.	HCO3, Arterial	1960-4	2 Years up to unspecified		~	2	Years	unspecified	Abnormality - Abnormal [2.2]	22	26	<22 or >26	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	.	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Female 0 up to 15 Days	Lab Patient De	Female	0		15 Days	Reference Range	13.4	20.0	13.4-20.0	

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 0 up to 15 Days Lab Patient De	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 0 up to 15 Days	Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 0 up to 15 Days	Female	0		15	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 0 up to 15 Days	Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 15 Days up to 31 Days Lab Pati	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 31 Days up to 61 Days Lab Pati	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 61 Days up to 6 Months Lab Pa	Female	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 61 Days up to 6 Months Lab Pa	Female	61	Days	6	Months	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 61 Days up to 6 Months Lab Pa	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Months up to 2 Years Lab Pat	Female	6	Months	2	Years	Reference Range	10.1	12.7	10.1-12.7

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Months up to 2 Years Lab Pat	Female	6	Months	2	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Months up to 2 Years Lab Pat	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	10.1	12.7	10.1-12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 2 Years up to 6 Years Lab Patie	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Years up to 12 Years Lab Pati	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Years up to 12 Years Lab Pati	Female	6	Years	12	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Years up to 12 Years Lab Pati	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 12 Years up to 17 Years Lab Pat	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 17 Years up to 150 Years Lab P	Female	17	Years	150	Years	Reference Range	11.2	15.7	11.2-15.7

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 17 Years up to 150 Years Lab P	Female	17	Years	150	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 17 Years up to 150 Years Lab P	Female	17	Years	150	Years	Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Reference Range	11.2	15.7	11.2-15.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 0 up to 15 Days Lab Patient Depa	Male	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	13.4	20.0	13.4-20.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 0 up to 15 Days	Male	0		15	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 15 Days up to 31 Days Lab Patien	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 31 Days up to 61 Days Lab Patien	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 61 Days up to 6 Months Lab Patie	Male	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 61 Days up to 6 Months Lab Patie	Male	61	Days	6	Months	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 61 Days up to 6 Months Lab Patie	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Months up to 2 Years Lab Patie	Male	6	Months	2	Years	Reference Range	10.1	12.7	10.1-12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Months up to 2 Years Lab Patie	Male	6	Months	2	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Months up to 2 Years Lab Patie	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	10.1	12.7	10.1-12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 2 Years up to 6 Years Lab Patient	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Years up to 12 Years Lab Patien	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobi n, Arterial, Whole Blood	20509-6	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 12 Years up to 17 Years Lab Patie	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 17 Years up to 150 Years Lab Pati	Male	17	Years	150	Years	Reference Range	13.7	17.5	13.7-17.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 17 Years up to 150 Years Lab Pati	Male	17	Years	150	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 17 Years up to 150 Years Lab Pati	Male	17	Years	150	Years	Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Reference Range	13.7	17.5	13.7-17.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Valid Checking [1.1]	6.0	22.0	6.0-22.0
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMOGLOBIN, ARTERIAL	POCT THGB	g/dL	1	Total Hemoglobin, Arterial, Whole Blood	20509-6	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMATOCRIT		%		Hematocrit, Arterial	32354-3	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	40.0	57.0	40.0-57.0	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMATOCRIT		%		Hematocrit, Arterial	32354-3	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Critical [2.1]	19.5		<19.5	
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT HEMATOCRIT		%		Hematocrit, Arterial	32354-3	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0	

POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, TEMP CORRECTED, ARTERIAL				pO2, Temp Corrected, Arterial	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified	Valid Checking [1.1]	15	550	15-550			
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, TEMP CORRECTED, ARTERIAL				pO2, Temp Corrected, Arterial	80 Years up to unspecified Lab Patient D	~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60		<=60			
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, TEMP CORRECTED, ARTERIAL				pO2, Temp Corrected, Arterial	80 Years up to unspecified	~	80	Years	unspecified	Reference Range	60		>60			
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, TEMP CORRECTED, ARTERIAL				pO2, Temp Corrected, Arterial	80 Years up to unspecified	~	80	Years	unspecified	Valid Checking [1.1]	15	550	15-550			
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, TEMP CORRECTED, ARTERIAL				pO2, Temp Corrected, Arterial	80 Years up to unspecified	~	80	Years	unspecified	Abnormality - Critical [2.1]	60		<=60			
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	POCT PO2, TEMP CORRECTED, ARTERIAL				pO2, Temp Corrected, Arterial	80 Years up to unspecified	~	80	Years	unspecified	Abnormality - Abnormal [2.2]	60		<=60			
POCT ARTERIAL BLOOD GAS GEM UNSOLICITED RESULTS [LAB11078]	POCT Arterial Blood Gas GEM [1230550003]	CRITICAL READBACK				Critical Readback		~	~	~	~	Valid Checking [1.1]					Y [1131], N [1132]	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PH, VENOUS				pH, Venous 2746-6		~	~	~	~	Reference Range	7.32	7.43	7.32-7.43			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PH, VENOUS				pH, Venous 2746-6		~	~	~	~	Valid Checking [1.1]	6.8	7.9	6.8-7.9			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PH, VENOUS				pH, Venous 2746-6		~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PH, VENOUS				pH, Venous 2746-6		~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	33	47	33-47		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	33	47	33-47		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Critical [2.1]		60	>=60		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Reference Range	33	48	33-48		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Reference Range	33	48	33-48		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 24 Months up to unspecified La	Female	24	Months	unspecified	Reference Range	37	52	37-52			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 24 Months up to unspecified La	Female	24	Months	unspecified	Valid Checking [1.1]	17	130	17-130			

POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SO2, VENOUS	%	0	SO2, Venous	2711-0	0 up to 4 Days	~	0	4	Days	Abnormality - Abnormal [2.2]	40	85	<40 or >85	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SO2, VENOUS	%	0	SO2, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified	Reference Range	65	80	65-80	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SO2, VENOUS	%	0	SO2, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified	Abnormality - Abnormal [2.2]	65	80	<65 or >80	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	0 up to 4 Days	~	0	4	Days	Reference Range	-10	-2	-10--2	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	0 up to 4 Days	~	0	4	Days	Abnormality - Abnormal [2.2]	-10	-2	<-10 or >-2	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	4 Days up to 2 Years	~	4	Days	2	Years	Reference Range	-7	-1	-7--1
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	4 Days up to 2 Years	~	4	Days	2	Years	Abnormality - Abnormal [2.2]	-7	-1	<-7 or >-1
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	2 Years up to 12 Years	~	2	Years	12	Years	Reference Range	-4	2	-4-2
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	2 Years up to 12 Years	~	2	Years	12	Years	Abnormality - Abnormal [2.2]	-4	2	<-4 or >2
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	12 Years up to 150 Years	~	12	Years	150	Years	Reference Range	-2	3	-2-3
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	12 Years up to 150 Years	~	12	Years	150	Years	Abnormality - Abnormal [2.2]	-2	3	<-2 or >3
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	0 up to 14 Days	~	0	14	Days	Reference Range	17	24	17-24	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	0 up to 14 Days	~	0	14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified	Reference Range	22	26	22-26	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified	Abnormality - Abnormal [2.2]	22	26	<22 or >26	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMOGLOBIN, VENOUS	g/dL	1	Hemoglobin, Venous	30350-3	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Reference Range	13.4	20.0	13.4-20.0	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMOGLOBIN, VENOUS	g/dL	1	Hemoglobin, Venous	30350-3	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMOGLOBIN, VENOUS	g/dL	1	Hemoglobin, Venous	30350-3	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Abnormality - Critical [2.1]	6.5		<6.5	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMOGLOBIN, VENOUS	g/dL	1	Hemoglobin, Venous	30350-3	Female 0 up to 15 Days Lab Patient De	Female	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMOGLOBIN, VENOUS	g/dL	1	Hemoglobin, Venous	30350-3	Female 0 up to 15 Days	Female	0	15	Days	Reference Range	13.4	20.0	13.4-20.0	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMOGLOBIN, VENOUS	g/dL	1	Hemoglobin, Venous	30350-3	Female 0 up to 15 Days	Female	0	15	Days	Valid Checking [1.1]	6.0	22.0	6.0-22.0	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMOGLOBIN, VENOUS	g/dL	1	Hemoglobin, Venous	30350-3	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Critical [2.1]	6.5		<6.5	
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMOGLOBIN, VENOUS	g/dL	1	Hemoglobin, Venous	30350-3	Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0	

POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2,2]	29.0	37.0	<29.0 or >37.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2,1]	19.5		<19.5
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2,2]	31.0	38.0	<31.0 or >38.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2,1]	19.5		<19.5
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2,2]	31.0	38.0	<31.0 or >38.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2,1]	19.5		<19.5
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2,2]	32.0	40.0	<32.0 or >40.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2,1]	19.5		<19.5
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2,2]	33.0	44.0	<33.0 or >44.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2,1]	19.5		<19.5
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2,2]	40.0	51.0	<40.0 or >51.0
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Reference Range	133	146	133-146
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Valid Checking [1,1]	100	180	100-180
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Abnormality - Critical [2,1]	120	165	<=120 or >=165
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2,2]	133	146	<133 or >146
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Valid Checking [1,1]	100	180	100-180
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2,1]	120	165	<=120 or >=165
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2,2]	133	144	<133 or >144
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	136	145	136-145
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1,1]	100	180	100-180
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2,1]	120	165	<=120 or >=165
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1

POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	~	Abnormality - Critical [2.1]		8.0	>8.0		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous			~	~	~	~	~	~	Reference Range	7.32	7.43	7.32-7.43		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous			~	~	~	~	~	~	Valid Checking [1.1]	6.8	7.9	6.8-7.9		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous			~	~	~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous			~	~	~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Reference Range	33	47	33-47		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days	Female	0		4	Days	Reference Range	33	47	33-47			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Critical [2.1]		60	>=60			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Reference Range	33	48	33-48			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months	Female	4	Days	24	Months	Reference Range	33	48	33-48			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months	Female	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months	Female	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48			

POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS	.	mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Lab	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS	.	mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified		Male	24	Months	unspecified	Reference Range	40	55	40-55			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS	.	mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified		Male	24	Months	unspecified	Valid Checking [1.1]	17	130	17-130			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS	.	mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified		Male	24	Months	unspecified	Abnormality - Critical [2.1]		60	>=60			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PCO2, TEMP CORRECTED, VENOUS	.	mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified		Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55			
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PO2, TEMP CORRECTED, VENOUS	.	mm Hg	pO2, Temp Corrected, Venous	0 up to 1 Days		~	0		1	Days	Reference Range	50	300	>50<-300		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PO2, TEMP CORRECTED, VENOUS	.	mm Hg	pO2, Temp Corrected, Venous	0 up to 1 Days		~	0		1	Days	Valid Checking [1.1]	15	550	15-550		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PO2, TEMP CORRECTED, VENOUS	.	mm Hg	pO2, Temp Corrected, Venous	0 up to 1 Days		~	0		1	Days	Abnormality - Critical [2.1]	50	300	<=50 or >=300		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PO2, TEMP CORRECTED, VENOUS	.	mm Hg	pO2, Temp Corrected, Venous	1 Days up to 150 Years		~	1	Days	150	Years	Reference Range	25	40	25-40		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PO2, TEMP CORRECTED, VENOUS	.	mm Hg	pO2, Temp Corrected, Venous	1 Days up to 150 Years		~	1	Days	150	Years	Valid Checking [1.1]	15	550	15-550		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	POCT PO2, TEMP CORRECTED, VENOUS	.	mm Hg	pO2, Temp Corrected, Venous	1 Days up to 150 Years		~	1	Days	150	Years	Abnormality - Abnormal [2.2]	25	40	<25 or >40		
POCT VENOUS BLOOD GAS GEM UNSOLICITED RESULTS [LAB11079]	POCT Venous Blood Gas GEM [1230550004]	CRITICAL READBACK	.		Critical Readback			~	~	~	~	~	Valid Checking [1.1]					Y [1131], N [1132]
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT PH, OTHER	.		pH, Other	11558-4		~	~	~	~	~	Valid Checking [1.1]	6.8	7.9	6.8-7.9		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT PCO2, OTHER	.	mm Hg	PCO2, Other	11557-6		~	~	~	~	~	Valid Checking [1.1]	17	130	17-130		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT PO2, OTHER	.	mm Hg	PO2, Other	11556-8		~	~	~	~	~	Valid Checking [1.1]	15	550	15-550		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT HEMOGLOBIN, OTHER	.	g/dL	Hemoglobin, Other			~	~	~	~	~	Valid Checking [1.1]	6.0	22.0	6.0-22.0		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT SODIUM, OTHER	.	mmol/L	Sodium, Other			~	~	~	~	~	Valid Checking [1.1]	100	180	100-180		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT POTASSIUM, OTHER	.	mmol/L	Potassium, Other			~	~	~	~	~	Valid Checking [1.1]	1.0	10.0	1.0-10.0		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT CHLORIDE, OTHER	.	mmol/L	Chloride, Other			~	~	~	~	~	Valid Checking [1.1]	70	140	70-140		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT IONIZED CALCIUM, OTHER	.	mg/dL	Ionized Calcium, Other			~	~	~	~	~	Valid Checking [1.1]	1.0	12.0	1.0-12.0		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT GLUCOSE, OTHER	.	mg/dL	Glucose, Other			~	~	~	~	~	Valid Checking [1.1]	15	700	15-700		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT LACTATE, OTHER	.	mmol/L	Lactate, Other			~	~	~	~	~	Valid Checking [1.1]	0.3	17	0.3-17		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT PH, TEMP CORRECT, OTHER	.		pH, Temp Correct, Other	0 up to 150 Years		~	0		150	Years	Valid Checking [1.1]	6.8	7.9	6.8-7.9		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT PCO2, TEMP CORRECT, OTHER	.	mm Hg	PCO2, Temp Correct, Other			~	~	~	~	~	Valid Checking [1.1]	17	130	17-130		
POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	POCT PO2, TEMP CORRECT, OTHER	.	mm Hg	PO2, Temp Correct, Other			~	~	~	~	~	Valid Checking [1.1]	15	550	15-550		

POCT OTHER BLOOD GAS GEM UNSOLICITED RESULTS [LAB11080]	POCT Blood Gas Other GEM [1230550005]	CRITICAL READBACK				Critical Readback									Valid Checking [1.1]					Y [1131], N [1132]	
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT OXYHEMOGLOBIN, VENOUS		%	0		11559-2	0 up to 3 Months		~	0		3	Months	Valid Checking [1.1]	0	100	0-100			
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT OXYHEMOGLOBIN, VENOUS		%	0		11559-2	3 Months up to unspecified		~	3		Months	unspecified	Reference Range	40	70	40-70			
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT OXYHEMOGLOBIN, VENOUS		%	0		11559-2	3 Months up to unspecified		~	3		Months	unspecified	Valid Checking [1.1]	0	100	0-100			
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT OXYHEMOGLOBIN, VENOUS		%	0		11559-2	3 Months up to unspecified		~	3		Months	unspecified	Abnormality - Abnormal [2.2]	40	70	<40 or >70			
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 0 up to 15 Days		Female	0		15	Days	Reference Range	13.4	20.0	13.4-20.0			
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 0 up to 15 Days		Female	0		15	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0			
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 0 up to 15 Days		Female	0		15	Days	Abnormality - Critical [2.1]	6.5		<6.5			
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 0 up to 15 Days		Female	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0			
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 15 Days up to 31 Days		Female	15		Days	31	Days	Reference Range	6.5	23.0	6.5-23.0		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 15 Days up to 31 Days		Female	15		Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 15 Days up to 31 Days		Female	15		Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 15 Days up to 31 Days		Female	15		Days	31	Days	Abnormality - Abnormal [2.2]	5.0	23.0	<5.0 or >23.0		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 31 Days up to 61 Days		Female	31		Days	61	Days	Reference Range	8.9	12.7	8.9-12.7		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 31 Days up to 61 Days		Female	31		Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 31 Days up to 61 Days		Female	31		Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 31 Days up to 61 Days		Female	31		Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 61 Days up to 6 Months		Female	61		Days	6	Months	Reference Range	9.6	12.4	9.6-12.4		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 61 Days up to 6 Months		Female	61		Days	6	Months	Valid Checking [1.1]	0.2	24.0	0.2-24.0		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 61 Days up to 6 Months		Female	61		Days	6	Months	Abnormality - Critical [2.1]	6.5		<6.5		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 61 Days up to 6 Months		Female	61		Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4		
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN		g/dL	1			POCT Total Hemoglobin Female 6 Months up to 2 Years		Female	6		Months	2	Years	Reference Range	10.1	12.7	10.1-12.7		

POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 6 Months up to 2 Years	Female	6	Months	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 2 Years up to 6 Years	Female	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 6 Years up to 12 Years	Female	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 12 Years up to 17 Years	Female	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	11.2	15.7	11.2-15.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 17 Years up to unspecified	Female	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Male 0 up to 15 Days	Male	0	15	Days		Reference Range	13.4	20.0	13.4-20.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Male 0 up to 15 Days	Male	0	15	Days		Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS (LAB60080)	POCT CO-Oximetry, Venous (1230650004)	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobin		Male 0 up to 15 Days	Male	0	15	Days		Abnormality - Critical [2.1]	6.5		<6.5

POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 15 Days up to 31 Days	Male	15	Days	31	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 31 Days up to 61 Days	Male	31	Days	61	Days	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 61 Days up to 6 Months	Male	61	Days	6	Months	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	10.1	12.7	10.1-12.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 6 Months up to 2 Years	Male	6	Months	2	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 2 Years up to 6 Years	Male	2	Years	6	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN					POCT Total Hemoglobi n		Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4

POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 12 Years up to 17 Years	Male	12	Years	17	Years	Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	13.7	17.5	13.7-17.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 17 Years up to unspecified	Male	17	Years	unspecified		Valid Checking [1.1]	0.2	24.0	0.2-24.0
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	6.5		<6.5
POCT CO-OXIMETRY, VENOUS UNSOLICITED RESULTS [LAB60080]	POCT CO-Oximetry, Venous [1230650004]	POCT TOTAL HEMOGLOBIN				POCT Total Hemoglobin		Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PH, VENOUS				pH, Venous 2746-6			~	~	~	~	~	Reference Range	7.32	7.43	7.32-7.43
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PH, VENOUS				pH, Venous 2746-6			~	~	~	~	~	Valid Checking [1.1]	6.8	7.9	6.8-7.9
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PH, VENOUS				pH, Venous 2746-6			~	~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PH, VENOUS				pH, Venous 2746-6			~	~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Reference Range	33	47	33-47
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Abnormality - Abnormal [2.2]	33	47	<33 or >47
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days		Reference Range	33	47	33-47
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days		Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days		Abnormality - Critical [2.1]		60	>=60
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS				pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days		Abnormality - Abnormal [2.2]	33	47	<33 or >47

POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Reference Range	40	55	40-55		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	40	55	40-55		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 24 Months up to unspecified	Male	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous	2021-4	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PO2, VENOUS, PEDS	.	.	.	pO2, Venous	2705-2		~	~	~	~	~	Reference Range	25	40	25-40		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PO2, VENOUS, PEDS	.	.	.	pO2, Venous	2705-2		~	~	~	~	~	Valid Checking [1.1]	15	550	15-550		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PO2, VENOUS, PEDS	.	.	.	pO2, Venous	2705-2		~	~	~	~	~	Abnormality - Abnormal [2.2]	25	40	<25 or >40		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SO2, VENOUS	.	.	.	SO2, Venous	2711-0	0 up to 4 Days	~	0	4	Days		Reference Range	40	85	40-85		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SO2, VENOUS	.	.	.	SO2, Venous	2711-0	0 up to 4 Days	~	0	4	Days		Abnormality - Abnormal [2.2]	40	85	<40 or >85		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SO2, VENOUS	.	.	.	SO2, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified		Reference Range	65	80	65-80		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SO2, VENOUS	.	.	.	SO2, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified		Abnormality - Abnormal [2.2]	65	80	<65 or >80		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	0 up to 4 Days	~	0	4	Days		Reference Range	-10	-2	-10-2		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	0 up to 4 Days	~	0	4	Days		Abnormality - Abnormal [2.2]	-10	-2	<-10 or >-2		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	.	Base Excess/Deficit, Venous	1927-3	4 Days up to 2 Years	~	4	Days	2	Years	Reference Range	-7	-1	-7-1		

POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT BASE EXCESS/DEFICIT, VENOUS	.	.	Base Excess/Deficit, Venous	1927-3	4 Days up to 2 Years	~	4	Days	2	Years	Abnormality - Abnormal [2.2]	-7	-1	<-7 or >1		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	2 Years up to 12 Years	~	2	Years	12	Years	Reference Range	-4	2	-4-2		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	2 Years up to 12 Years	~	2	Years	12	Years	Abnormality - Abnormal [2.2]	-4	2	<-4 or >2		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	12 Years up to 150 Years	~	12	Years	150	Years	Reference Range	-2	3	-2-3		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	.	Base Excess/Deficit, Venous	1927-3	12 Years up to 150 Years	~	12	Years	150	Years	Abnormality - Abnormal [2.2]	-2	3	<-2 or >3		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	0 up to 14 Days	~	0	14	Days		Reference Range	17	24	17-24		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	0 up to 14 Days	~	0	14	Days		Abnormality - Abnormal [2.2]	17	24	<17 or >24		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified		Reference Range	22	26	22-26		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HCO3, VENOUS	mmol/L	.	HCO3, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified		Abnormality - Abnormal [2.2]	22	26	<22 or >26		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS	g/dL	1	Hemoglobin, Venous		Female 0 up to 15 Days	Female	0	15	Days		Reference Range	13.4	20.0	13.4-20.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS	g/dL	1	Hemoglobin, Venous		Female 0 up to 15 Days	Female	0	15	Days		Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS	g/dL	1	Hemoglobin, Venous		Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS	g/dL	1	Hemoglobin, Venous		Female 0 up to 15 Days	Female	0	15	Days		Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS	g/dL	1	Hemoglobin, Venous		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS	g/dL	1	Hemoglobin, Venous		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS	g/dL	1	Hemoglobin, Venous		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS	g/dL	1	Hemoglobin, Venous		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS	g/dL	1	Hemoglobin, Venous		Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7		

POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Reference Range	11.2	15.7	11.2-15.7		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Female 17 Years up to 150 Years	Female	17	Years	150	Years	Abnormality - Abnormal [2.2]	11.2	15.7	<11.2 or >15.7		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 0 up to 15 Days	Male	0	15	Days	Days	Reference Range	13.4	20.0	13.4-20.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 0 up to 15 Days	Male	0	15	Days	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 0 up to 15 Days	Male	0	15	Days	Days	Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 0 up to 15 Days	Male	0	15	Days	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Valid Checking [1.1]	3.0	22.0	3.0-22.0		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	6.5		<6.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	10.1	12.7	10.1-12.7		

POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	6.5	<6.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	6.5	<6.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5	<6.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	6.5	<6.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Reference Range	13.7	17.5	13.7-17.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Abnormality - Critical [2.1]	6.5	<6.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMOGLOBIN, VENOUS, PEDS				Hemoglobi n, Venous	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS				Hematocrit, Venous	41654-5 Female 0 up to 15 Days	Female	0	15	Days	Days	Reference Range	40.0	57.0	40.0-57.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS				Hematocrit, Venous	41654-5 Female 0 up to 15 Days	Female	0	15	Days	Days	Abnormality - Critical [2.1]	19.5	<19.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS				Hematocrit, Venous	41654-5 Female 0 up to 15 Days	Female	0	15	Days	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0

POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT HEMATOCRIT, VENOUS	%	Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Reference Range	133	146	133-146
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Valid Checking [1.1]	100	180	100-180
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	0 up to 8 Days	~	0		8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Valid Checking [1.1]	100	180	100-180
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	136	145	136-145
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	100	180	100-180
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	136	145	<136 or >145
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Reference Range	3.7	6.1	3.7-6.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Valid Checking [1.1]	1	10.0	1-10.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0		1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5

POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	0 up to 1 Years	~	0	1	Years	Valid Checking [1.1]	1	10.0	1-10.0			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Valid Checking [1.1]	1	10.0	1-10.0			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	1	10.0	1-10.0			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT POTASSIUM, VENOUS	.	.	Potassium, Venous	39789-3	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT CHLORIDE, VENOUS	.	.	POCT Chloride, Venous		0 up to 8 Days	~	0	8	Days	Reference Range	96	111	96-111			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT CHLORIDE, VENOUS	.	.	POCT Chloride, Venous		0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	70	140	70-140			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT CHLORIDE, VENOUS	.	.	POCT Chloride, Venous		0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111			
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT CHLORIDE, VENOUS	.	.	POCT Chloride, Venous		8 Days up to 7 Months	~	8	Days	7	Months	Reference Range	96	110	96-110		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT CHLORIDE, VENOUS	.	.	POCT Chloride, Venous		8 Days up to 7 Months	~	8	Days	7	Months	Valid Checking [1.1]	70	140	70-140		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT CHLORIDE, VENOUS	.	.	POCT Chloride, Venous		8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT CHLORIDE, VENOUS	.	.	POCT Chloride, Venous		7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108	96-108		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT CHLORIDE, VENOUS	.	.	POCT Chloride, Venous		7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1.1]	70	140	70-140		
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT CHLORIDE, VENOUS	.	.	POCT Chloride, Venous		7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108		

POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT IONIZED CALCIUM, VENOUS	.	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Reference Range	41	60	41-60
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Valid Checking [1.1]	10	700	10-700
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Abnormality - Critical [2.1]	40		<=40
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Abnormality - Abnormal [2.2]	41	60	<41 or >60
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days		Reference Range	41	60	41-60
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days		Valid Checking [1.1]	10	700	10-700
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days		Abnormality - Critical [2.1]	40	300	<=40 or >=300
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days		Abnormality - Abnormal [2.2]	41	60	<41 or >60
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Valid Checking [1.1]	10	700	10-700
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT GLUCOSE, VENOUS, PEDS	.	mg/dL		Glucose, Venous	41652-9	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80

POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7								Reference Range	0.5	2.2	0.5-2.2
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7								Valid Checking [1.1]	0.3	17.0	0.3-17.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7								Abnormality - Critical [2.1]		8.0	>8.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7								Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous									Reference Range	7.32	7.43	7.32-7.43
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous									Valid Checking [1.1]	6.8	7.9	6.8-7.9
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous									Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous									Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Reference Range	33	47	33-47
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days		Abnormality - Abnormal [2.2]	33	47	<33 or >47
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days	Female	0		4	Days		Reference Range	33	47	33-47
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days	Female	0		4	Days		Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days	Female	0		4	Days		Abnormality - Critical [2.1]		60	>=60
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 0 up to 4 Days	Female	0		4	Days		Abnormality - Abnormal [2.2]	33	47	<33 or >47
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months		Reference Range	33	48	33-48
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months		Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months		Abnormality - Abnormal [2.2]	33	48	<33 or >48
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months	Female	4	Days	24	Months		Reference Range	33	48	33-48
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months	Female	4	Days	24	Months		Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months	Female	4	Days	24	Months		Abnormality - Critical [2.1]		60	>=60
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous		Female 4 Days up to 24 Months	Female	4	Days	24	Months		Abnormality - Abnormal [2.2]	33	48	<33 or >48

POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS	.	.	.	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS	.	.	.	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	40	55	40-55	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS	.	.	.	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS	.	.	.	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PCO2, TEMP CORRECTED, VENOUS	.	.	.	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PO2, TEMP CORRECTED, VENOUS, PEDS	.	.	.	pO2, Temp Corrected, Venous	~	~	~	~	~	~	Reference Range	25	40	25-40	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PO2, TEMP CORRECTED, VENOUS, PEDS	.	.	.	pO2, Temp Corrected, Venous	~	~	~	~	~	~	Valid Checking [1.1]	15	550	15-550	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	POCT PO2, TEMP CORRECTED, VENOUS, PEDS	.	.	.	pO2, Temp Corrected, Venous	~	~	~	~	~	~	Abnormality - Abnormal [2.2]	25	40	<25 or >40	
POCT VENOUS PEDIATRIC BLOOD GAS GEM UNSOLICITED RESULTS [LAB11192]	POCT Venous Pediatric Blood Gas GEM [123550100]	CRITICAL READBACK	.	.	.	Critical Readback	~	~	~	~	~	~	Valid Checking [1.1]				Y [1131], N [1132]
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PH, VENOUS	.	.	.	pH, Venous 2746-6	~	~	~	~	~	~	Reference Range	7.32	7.43	7.32-7.43	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PH, VENOUS	.	.	.	pH, Venous 2746-6	~	~	~	~	~	~	Valid Checking [1.1]	6.8	7.9	6.8-7.9	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PH, VENOUS	.	.	.	pH, Venous 2746-6	~	~	~	~	~	~	Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PH, VENOUS	.	.	.	pH, Venous 2746-6	~	~	~	~	~	~	Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous 2021-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Reference Range	33	47	33-47	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous 2021-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous 2021-4	Female 0 up to 4 Days Lab Patient Dep	Female	0		4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days	Reference Range	33	47	33-47	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days	Valid Checking [1.1]	17	130	17-130	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	.	.	.	pCO2, Venous 2021-4	Female 0 up to 4 Days	Female	0		4	Days	Abnormality - Critical [2.1]		60	>=60	

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 0 up to 4 Days	Female	0		4	Days		Abnormality - Abnormal [2.2]	33	47	<33 or >47						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months		Reference Range	33	48	33-48						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months		Valid Checking [1.1]	17	130	17-130						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 4 Days up to 24 Months Lab Pa	Female	4	Days	24	Months		Abnormality - Abnormal [2.2]	33	48	<33 or >48						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 4 Days up to 24 Months	Female	4	Days	24	Months		Reference Range	33	48	33-48						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 4 Days up to 24 Months	Female	4	Days	24	Months		Valid Checking [1.1]	17	130	17-130						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 4 Days up to 24 Months	Female	4	Days	24	Months		Abnormality - Critical [2.1]		60	>=60						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 4 Days up to 24 Months	Female	4	Days	24	Months		Abnormality - Abnormal [2.2]	33	48	<33 or >48						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 24 Months up to unspecified L	Female	24	Months	unspecified			Reference Range	37	52	37-52						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 24 Months up to unspecified L	Female	24	Months	unspecified			Valid Checking [1.1]	17	130	17-130						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 24 Months up to unspecified L	Female	24	Months	unspecified			Abnormality - Abnormal [2.2]	37	52	<37 or >52						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 24 Months up to unspecified	Female	24	Months	unspecified			Reference Range	37	52	37-52						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 24 Months up to unspecified	Female	24	Months	unspecified			Valid Checking [1.1]	17	130	17-130						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 24 Months up to unspecified	Female	24	Months	unspecified			Abnormality - Critical [2.1]		60	>=60						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Female 24 Months up to unspecified	Female	24	Months	unspecified			Abnormality - Abnormal [2.2]	37	52	<37 or >52						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Male 0 up to 4 Days Lab Patient Depart	Male	0		4	Days		Reference Range	33	47	33-47						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS																					
				mm Hg	pCO2, Venous	2021-4	Male 0 up to 4 Days Lab Patient Depart	Male	0		4	Days		Valid Checking [1.1]	17	130	17-130						

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 0 up to 4 Days Lab Patient Depart	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 0 up to 4 Days	Male	0	4	Days	Reference Range	33	47	33-47	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 0 up to 4 Days	Male	0	4	Days	Valid Checking [1.1]	17	130	17-130	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 0 up to 4 Days	Male	0	4	Days	Abnormality - Abnormal [2.2]	33	47	<33 or >47	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Reference Range	33	48	33-48
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]	60	>=60	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Reference Range	40	55	40-55	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Valid Checking [1.1]	17	130	17-130	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified	Abnormality - Abnormal [2.2]	40	55	<40 or >55	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 24 Months up to unspecified	Male	24	Months	unspecified	Reference Range	40	55	40-55	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 24 Months up to unspecified	Male	24	Months	unspecified	Valid Checking [1.1]	17	130	17-130	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 24 Months up to unspecified	Male	24	Months	unspecified	Abnormality - Critical [2.1]	60	>=60		

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, VENOUS	mm Hg	pCO2, Venous	2021-4	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PO2, VENOUS, PEDS	mm Hg	pO2, Venous	2705-2		~	~	~	~	~	Reference Range	25	40	25-40	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PO2, VENOUS, PEDS	mm Hg	pO2, Venous	2705-2		~	~	~	~	~	Valid Checking [1.1]	15	550	15-550	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PO2, VENOUS, PEDS	mm Hg	pO2, Venous	2705-2		~	~	~	~	~	Abnormality - Abnormal [2.2]	25	40	<25 or >40	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SO2, VENOUS	%	SO2, Venous	2711-0	0 up to 4 Days	~	0	4	Days		Reference Range	40	85	40-85	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SO2, VENOUS	%	SO2, Venous	2711-0	0 up to 4 Days	~	0	4	Days		Abnormality - Abnormal [2.2]	40	85	<40 or >85	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SO2, VENOUS	%	SO2, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified		Reference Range	65	80	65-80	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SO2, VENOUS	%	SO2, Venous	2711-0	4 Days up to unspecified	~	4	Days	unspecified		Abnormality - Abnormal [2.2]	65	80	<65 or >80	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	Base Excess/Deficit, Venous	1927-3	0 up to 4 Days	~	0	4	Days		Reference Range	-10	-2	-10 - -2	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	Base Excess/Deficit, Venous	1927-3	0 up to 4 Days	~	0	4	Days		Abnormality - Abnormal [2.2]	-10	-2	<-10 or >-2	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	Base Excess/Deficit, Venous	1927-3	4 Days up to 2 Years	~	4	Days	2	Years		Reference Range	-7	-1	-7 - -1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	Base Excess/Deficit, Venous	1927-3	4 Days up to 2 Years	~	4	Days	2	Years		Abnormality - Abnormal [2.2]	-7	-1	<-7 or >-1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	Base Excess/Deficit, Venous	1927-3	2 Years up to 12 Years	~	2	Years	12	Years		Reference Range	-4	2	-4-2
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	Base Excess/Deficit, Venous	1927-3	2 Years up to 12 Years	~	2	Years	12	Years		Abnormality - Abnormal [2.2]	-4	2	<-4 or >2
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	Base Excess/Deficit, Venous	1927-3	12 Years up to 150 Years	~	12	Years	150	Years		Reference Range	-2	3	-2-3
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT BASE EXCESS/DEFICIT, VENOUS	mmol/L	Base Excess/Deficit, Venous	1927-3	12 Years up to 150 Years	~	12	Years	150	Years		Abnormality - Abnormal [2.2]	-2	3	<-2 or >3
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HCO3, VENOUS	mmol/L	HCO3, Venous	14627-4	0 up to 14 Days	~	0	14	Days		Reference Range	17	24	17-24	

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	0 up to 14 Days	~	0	.	14	Days	Abnormality - Abnormal [2.2]	17	24	<17 or >24
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Reference Range	19	24	19-24
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	14 Days up to 2 Months	~	14	Days	2	Months	Abnormality - Abnormal [2.2]	19	24	<19 or >24
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Reference Range	16	24	16-24
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	2 Months up to 2 Years	~	2	Months	2	Years	Abnormality - Abnormal [2.2]	16	24	<16 or >24
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified		Reference Range	22	26	22-26
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HCO3, VENOUS	.	.	.	HCO3, Venous	14627-4	2 Years up to unspecified	~	2	Years	unspecified		Abnormality - Abnormal [2.2]	22	26	<22 or >26
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 0 up to 15 Days	Female	0	.	15	Days	Reference Range	13.4	20.0	13.4-20.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 0 up to 15 Days	Female	0	.	15	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 0 up to 15 Days	Female	0	.	15	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 0 up to 15 Days	Female	0	.	15	Days	Abnormality - Abnormal [2.2]	13.4	20.0	<13.4 or >20.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	10.0	15.3	10.0-15.3
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	6.5		<6.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	10.0	15.3	<10.0 or >15.3
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	8.9	12.7	8.9-12.7
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS	.	.	.	Hemoglobi n, Venous		Female 31 Days up to 61 Days	Female	31	Days	61	Days	Valid Checking [1.1]	3.0	22.0	3.0-22.0

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	6.5	<6.5				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	9.6	12.4	9.6-12.4			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Valid Checking [1.1]	3.0	22.0	3.0-22.0			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	6.5	<6.5				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	10.1	12.7	10.1-12.7			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	6.5	<6.5				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	10.2	12.7	10.2-12.7			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	6.5	<6.5				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	10.6	13.4	10.6-13.4			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, Peds	g/dL	1	Hemoglobin, Venous	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	6.5	<6.5				

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 31 Days up to 61 Days	Male	31	Days	61	Days		Reference Range	8.9	12.7	8.9-12.7				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 31 Days up to 61 Days	Male	31	Days	61	Days		Valid Checking [1.1]	3.0	22.0	3.0-22.0				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 31 Days up to 61 Days	Male	31	Days	61	Days		Abnormality - Critical [2.1]	6.5		<6.5				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 31 Days up to 61 Days	Male	31	Days	61	Days		Abnormality - Abnormal [2.2]	8.9	12.7	<8.9 or >12.7				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 61 Days up to 6 Months	Male	61	Days	6	Months		Reference Range	9.6	12.4	9.6-12.4				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 61 Days up to 6 Months	Male	61	Days	6	Months		Valid Checking [1.1]	3.0	22.0	3.0-22.0				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 61 Days up to 6 Months	Male	61	Days	6	Months		Abnormality - Critical [2.1]	6.5		<6.5				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 61 Days up to 6 Months	Male	61	Days	6	Months		Abnormality - Abnormal [2.2]	9.6	12.4	<9.6 or >12.4				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 6 Months up to 2 Years	Male	6	Months	2	Years		Reference Range	10.1	12.7	10.1-12.7				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 6 Months up to 2 Years	Male	6	Months	2	Years		Valid Checking [1.1]	3.0	22.0	3.0-22.0				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 6 Months up to 2 Years	Male	6	Months	2	Years		Abnormality - Critical [2.1]	6.5		<6.5				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 6 Months up to 2 Years	Male	6	Months	2	Years		Abnormality - Abnormal [2.2]	10.1	12.7	<10.1 or >12.7				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 2 Years up to 6 Years	Male	2	Years	6	Years		Reference Range	10.2	12.7	10.2-12.7				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 2 Years up to 6 Years	Male	2	Years	6	Years		Valid Checking [1.1]	3.0	22.0	3.0-22.0				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 2 Years up to 6 Years	Male	2	Years	6	Years		Abnormality - Critical [2.1]	6.5		<6.5				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 2 Years up to 6 Years	Male	2	Years	6	Years		Abnormality - Abnormal [2.2]	10.2	12.7	<10.2 or >12.7				
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n, Venous	Male 6 Years up to 12 Years	Male	6	Years	12	Years		Reference Range	10.6	13.4	10.6-13.4				

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	6.5		<6.5					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	10.6	13.4	<10.6 or >13.4					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	10.8	14.5	10.8-14.5					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	6.5		<6.5					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	10.8	14.5	<10.8 or >14.5					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Reference Range	13.7	17.5	13.7-17.5					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Valid Checking [1.1]	3.0	22.0	3.0-22.0					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Abnormality - Critical [2.1]	6.5		<6.5					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMOGLOBIN, VENOUS, PEDS																		
			g/dL	1	Hemoglobi n,Venous	Male 17 Years up to 150 Years	Male	17	Years	150	Years	Abnormality - Abnormal [2.2]	13.7	17.5	<13.7 or >17.5					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS																		
			%		Hematocrit, Venous	41654-5 Female 0 up to 15 Days	Female	0	15	Days	Reference Range	40.0	57.0	40.0-57.0						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS																		
			%		Hematocrit, Venous	41654-5 Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Critical [2.1]	19.5		<19.5						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS																		
			%		Hematocrit, Venous	41654-5 Female 0 up to 15 Days	Female	0	15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0						
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS																		
			%		Hematocrit, Venous	41654-5 Female 15 Days up to 31 Days	Female	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS																		
			%		Hematocrit, Venous	41654-5 Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5					
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS																		
			%		Hematocrit, Venous	41654-5 Female 15 Days up to 31 Days	Female	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0					

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 31 Days up to 61 Days	Female	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 61 Days up to 6 Months	Female	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 6 Months up to 2 Years	Female	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 2 Years up to 6 Years	Female	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 6 Years up to 12 Years	Female	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%				Hematocrit, Venous	41654-5	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Critical [2.1]	19.5		<19.5

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Female 12 Years up to 17 Years	Female	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Female 17 Years up to unspecified	Female	17	Years	unspecified		Reference Range	34.0	45.0	34.0-45.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Female 17 Years up to unspecified	Female	17	Years	unspecified		Abnormality - Abnormal [2.2]	34.0	45.0	<34.0 or >45.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 0 up to 15 Days	Male	0		15	Days	Reference Range	40.0	57.0	40.0-57.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 0 up to 15 Days	Male	0		15	Days	Abnormality - Abnormal [2.2]	40.0	57.0	<40.0 or >57.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Reference Range	30.0	45.0	30.0-45.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 15 Days up to 31 Days	Male	15	Days	31	Days	Abnormality - Abnormal [2.2]	30.0	45.0	<30.0 or >45.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Reference Range	27.0	38.0	27.0-38.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 31 Days up to 61 Days	Male	31	Days	61	Days	Abnormality - Abnormal [2.2]	27.0	38.0	<27.0 or >38.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Reference Range	29.0	37.0	29.0-37.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Critical [2.1]	19.5		<19.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 61 Days up to 6 Months	Male	61	Days	6	Months	Abnormality - Abnormal [2.2]	29.0	37.0	<29.0 or >37.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Reference Range	31.0	38.0	31.0-38.0

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Critical [2.1]	19.5	<19.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 6 Months up to 2 Years	Male	6	Months	2	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Reference Range	31.0	38.0	31.0-38.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Critical [2.1]	19.5	<19.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 2 Years up to 6 Years	Male	2	Years	6	Years	Abnormality - Abnormal [2.2]	31.0	38.0	<31.0 or >38.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Reference Range	32.0	40.0	32.0-40.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Critical [2.1]	19.5	<19.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 6 Years up to 12 Years	Male	6	Years	12	Years	Abnormality - Abnormal [2.2]	32.0	40.0	<32.0 or >40.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Reference Range	33.0	44.0	33.0-44.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Critical [2.1]	19.5	<19.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 12 Years up to 17 Years	Male	12	Years	17	Years	Abnormality - Abnormal [2.2]	33.0	44.0	<33.0 or >44.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Reference Range	40.0	51.0	40.0-51.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Critical [2.1]	19.5	<19.5		
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT HEMATOCRIT, VENOUS	%		Hematocrit, Venous	41654-5	Male 17 Years up to unspecified	Male	17	Years	unspecified		Abnormality - Abnormal [2.2]	40.0	51.0	<40.0 or >51.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L		Sodium, Venous	39791-9	0 up to 8 Days	~	0	8	Days	Reference Range	133	146	133-146		
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L		Sodium, Venous	39791-9	0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	100	180	100-180		
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L		Sodium, Venous	39791-9	0 up to 8 Days	~	0	8	Days	Abnormality - Critical [2.1]	120	165	<=120 or >=165		

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	133	146	<133 or >146	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Reference Range	133	144	133-144
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Valid Checking [1.1]	100	180	100-180
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Critical [2.1]	120	165	<=120 or >=165
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	8 Days up to 17 Years	~	8	Days	17	Years	Abnormality - Abnormal [2.2]	133	144	<133 or >144
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified	Reference Range	136	145	136-145	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified	Valid Checking [1.1]	100	180	100-180	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Critical [2.1]	120	165	<=120 or >=165	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT SODIUM, VENOUS	mmol/L	Sodium, Venous	39791-9	17 Years up to unspecified	~	17	Years	unspecified	Abnormality - Abnormal [2.2]	136	145	<136 or >145	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Valid Checking [1.1]	1	10.0	1-10.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years Lab Patient Department	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years	~	0	1	Years	Reference Range	3.7	6.1	3.7-6.1	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years	~	0	1	Years	Valid Checking [1.1]	1	10.0	1-10.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years	~	0	1	Years	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	mmol/L	Potassium, Venous	39789-3	0 up to 1 Years	~	0	1	Years	Abnormality - Abnormal [2.2]	3.7	6.1	<3.7 or >6.1	

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	.	.	.	mmol/L	Potassium, Venous	39789-3	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	.	.	.	mmol/L	Potassium, Venous	39789-3	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Valid Checking [1.1]	1	10.0	1-10.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	.	.	.	mmol/L	Potassium, Venous	39789-3	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.0	6.5	<=2.0 or >=6.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	.	.	.	mmol/L	Potassium, Venous	39789-3	1 Years up to unspecified Lab Patient De	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	.	.	.	mmol/L	Potassium, Venous	39789-3	1 Years up to unspecified	~	1	Years	unspecified	Reference Range	3.6	4.9	3.6-4.9	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	.	.	.	mmol/L	Potassium, Venous	39789-3	1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]	1	10.0	1-10.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	.	.	.	mmol/L	Potassium, Venous	39789-3	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Critical [2.1]	2.6	6.5	<=2.6 or >=6.5	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT POTASSIUM, VENOUS	.	.	.	mmol/L	Potassium, Venous	39789-3	1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]	3.6	4.9	<3.6 or >4.9	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS	.	.	.	mmol/L	POCT Chloride, Venous		0 up to 8 Days	~	0	8	Days	Reference Range	96	111	96-111	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS	.	.	.	mmol/L	POCT Chloride, Venous		0 up to 8 Days	~	0	8	Days	Valid Checking [1.1]	70	140	70-140	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS	.	.	.	mmol/L	POCT Chloride, Venous		0 up to 8 Days	~	0	8	Days	Abnormality - Abnormal [2.2]	96	111	<96 or >111	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS	.	.	.	mmol/L	POCT Chloride, Venous		8 Days up to 7 Months	~	8	Days	7	Months	Reference Range	96	110	96-110
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS	.	.	.	mmol/L	POCT Chloride, Venous		8 Days up to 7 Months	~	8	Days	7	Months	Valid Checking [1.1]	70	140	70-140
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS	.	.	.	mmol/L	POCT Chloride, Venous		8 Days up to 7 Months	~	8	Days	7	Months	Abnormality - Abnormal [2.2]	96	110	<96 or >110
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS	.	.	.	mmol/L	POCT Chloride, Venous		7 Months up to 1 Years	~	7	Months	1	Years	Reference Range	96	108	96-108
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS	.	.	.	mmol/L	POCT Chloride, Venous		7 Months up to 1 Years	~	7	Months	1	Years	Valid Checking [1.1]	70	140	70-140
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS	.	.	.	mmol/L	POCT Chloride, Venous		7 Months up to 1 Years	~	7	Months	1	Years	Abnormality - Abnormal [2.2]	96	108	<96 or >108

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS				POCT Chloride, Venous		1 Years up to unspecified	~	1	Years	unspecified		Reference Range	97	107	97-107
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS				POCT Chloride, Venous		1 Years up to unspecified	~	1	Years	unspecified	Valid Checking [1.1]		70	140	70-140
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT CHLORIDE, VENOUS				POCT Chloride, Venous		1 Years up to unspecified	~	1	Years	unspecified	Abnormality - Abnormal [2.2]		97	107	<97 or >107
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Reference Range		4.3	5.1	4.3-5.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Valid Checking [1.1]		0.8	12.0	0.8-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	0 up to 1 Days Lab Patient Department is	~	0	1	Days	Abnormality - Abnormal [2.2]		4.3	5.1	<4.3 or >5.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	0 up to 1 Days	~	0	1	Days	Reference Range		4.3	5.1	4.3-5.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	0 up to 1 Days	~	0	1	Days	Valid Checking [1.1]		1.0	12.0	1.0-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	0 up to 1 Days	~	0	1	Days	Abnormality - Critical [2.1]		3.0	6.5	<=3.0 or >=6.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	0 up to 1 Days	~	0	1	Days	Abnormality - Abnormal [2.2]		4.3	5.1	<4.3 or >5.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7 Days	Reference Range		4.0	4.7	4.0-4.7
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7 Days	Valid Checking [1.1]		1.0	12.0	1.0-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	1 Days up to 7 Days Lab Patient Departm	~	1	Days	7 Days	Abnormality - Abnormal [2.2]		4.0	4.7	<4.0 or >4.7
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	1 Days up to 7 Days	~	1	Days	7 Days	Reference Range		4.0	4.7	4.0-4.7
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	1 Days up to 7 Days	~	1	Days	7 Days	Valid Checking [1.1]		1.0	12.0	1.0-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	1 Days up to 7 Days	~	1	Days	7 Days	Abnormality - Critical [2.1]		3.0	6.5	<=3.0 or >=6.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS				Ionized Calcium, Venous	41645-3	1 Days up to 7 Days	~	1	Days	7 Days	Abnormality - Abnormal [2.2]		4.0	4.7	<4.0 or >4.7

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years Lab Patient Depart	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Reference Range	4.6	5.1	4.6-5.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	7 Days up to 90 Years	~	7	Days	90	Years	Abnormality - Abnormal [2.2]	4.6	5.1	<4.6 or >5.1
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified Lab Patient D	~	90	Years	unspecified		Abnormality - Abnormal [2.2]	4.5	5.3	<4.5 or >5.3
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified		Reference Range	4.5	5.3	4.5-5.3
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified		Valid Checking [1.1]	1.0	12.0	1.0-12.0
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT IONIZED CALCIUM, VENOUS	mg/dL	1	Ionized Calcium, Venous	41645-3	90 Years up to unspecified	~	90	Years	unspecified		Abnormality - Critical [2.1]	3.0	6.5	<=3.0 or >=6.5
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS	mg/dL	1	Glucose, Venous	41652-9	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Reference Range	41	60	41-60
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS	mg/dL	1	Glucose, Venous	41652-9	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Valid Checking [1.1]	10	700	10-700
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS	mg/dL	1	Glucose, Venous	41652-9	0 up to 2 Days Lab Patient Department is	~	0	2	Days		Abnormality - Critical [2.1]	40		<=40

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	0 up to 2 Days Lab Patient Department is	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days	Reference Range	41	60	41-60	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days	Valid Checking [1.1]	10	700	10-700	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days	Abnormality - Critical [2.1]	40	300	<=40 or >=300	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	0 up to 2 Days	~	0	2	Days	Abnormality - Abnormal [2.2]	41	60	<41 or >60	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Reference Range	50	80	50-80
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Valid Checking [1.1]	10	700	10-700
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Critical [2.1]	40		<=40
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	2 Days up to 1 Years Lab Patient Departm	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	2 Days up to 1 Years	~	2	Days	1	Years	Reference Range	50	80	50-80
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	2 Days up to 1 Years	~	2	Days	1	Years	Valid Checking [1.1]	10	700	10-700
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Critical [2.1]	40	300	<=40 or >=300
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	2 Days up to 1 Years	~	2	Days	1	Years	Abnormality - Abnormal [2.2]	50	80	<50 or >80
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Reference Range	60	99	60-99
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Valid Checking [1.1]	10	700	10-700
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Abnormality - Critical [2.1]	50		<=50
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS		mg/dL	Glucose, Venous	41652-9	1 Years up to 17 Years Lab Patient Departm	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	1 Years up to 17 Years	~	1	Years	17	Years	Reference Range	60	99	60-99	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	1 Years up to 17 Years	~	1	Years	17	Years	Valid Checking [1.1]	10	700	10-700	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Critical [2.1]	50	500	<=50 or >=500	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	1 Years up to 17 Years	~	1	Years	17	Years	Abnormality - Abnormal [2.2]	60	99	<60 or >99	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Reference Range	74	99	74-99	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Valid Checking [1.1]	10	700	10-700	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Critical [2.1]	50		<=50	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified Lab Patient D	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified	~	17	Years	unspecified		Reference Range	74	99	74-99	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified	~	17	Years	unspecified		Valid Checking [1.1]	10	700	10-700	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Critical [2.1]	50	500	<=50 or >=500	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT GLUCOSE, VENOUS, PEDS				mg/dL		Glucose, Venous	41652-9	17 Years up to unspecified	~	17	Years	unspecified		Abnormality - Abnormal [2.2]	74	99	<74 or >99	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT LACTATE, VENOUS	LAVEN			mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT LACTATE, VENOUS	LAVEN			mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT LACTATE, VENOUS	LAVEN			mmol/L	1	Lactate, Venous	2519-7	Lab Patient Department is ED	~	~	~	~	~	Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT LACTATE, VENOUS	LAVEN			mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Reference Range	0.5	2.2	0.5-2.2	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT LACTATE, VENOUS	LAVEN			mmol/L	1	Lactate, Venous	2519-7		~	~	~	~	~	Valid Checking [1.1]	0.3	17.0	0.3-17.0	

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7												Abnormality - Critical [2.1]	8.0	>8.0	
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT LACTATE, VENOUS	LAVEN	mmol/L	1	Lactate, Venous	2519-7												Abnormality - Abnormal [2.2]	0.5	2.2	<0.5 or >2.2
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous													Reference Range	7.32	7.43	7.32-7.43
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous													Valid Checking [1.1]	6.8	7.9	6.8-7.9
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous													Abnormality - Critical [2.1]	7.25	7.60	<=7.25 or >=7.60
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PH, TEMP CORRECTED, VENOUS				pH, Temp Corrected, Venous													Abnormality - Abnormal [2.2]	7.32	7.43	<7.32 or >7.43
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 0 up to 4 Days Lab Patient Dep	Female	0			4	Days						Reference Range	33	47	33-47
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 0 up to 4 Days Lab Patient Dep	Female	0			4	Days						Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 0 up to 4 Days Lab Patient Dep	Female	0			4	Days						Abnormality - Abnormal [2.2]	33	47	<33 or >47
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 0 up to 4 Days	Female	0			4	Days						Reference Range	33	47	33-47
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 0 up to 4 Days	Female	0			4	Days						Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 0 up to 4 Days	Female	0			4	Days						Abnormality - Critical [2.1]		60	>=60
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 0 up to 4 Days	Female	0			4	Days						Abnormality - Abnormal [2.2]	33	47	<33 or >47
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 4 Days up to 24 Months Lab Pa	Female	4	Days		24	Months						Reference Range	33	48	33-48
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 4 Days up to 24 Months Lab Pa	Female	4	Days		24	Months						Valid Checking [1.1]	17	130	17-130
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 4 Days up to 24 Months Lab Pa	Female	4	Days		24	Months						Abnormality - Abnormal [2.2]	33	48	<33 or >48
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS				pCO2, Temp Corrected, Venous	Female 4 Days up to 24 Months	Female	4	Days		24	Months						Reference Range	33	48	33-48

POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months Lab Patie	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Reference Range	33	48	33-48			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Valid Checking [1.1]	17	130	17-130			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Critical [2.1]		60	>=60			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 4 Days up to 24 Months	Male	4	Days	24	Months	Abnormality - Abnormal [2.2]	33	48	<33 or >48			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Reference Range	40	55	40-55			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified Lab	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Reference Range	40	55	40-55			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Valid Checking [1.1]	17	130	17-130			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Critical [2.1]		60	>=60			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PCO2, TEMP CORRECTED, VENOUS			mm Hg	pCO2, Temp Corrected, Venous	Male 24 Months up to unspecified	Male	24	Months	unspecified		Abnormality - Abnormal [2.2]	40	55	<40 or >55			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PO2, TEMP CORRECTED, VENOUS, PEDS			mm Hg	pO2, Temp Corrected, Venous		~	~	~	~	~	Reference Range	25	40	25-40			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PO2, TEMP CORRECTED, VENOUS, PEDS			mm Hg	pO2, Temp Corrected, Venous		~	~	~	~	~	Valid Checking [1.1]	15	550	15-550			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	POCT PO2, TEMP CORRECTED, VENOUS, PEDS			mm Hg	pO2, Temp Corrected, Venous		~	~	~	~	~	Abnormality - Abnormal [2.2]	25	40	<25 or >40			
POCT VENOUS PEDIATRIC BLOOD GAS GEM PERFUSION UNSOLICITED RESULT [LAB11204]	POCT Venous Pediatric Blood Gas GEM Perfusion [123550101]	CRITICAL READBACK				Critical Readback		~	~	~	~	~	Valid Checking [1.1]					Y [1131], N [1132]	
EOSINOPHIL COUNT, URINE [LAB10081]	URINE EOSINOPHIL [1230100203]	EOSINOPHIL %, URINE	UEO	%	0	Eosinophil %, Urine		~	~	~	~	~	Display Reference Range [14.1]						0%

URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	COLOR OF URINE	COLOR U			Color, Urine	5778-6		~	~	~	~	~	Valid Checking [1.1]				Yellow [11], Dark Yellow [14], Orange [6], Red [8], Green [5], Other [15]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	CLARITY OF URINE	CLARITY U			Clarity, Urine	32167-9		~	~	~	~	~	Valid Checking [1.1]				Clear [1], Cloudy [3]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE SPEC GRAV	USG		3	Spec Gravity, Urine	5811-5		~	~	~	~	~	Valid Checking [1.1]	1.005	1.030	>1.005-1.030		
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE SPEC GRAV	USG		3	Spec Gravity, Urine	5811-5		~	~	~	~	~	Display Reference Range [14.1]					<=1.005 to >=1.030
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE PH	UPH		1	pH, Urine	50560-2		~	~	~	~	~	Reference Range	4.5	8.0	>4.5-8.0		
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE PH	UPH		1	pH, Urine	50560-2		~	~	~	~	~	Valid Checking [1.1]	4.5	8.5	4.5-8.5		
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE PH	UPH		1	pH, Urine	50560-2		~	~	~	~	~	Abnormality - Abnormal [2.2]	4.5	8.0	<=4.5 or >8.0		
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE PH	UPH		1	pH, Urine	50560-2		~	~	~	~	~	Display Reference Range [14.1]					4.5 to 8
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE PROTEIN	UPRO	mg/dL		Protein, Urine	50561-0		~	~	~	~	~	Reference Range				Negative [20]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE PROTEIN	UPRO	mg/dL		Protein, Urine	50561-0		~	~	~	~	~	Valid Checking [1.1]				Negative [20], Trace [1016], 30 [1017], 100 [1018], >=300 [1039]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE PROTEIN	UPRO	mg/dL		Protein, Urine	50561-0		~	~	~	~	~	Abnormality - Abnormal [2.2]				Trace [1016], 30 [1017], 100 [1018], >=300 [1039]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	GLUCOSE, URINE	GLX	mg/dL		Glucose, Urine	2350-7		~	~	~	~	~	Reference Range				Negative [20]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	GLUCOSE, URINE	GLX	me/dL		Glucose, Urine	2350-7		~	~	~	~	~	Valid Checking [1.1]				Negative [20], 100 [1018], 250 [1040], 500 [1041], >=1000 [1042]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	GLUCOSE, URINE	GLX	me/dL		Glucose, Urine	2350-7		~	~	~	~	~	Abnormality - Abnormal [2.2]				100 [1018], 250 [1040], 500 [1041], >=1000 [1042]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	KETONES (MG/DL) IN URINE	KETONES U	mg/dL		Ketones, Urine	49779-2		~	~	~	~	~	Reference Range				Negative [20]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	KETONES (MG/DL) IN URINE	KETONES U	mg/dL		Ketones, Urine	49779-2		~	~	~	~	~	Valid Checking [1.1]				Negative [20], Trace [1016], 15 [1043], 40 [1044], >=80 [1045]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	KETONES (MG/DL) IN URINE	KETONES U	mg/dL		Ketones, Urine	49779-2		~	~	~	~	~	Abnormality - Abnormal [2.2]				Trace [1016], 15 [1043], 40 [1044], >=80 [1045]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	HEMOGLOBIN PRESENCE IN URINE	BLOOD U			Blood, Urine	725-2		~	~	~	~	~	Reference Range				Negative [20]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	HEMOGLOBIN PRESENCE IN URINE	BLOOD U			Blood, Urine	725-2		~	~	~	~	~	Valid Checking [1.1]				Negative [20], Trace [1016], Small [1034], Moderate [1035], Large [1036]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	HEMOGLOBIN PRESENCE IN URINE	BLOOD U			Blood, Urine	725-2		~	~	~	~	~	Abnormality - Abnormal [2.2]				Trace [1016], Small [1034], Moderate [1035], Large [1036]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	BILIRUBIN, URINE	BILI UR			Bilirubin, Urine	5770-3		~	~	~	~	~	Reference Range				Negative [20]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	BILIRUBIN, URINE	BILI UR			Bilirubin, Urine	5770-3		~	~	~	~	~	Valid Checking [1.1]				Negative [20], Small [1034], Moderate [1035], Large [1036]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	BILIRUBIN, URINE	BILI UR			Bilirubin, Urine	5770-3		~	~	~	~	~	Abnormality - Abnormal [2.2]				Small [1034], Moderate [1035], Large [1036]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE UROBILINOGEN	UROB	mg/dL		Urobilinogen, Urine	20405-7		~	~	~	~	~	Reference Range				0.2 [1038], 1.0 [1159]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE UROBILINOGEN	UROB	mg/dL		Urobilinogen, Urine	20405-7		~	~	~	~	~	Valid Checking [1.1]				0.2 [1038], 1.0 [1159], 2.0 [1160], 4.0 [1084], >=8.0 [1085]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE UROBILINOGEN	UROB	mg/dL		Urobilinogen, Urine	20405-7		~	~	~	~	~	Abnormality - Abnormal [2.2]				2.0 [1160], 4.0 [1084], >=8.0 [1085]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	URINE UROBILINOGEN	UROB	mg/dL		Urobilinogen, Urine	20405-7		~	~	~	~	~	Display Reference Range [14.1]					0.2 to 1.0
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	LEUKOCYTE ESTERASE PRESENCE IN URINE BY TEST STRIP	LEUKOCYTUR			Leukocytes, Urine	5799-2		~	~	~	~	~	Reference Range				Negative [20]	
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	LEUKOCYTE ESTERASE PRESENCE IN URINE BY TEST STRIP	LEUKOCYTUR			Leukocytes, Urine	5799-2		~	~	~	~	~	Valid Checking [1.1]				Negative [20], Trace [1016], Small [1034], Moderate [1035], Large [1036]	

URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	LEUKOCYTE ESTERASE PRESENCE IN URINE BY TEST STRIP	LEUKOCYTUR		Leukocytes, Urine	5799-2													Trace [1016], Small [1034], Moderate [1035], Large [1036]
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	NITRITE PRESENCE IN URINE	NITRITE U		Nitrite, Urine	32710-6													Negative [20]
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	NITRITE PRESENCE IN URINE	NITRITE U		Nitrite, Urine	32710-6													Positive [10], Negative [20]
URINALYSIS, DIPSTICK [LAB553]	URINALYSIS, DIPSTICK [1230100255]	NITRITE PRESENCE IN URINE	NITRITE U		Nitrite, Urine	32710-6													Abnormality - Abnormal [2.2]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RBC, URINE	URBC	/HPF	RBC, Urine	13945-1													Positive [10]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RBC, URINE	URBC	/HPF	RBC, Urine	13945-1													<1 [1066], 1 [1067], 2 [1068], 3 [1069], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNEWBC) [1080], ??? [1124], Unable to estimate [1161]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RBC, URINE	URBC	/HPF	RBC, Urine	13945-1													<1 [1066], 1 [1067], 2 [1068], 3 [1069], 4 - 10 [1070], 11 - 15 [1062], 16 - 30 [1063], 31 - 50 [1064], >50 [1065], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNEWBC) [1080], ??? [1124], Unable to estimate [1161]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RBC, URINE	URBC	/HPF	RBC, Urine	13945-1													Valid Checking [1.1]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RBC, URINE	URBC	/HPF	RBC, Urine	13945-1													Abnormality - Abnormal [2.2]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RBC, URINE	URBC	/HPF	RBC, Urine	13945-1													Display Reference Range [14.1]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WBC, URINE	UWBC	/HPF	WBC, Urine	5821-4													0 - 5 [1056], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WBC, URINE	UWBC	/HPF	WBC, Urine	5821-4													0 - 5 [1056], 6 - 10 [1057], 11 - 20 [1183], 21 - 50 [1185], >50 [1065], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WBC, URINE	UWBC	/HPF	WBC, Urine	5821-4													Valid Checking [1.1]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WBC, URINE	UWBC	/HPF	WBC, Urine	5821-4													Abnormality - Abnormal [2.2]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF	Squamous Epithelial Cells	5786-9													Display Reference Range [14.1]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF	Squamous Epithelial Cells	5786-9													0 - 2 [1074], 3 - 5 [1075], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNEWBC) [1080], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF	Squamous Epithelial Cells	5786-9													0 - 2 [1074], 3 - 5 [1075], 6 - 10 [1057], 11 - 20 [1183], >20 [1184], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNEWBC) [1080], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF	Squamous Epithelial Cells	5786-9													Abnormality - Abnormal [2.2]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF	Squamous Epithelial Cells	5786-9													Display Reference Range [14.1]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	HYALINE CASTS	HYLCST	/LPF	Hyaline Casts	25162-9													0 - 2 [1074], 3 - 5 [1075], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNEWBC) [1080], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]

URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	HYALINE CASTS	HYLCST	/LPF	Hyaline Casts	25162-9	~	~	~	~	~	Valid Checking [1.1]			0 - 2 [1074], 3 - 5 [1075], 6 - 10 [1057], 11 - 20 [1183], >20 [1184], Present but unable to estimate. (UEPRES) [1079]; Unable to estimate due to obscuring WBC's (UNEWBC) [1080], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	HYALINE CASTS	HYLCST	/LPF	Hyaline Casts	25162-9	~	~	~	~	~	Abnormality - Abnormal [2.2]			6 - 10 [1057], 11 - 20 [1183], >20 [1184]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	HYALINE CASTS	HYLCST	/LPF	Hyaline Casts	25162-9	~	~	~	~	~	Display Reference Range [14.1]				0 to 5
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	BACTERIA (#HPF) IN URINE	BACTERIAU		Bacteria, Urine	5769-5	~	~	~	~	~	Valid Checking [1.1]			Negative [20], Present [1076], Unable to estimate due to obscuring RBC's (UNERBC) [1082], Unable to estimate due to obscuring WBC's (UNEWBC) [1080], ??? [1124], Unable to estimate [1161]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	BACTERIA (#HPF) IN URINE	BACTERIAU		Bacteria, Urine	5769-5	~	~	~	~	~	Display Reference Range [14.1]				Negative
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RENAL TUBULAR CELLS	RTECELLS		Renal Tubular Cells	53291-1	~	~	~	~	~	Valid Checking [1.1]			Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RENAL TUBULAR CELLS	RTECELLS		Renal Tubular Cells	53291-1	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	TRANSITIONAL EPITHELIAL CELLS	LGTRANBLCE		Transitional Epithelial Cells		~	~	~	~	~	Valid Checking [1.1]			Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	TRANSITIONAL EPITHELIAL CELLS	LGTRANBLCE		Transitional Epithelial Cells		~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	GRANULAR CASTS	GRCAST		Granular Casts	32175-2	~	~	~	~	~	Valid Checking [1.1]			Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	GRANULAR CASTS	GRCAST		Granular Casts	32175-2	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WAXY CASTS (#HPF) IN URINE	WAXCASTU		Waxy Casts, Urine	41223-9	~	~	~	~	~	Valid Checking [1.1]			Present [113]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WAXY CASTS (#HPF) IN URINE	WAXCASTU		Waxy Casts, Urine	41223-9	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WBC CASTS	WBCCST		WBC Casts	33228-8	~	~	~	~	~	Valid Checking [1.1]			Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WBC CASTS	WBCCST		WBC Casts	33228-8	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	MIXED CELLULAR CASTS	MIXCASTU		Mixed Cellular Casts	53848-8	~	~	~	~	~	Valid Checking [1.1]			Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	MIXED CELLULAR CASTS	MIXCASTU		Mixed Cellular Casts	53848-8	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RTE CAST	RTECAST		Renal Tubular Epithelial Cast		~	~	~	~	~	Valid Checking [1.1]			Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RTE CAST	RTECAST		Renal Tubular Epithelial Cast		~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RED CELL/HEMOGLOBIN CASTS	RBCCST		Red Cell/Hemoglobin Casts	33229-6	~	~	~	~	~	Valid Checking [1.1]			Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	RED CELL/HEMOGLOBIN CASTS	RBCCST		Red Cell/Hemoglobin Casts	33229-6	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	TRICHOMONAS	TRICHOMONU		Trichomonas	33905-1	~	~	~	~	~	Valid Checking [1.1]			Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	TRICHOMONAS	TRICHOMONU		Trichomonas	33905-1	~	~	~	~	~	Display Reference Range [14.1]				Absent

URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU		Yeast (Budding and/or Pseudohyphae)										Reference Range					
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU		Yeast (Budding and/or Pseudohyphae)										Valid Checking [1.1]					Present [20]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU		Yeast (Budding and/or Pseudohyphae)										Abnormality - Abnormal [2.2]					Present [20]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU		Yeast (Budding and/or Pseudohyphae)										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	MUCUS (#/HPF) IN URINE SEDIMENT	MUCUSU		Mucus										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	SPERMATOOZOA IN URINE SEDIMENT	SPERMU		Spermatozoa										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	SPERMATOOZOA IN URINE SEDIMENT	SPERMU		Spermatozoa										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	AMMONIUM BIURATE CRYSTALS	AMBCRY		Ammonium Biturate Crystals										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	AMMONIUM BIURATE CRYSTALS	AMBCRY		Ammonium Biturate Crystals										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	AMORPHOUS CRYSTALS	AMORPHCRYU		Amorphous Crystals										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	AMORPHOUS CRYSTALS	AMORPHCRYU		Amorphous Crystals										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	CALCIUM OXALATE CRYSTALS	CAOXALCRU		Calcium Oxalate Crystals										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	CALCIUM OXALATE CRYSTALS	CAOXALCRU		Calcium Oxalate Crystals										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	CHOLESTEROL CRYSTALS	CHOLCRY		Cholesterol Crystals	33231-2									Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	CHOLESTEROL CRYSTALS	CHOLCRY		Cholesterol Crystals	33231-2									Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	CYSTINE CRYSTALS	CYSCRYU		Cystine Crystals										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	CYSTINE CRYSTALS	CYSCRYU		Cystine Crystals										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	LEUCINE CRYSTALS	LEUCRYU		Leucine Crystals										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	LEUCINE CRYSTALS	LEUCRYU		Leucine Crystals										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	TRIPLE PHOSPHATE CRYSTALS	TRIPHOCRYU		Triple Phosphate Crystals										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	TRIPLE PHOSPHATE CRYSTALS	TRIPHOCRYU		Triple Phosphate Crystals										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	TYROSINE CRYSTALS	TYRCRYU		Tyrosine Crystals										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	TYROSINE CRYSTALS	TYRCRYU		Tyrosine Crystals										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	URIC ACID CRYSTALS	URATECRYU		Uric Acid Crystals										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	URIC ACID CRYSTALS	URATECRYU		Uric Acid Crystals										Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	BILIRUBIN CRYSTALS	BILICRYU		Bilirubin Crystals										Valid Checking [1.1]					Present [1076]
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	BILIRUBIN CRYSTALS	BILICRYU		Bilirubin Crystals										Display Reference Range [14.1]					Absent

URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	UNIDENTIFIED CRYSTALS	UNIDEFCRY			Unidentified Crystals			~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	UNIDENTIFIED CRYSTALS	UNIDEFCRY			Unidentified Crystals			~	~	~	~	~	~	Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	OVAL FAT BODIES	OVALFATBOD			Oval Fat Bodies			~	~	~	~	~	~	Valid Checking [1.1]				Cells present resembling Oval Fat Bodies. [1128]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	OVAL FAT BODIES	OVALFATBOD			Oval Fat Bodies			~	~	~	~	~	~	Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	FATTY CASTS	FATTYCASTS			FATTYCASTS			~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	FATTY CASTS	FATTYCASTS			FATTYCASTS			~	~	~	~	~	~	Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WBC CLUMPS	WBCCPS			WBC Clumps 33228-8			~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	WBC CLUMPS	WBCCPS			WBC Clumps 33228-8			~	~	~	~	~	~	Display Reference Range [14.1]					Absent
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	REVIEW FLAG	REVFL			Review Flag 32175-2			~	~	~	~	~	~	Valid Checking [1.1]				Reviewed [1093], Manual Review [1188]	
URINALYSIS, MICROSCOPIC [LAB348]	URINALYSIS MICROSCOPIC [1230100256]	REVIEW FLAG	REVFL			Review Flag 32175-2			~	~	~	~	~	~	Display Reference Range [14.1]					Absent
PREGNANCY, URINE [LAB437]	PREGNANCY URINE [1230100349]	URINE PREGNANCY TEST	UPREG			Urine Pregnancy 80384-1			~	~	~	~	~	~	Reference Range				Negative [20]	
PREGNANCY, URINE [LAB437]	PREGNANCY URINE [1230100349]	URINE PREGNANCY TEST	UPREG			Urine Pregnancy 80384-1			~	~	~	~	~	~	Valid Checking [1.1]				Positive [10], Negative [20]	
PREGNANCY, URINE [LAB437]	PREGNANCY URINE [1230100349]	URINE PREGNANCY TEST	UPREG			Urine Pregnancy 80384-1			~	~	~	~	~	~	Abnormality - Abnormal [2.2]				Positive [10]	
PREGNANCY, URINE [LAB437]	PREGNANCY URINE [1230100349]	URINE SPEC GRAVITY FOR PREGNANCY TEST	USG		3	Urine Spec Grav 5811-5			~	~	~	~	~	~	Valid Checking [1.1]	1.005	1.030	>1.005-<1.030		<=1.005 to >=1.030
PREGNANCY, URINE [LAB437]	PREGNANCY URINE [1230100349]	URINE SPEC GRAVITY FOR PREGNANCY TEST	USG		3	Urine Spec Grav 5811-5			~	~	~	~	~	~	Display Reference Range [14.1]					
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	RBC, URINE	URBC	/HPF		RBC, Urine 13945-1			~	~	~	~	~	~	Reference Range				<1 [1066], 1 [1067], 2 [1068], 3 [1069], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNEWBC) [1080], ??? [1124], Unable to estimate [1161]	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	RBC, URINE	URBC	/HPF		RBC, Urine 13945-1			~	~	~	~	~	~	Valid Checking [1.1]				<1 [1066], 1 [1067], 2 [1068], 3 [1069], 4 - 10 [1070], 11 - 15 [1062], 16 - 30 [1063], 31 - 50 [1064], >50 [1065], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNEWBC) [1080], ??? [1124], Unable to estimate [1161]	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	RBC, URINE	URBC	/HPF		RBC, Urine 13945-1			~	~	~	~	~	~	Abnormality - Abnormal [2.2]				4 - 10 [1070], 11 - 15 [1062], 16 - 30 [1063], 31 - 50 [1064], >50 [1065]	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	RBC, URINE	URBC	/HPF		RBC, Urine 13945-1			~	~	~	~	~	~	Display Reference Range [14.1]					0 to 3
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	WBC, URINE	UWBC	/HPF		WBC, Urine 5821-4			~	~	~	~	~	~	Reference Range				0 - 5 [1056], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	WBC, URINE	UWBC	/HPF		WBC, Urine 5821-4			~	~	~	~	~	~	Valid Checking [1.1]				0 - 5 [1056], 6 - 10 [1057], 11 - 20 [1183], 21 - 50 [1185], >50 [1065], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	WBC, URINE	UWBC	/HPF		WBC, Urine 5821-4			~	~	~	~	~	~	Abnormality - Abnormal [2.2]				6 - 10 [1057], 11 - 20 [1183], 21 - 50 [1185], >50 [1065]	

URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	CYSTINE CRYSTALS	CYSCRYU		Cystine Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	LEUCINE CRYSTALS	LEUCRYU		Leucine Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Present [1076]
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	LEUCINE CRYSTALS	LEUCRYU		Leucine Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	TRIPLE PHOSPHATE CRYSTALS	TRIPHOCRYU		Triple Phosphate Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Present [1076]
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	TRIPLE PHOSPHATE CRYSTALS	TRIPHOCRYU		Triple Phosphate Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	TYROSINE CRYSTALS	TYRCRYU		Tyrosine Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Present [1076]
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	TYROSINE CRYSTALS	TYRCRYU		Tyrosine Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	URIC ACID CRYSTALS	URATECRYU		Uric Acid Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Present [1076]
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	URIC ACID CRYSTALS	URATECRYU		Uric Acid Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	BILIRUBIN CRYSTALS	BILICRYU		Bilirubin Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Present [1076]
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	BILIRUBIN CRYSTALS	BILICRYU		Bilirubin Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	UNIDENTIFIED CRYSTALS	UNIDFCRY		Unidentified Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Present [1076]
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	UNIDENTIFIED CRYSTALS	UNIDFCRY		Unidentified Crystals		~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	WBC CLUMPS	WBCCPS		WBC Clumps	33228-8	~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Present [1076]
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	WBC CLUMPS	WBCCPS		WBC Clumps	33228-8	~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	OVAL FAT BODIES	OVALFATBOD		Oval Fat Bodies		~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Cells present resembling Oval Fat Bodies. [1128]
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	OVAL FAT BODIES	OVALFATBOD		Oval Fat Bodies		~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	TRICHOMONAS	TRICHOMONU		Trichomonas	33905-1	~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Present [1076]
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	TRICHOMONAS	TRICHOMONU		Trichomonas	33905-1	~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]	Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU		Yeast (Budding and/or Pseudohyphae)		~	~	~	~	~	~	~	~	~	~	~	~	~	Reference Range	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU		Yeast (Budding and/or Pseudohyphae)		~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]	Present [20]

URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU			Yeast (Budding and/or Pseudohyp hae)											Abnormality - Abnormal [2.2]			Present [20]	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU			Yeast (Budding and/or Pseudohyp hae)											Display Reference Range [14.1]				Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	MUCUS (#HPF) IN URINE SEDIMENT	MUCUSU			Mucus											Valid Checking [1.1]			Present [1076]	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	SPERMATOZOA IN URINE SEDIMENT	SPERMU			Spermatozo a											Valid Checking [1.1]			Present [1076]	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	SPERMATOZOA IN URINE SEDIMENT	SPERMU			Spermatozo a											Display Reference Range [14.1]				Absent
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	REVIEW FLAG	REVFL			Review Flag	32175-2										Valid Checking [1.1]			Reviewed [1093], Manual Review [1188]	
URINALYSIS MICROSCOPIC FOR UA REFLEX [LAB3481]	URINALYSIS MICROSCOPIC for UA Reflex [1230200256]	REVIEW FLAG	REVFL			Review Flag	32175-2										Display Reference Range [14.1]				Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	COLOR OF URINE	COLOR U			Color, Urine	5778-6										Valid Checking [1.1]			Yellow [11], Dark Yellow [14], Orange [6], Red [8], Green [5], Other [15]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	CLARITY OF URINE	CLARITY U			Clarity, Urine	32167-9										Valid Checking [1.1]			Clear [1], Cloudy [3]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE SPEC GRAV	USG		3	Spec Gravity, Urine	5811-5										Valid Checking [1.1]	1.005	1.030	>1.005-<1.030	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE SPEC GRAV	USG		3	Spec Gravity, Urine	5811-5										Display Reference Range [14.1]				<=1.005 to >=1.030
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE PH	UPH		1	pH, Urine	50560-2										Reference Range	4.5	8.0	>4.5-8.0	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE PH	UPH		1	pH, Urine	50560-2										Valid Checking [1.1]	4.5	8.5	4.5-<8.5	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE PH	UPH		1	pH, Urine	50560-2										Abnormality - Abnormal [2.2]	4.5	8.0	<=4.5 or >8.0	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE PROTEIN	UPRO			Protein, Urine	50561-0										Reference Range				Negative [20]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE PROTEIN	UPRO			Protein, Urine	50561-0										Valid Checking [1.1]				Negative [20], Trace [1016], 30 [1017], 100 [1018], >=300 [1039]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE PROTEIN	UPRO			Protein, Urine	50561-0										Abnormality - Abnormal [2.2]				Trace [1016], 30 [1017], 100 [1018], >=300 [1039]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	GLUCOSE, URINE	GLX			Glucose, Urine	2350-7										Reference Range				Negative [20]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	GLUCOSE, URINE	GLX			Glucose, Urine	2350-7										Valid Checking [1.1]				Negative [20], 100 [1018], 250 [1040], 500 [1041], >=1000 [1042]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	GLUCOSE, URINE	GLX			Glucose, Urine	2350-7										Abnormality - Abnormal [2.2]				100 [1018], 250 [1040], 500 [1041], >=1000 [1042]

TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	KETONES (MG/DL) IN URINE	KETONES U	mg/dL		Ketones, Urine	49779-2							Reference Range					Negative [20]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	KETONES (MG/DL) IN URINE	KETONES U	mg/dL		Ketones, Urine	49779-2							Valid Checking [1.1]					Negative [20], Trace [1016], 15 [1043], 40 [1044], >=80 [1045]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	KETONES (MG/DL) IN URINE	KETONES U	mg/dL		Ketones, Urine	49779-2							Abnormality - Abnormal [2.2]					Trace [1016], 15 [1043], 40 [1044], >=80 [1045]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	HEMOGLOBIN PRESENCE IN URINE	BLOOD U			Blood, Urine	725-2							Reference Range					Negative [20]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	HEMOGLOBIN PRESENCE IN URINE	BLOOD U			Blood, Urine	725-2							Valid Checking [1.1]					Negative [20], Trace [1016], Small [1034], Moderate [1035], Large [1036]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	HEMOGLOBIN PRESENCE IN URINE	BLOOD U			Blood, Urine	725-2							Abnormality - Abnormal [2.2]					Trace [1016], Small [1034], Moderate [1035], Large [1036]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	BILIRUBIN, URINE	BILI UR			Bilirubin, Urine	5770-3							Reference Range					Negative [20]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	BILIRUBIN, URINE	BILI UR			Bilirubin, Urine	5770-3							Valid Checking [1.1]					Negative [20], Small [1034], Moderate [1035], Large [1036]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	BILIRUBIN, URINE	BILI UR			Bilirubin, Urine	5770-3							Abnormality - Abnormal [2.2]					Small [1034], Moderate [1035], Large [1036]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE UROBILINOGEN	UROB	mg/dL		Urobilinogen, Urine	20405-7							Reference Range					0.2 [1038], 1.0 [1159]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE UROBILINOGEN	UROB	mg/dL		Urobilinogen, Urine	20405-7							Valid Checking [1.1]					0.2 [1038], 1.0 [1159], 2.0 [1160], 4.0 [1084], >=8.0 [1085]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE UROBILINOGEN	UROB	mg/dL		Urobilinogen, Urine	20405-7							Abnormality - Abnormal [2.2]					2.0 [1160], 4.0 [1084], >=8.0 [1085]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URINE UROBILINOGEN	UROB	mg/dL		Urobilinogen, Urine	20405-7							Display Reference Range [14.1]					0.2 to 1.0
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	LEUKOCYTE ESTERASE PRESENCE IN URINE BY TEST STRIP	LEUKOCYTUR			Leukocytes, Urine	5799-2							Reference Range					Negative [20]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	LEUKOCYTE ESTERASE PRESENCE IN URINE BY TEST STRIP	LEUKOCYTUR			Leukocytes, Urine	5799-2							Valid Checking [1.1]					Negative [20], Trace [1016], Small [1034], Moderate [1035], Large [1036]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	LEUKOCYTE ESTERASE PRESENCE IN URINE BY TEST STRIP	LEUKOCYTUR			Leukocytes, Urine	5799-2							Abnormality - Abnormal [2.2]					Trace [1016], Small [1034], Moderate [1035], Large [1036]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	NITRITE PRESENCE IN URINE	NITRITE U			Nitrite, Urine	32710-6							Reference Range					Negative [20]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	NITRITE PRESENCE IN URINE	NITRITE U			Nitrite, Urine	32710-6							Valid Checking [1.1]					Positive [10], Negative [20]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	NITRITE PRESENCE IN URINE	NITRITE U			Nitrite, Urine	32710-6							Abnormality - Abnormal [2.2]					Positive [10]
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	RBC, URINE	URBC	/HPF		RBC, Urine	13945-1							Reference Range					<1 [1066], 1 [1067], 2 [1068], 3 [1069], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNEWC) [1080], ??? [1124], Unable to estimate [1161]

TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	RBC, URINE	URBC	/HPF	RBC, Urine	13945-1	~	~	~	~	~	Valid Checking [1.1]	<1 [1066], 1 [1067], 2 [1068], 3 [1069], 4 - 10 [1070], 11 - 15 [1062], 16 - 30 [1063], 31 - 50 [1064], >50 [1065], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNERBC) [1080], ??? [1124], Unable to estimate [1161]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	RBC, URINE	URBC	/HPF	RBC, Urine	13945-1	~	~	~	~	~	Abnormality - Abnormal [2.2]	4 - 10 [1070], 11 - 15 [1062], 16 - 30 [1063], 31 - 50 [1064], >50 [1065]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	RBC, URINE	URBC	/HPF	RBC, Urine	13945-1	~	~	~	~	~	Display Reference Range [14.1]		0 to 3
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	WBC, URINE	UWBC	/HPF	WBC, Urine	5821-4	~	~	~	~	~	Reference Range	0 - 5 [1056], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	WBC, URINE	UWBC	/HPF	WBC, Urine	5821-4	~	~	~	~	~	Valid Checking [1.1]	0 - 5 [1056], 6 - 10 [1057], 11 - 20 [1183], 21 - 50 [1185], >50 [1065], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	WBC, URINE	UWBC	/HPF	WBC, Urine	5821-4	~	~	~	~	~	Abnormality - Abnormal [2.2]	6 - 10 [1057], 11 - 20 [1183], 21 - 50 [1185], >50 [1065]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	WBC, URINE	UWBC	/HPF	WBC, Urine	5821-4	~	~	~	~	~	Display Reference Range [14.1]		0 to 5
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF	Squamous Epithelial Cells	5786-9	~	~	~	~	~	Reference Range	0 - 2 [1074], 3 - 5 [1075], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNERBC) [1080], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF	Squamous Epithelial Cells	5786-9	~	~	~	~	~	Valid Checking [1.1]	0 - 2 [1074], 3 - 5 [1075], 6 - 10 [1057], 11 - 20 [1183], >20 [1184], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNERBC) [1080], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF	Squamous Epithelial Cells	5786-9	~	~	~	~	~	Abnormality - Abnormal [2.2]	6 - 10 [1057], 11 - 20 [1183], >20 [1184]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF	Squamous Epithelial Cells	5786-9	~	~	~	~	~	Display Reference Range [14.1]		0 to 5
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	HYALINE CASTS	HYLCST	/LPF	Hyaline Casts	25162-9	~	~	~	~	~	Reference Range	0 - 2 [1074], 3 - 5 [1075], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNERBC) [1080], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	HYALINE CASTS	HYLCST	/LPF	Hyaline Casts	25162-9	~	~	~	~	~	Valid Checking [1.1]	0 - 2 [1074], 3 - 5 [1075], 6 - 10 [1057], 11 - 20 [1183], >20 [1184], Present but unable to estimate. (UEPRES) [1079], Unable to estimate due to obscuring WBC's (UNERBC) [1080], Unable to estimate due to obscuring RBC's (UNERBC) [1082], ??? [1124], Unable to estimate [1161]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	HYALINE CASTS	HYLCST	/LPF	Hyaline Casts	25162-9	~	~	~	~	~	Abnormality - Abnormal [2.2]	6 - 10 [1057], 11 - 20 [1183], >20 [1184]	

TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	CHOLESTEROL CRYSTALS	CHOLCRY		Cholesterol Crystals	33231-2													Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	CHOLESTEROL CRYSTALS	CHOLCRY		Cholesterol Crystals	33231-2													Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	AMORPHOUS CRYSTALS	AMORPHCRVU		Amorphous Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	AMORPHOUS CRYSTALS	AMORPHCRVU		Amorphous Crystals														Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	AMMONIUM BIURATE CRYSTALS	AMBCRY		Ammonium Biturate Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	AMMONIUM BIURATE CRYSTALS	AMBCRY		Ammonium Biturate Crystals														Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	CALCIUM OXALATE CRYSTALS	CAOXALCRU		Calcium Oxalate Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	CALCIUM OXALATE CRYSTALS	CAOXALCRU		Calcium Oxalate Crystals														Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	CYSTINE CRYSTALS	CYSCRYU		Cystine Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	CYSTINE CRYSTALS	CYSCRYU		Cystine Crystals														Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	LEUCINE CRYSTALS	LEUCRYU		Leucine Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	LEUCINE CRYSTALS	LEUCRYU		Leucine Crystals														Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	TRIPLE PHOSPHATE CRYSTALS	TRIPHOCRYU		Triple Phosphate Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	TRIPLE PHOSPHATE CRYSTALS	TRIPHOCRYU		Triple Phosphate Crystals														Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	TYROSINE CRYSTALS	TYRCRYU		Tyrosine Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	TYROSINE CRYSTALS	TYRCRYU		Tyrosine Crystals														Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URIC ACID CRYSTALS	URATECRYU		Uric Acid Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	URIC ACID CRYSTALS	URATECRYU		Uric Acid Crystals														Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	BILIRUBIN CRYSTALS	BILICRYU		Bilirubin Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	BILIRUBIN CRYSTALS	BILICRYU		Bilirubin Crystals														Display Reference Range [14.1]		Absent
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	UNIDENTIFIED CRYSTALS	UNIDEFCRY		Unidentified Crystals														Valid Checking [1.1]	Present [1076]	
TRANSFUSION REACTION URINALYSIS [LAB10082]	Transfusion Reaction Urinalysis [1230201189]	UNIDENTIFIED CRYSTALS	UNIDEFCRY		Unidentified Crystals														Display Reference Range [14.1]		Absent

URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URINE PH	UPH	.	1	pH, Urine	50560-2	~	~	~	~	~	Abnormality - Abnormal [2.2]	4.5	8.0	<=4.5 or >8.0	
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URINE PH	UPH	.	1	pH, Urine	50560-2	~	~	~	~	~	Display Reference Range [14.1]				4.5 to 8
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URINE PROTEIN	UPRO	mg/dL	.	Protein, Urine	50561-0	~	~	~	~	~	Reference Range				Negative [20]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URINE PROTEIN	UPRO	mg/dL	.	Protein, Urine	50561-0	~	~	~	~	~	Valid Checking [1.1]				Negative [20], Trace [1016], 30 [1017], 100 [1018], >=300 [1039]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URINE PROTEIN	UPRO	mg/dL	.	Protein, Urine	50561-0	~	~	~	~	~	Abnormality - Abnormal [2.2]				Trace [1016], 30 [1017], 100 [1018], >=300 [1039]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	GLUCOSE, URINE	GLX	mg/dL	.	Glucose, Urine	2350-7	~	~	~	~	~	Reference Range				Negative [20]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	GLUCOSE, URINE	GLX	mg/dL	.	Glucose, Urine	2350-7	~	~	~	~	~	Valid Checking [1.1]				Negative [20], 100 [1018], 250 [1040], 500 [1041], >=1000 [1042]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	GLUCOSE, URINE	GLX	mg/dL	.	Glucose, Urine	2350-7	~	~	~	~	~	Abnormality - Abnormal [2.2]				100 [1018], 250 [1040], 500 [1041], >=1000 [1042]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	KETONES (MG/DL) IN URINE	KETONES U	mg/dL	.	Ketones, Urine	49779-2	~	~	~	~	~	Reference Range				Negative [20]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	KETONES (MG/DL) IN URINE	KETONES U	mg/dL	.	Ketones, Urine	49779-2	~	~	~	~	~	Valid Checking [1.1]				Negative [20], Trace [1016], 15 [1043], 40 [1044], >=80 [1045]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	KETONES (MG/DL) IN URINE	KETONES U	mg/dL	.	Ketones, Urine	49779-2	~	~	~	~	~	Abnormality - Abnormal [2.2]				Trace [1016], 15 [1043], 40 [1044], >=80 [1045]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	HEMOGLOBIN PRESENCE IN URINE	BLOOD U	.	.	Blood, Urine	725-2	~	~	~	~	~	Reference Range				Negative [20]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	HEMOGLOBIN PRESENCE IN URINE	BLOOD U	.	.	Blood, Urine	725-2	~	~	~	~	~	Valid Checking [1.1]				Negative [20], Trace [1016], Small [1034], Moderate [1035], Large [1036]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	HEMOGLOBIN PRESENCE IN URINE	BLOOD U	.	.	Blood, Urine	725-2	~	~	~	~	~	Abnormality - Abnormal [2.2]				Trace [1016], Small [1034], Moderate [1035], Large [1036]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	BILIRUBIN, URINE	BILI UR	.	.	Bilirubin, Urine	5770-3	~	~	~	~	~	Reference Range				Negative [20]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	BILIRUBIN, URINE	BILI UR	.	.	Bilirubin, Urine	5770-3	~	~	~	~	~	Valid Checking [1.1]				Negative [20], Small [1034], Moderate [1035], Large [1036]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	BILIRUBIN, URINE	BILI UR	.	.	Bilirubin, Urine	5770-3	~	~	~	~	~	Abnormality - Abnormal [2.2]				Small [1034], Moderate [1035], Large [1036]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URINE UROBILINOGEN	UROB	mg/dL	.	Urobilinoge n, Urine	20405-7	~	~	~	~	~	Reference Range				0.2 [1038], 1.0 [1159]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URINE UROBILINOGEN	UROB	mg/dL	.	Urobilinoge n, Urine	20405-7	~	~	~	~	~	Valid Checking [1.1]				0.2 [1038], 1.0 [1159], 2.0 [1160], 4.0 [1084], >=8.0 [1085]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URINE UROBILINOGEN	UROB	mg/dL	.	Urobilinoge n, Urine	20405-7	~	~	~	~	~	Abnormality - Abnormal [2.2]				2.0 [1160], 4.0 [1084], >=8.0 [1085]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URINE UROBILINOGEN	UROB	mg/dL	.	Urobilinoge n, Urine	20405-7	~	~	~	~	~	Display Reference Range [14.1]				0.2 to 1.0
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	LEUKOCYTE ESTERASE PRESENCE IN URINE BY TEST STRIP	LEUKOCYTUR	.	.	Leukocytes, Urine	5799-2	~	~	~	~	~	Reference Range				Negative [20]

URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	LEUKOCYTE ESTERASE PRESENCE IN URINE BY TEST STRIP	LEUKOCYTUR			Leukocytes, Urine	5799-2														Negative [20], Trace [1016], Small [1034], Moderate [1035], Large [1036]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	LEUKOCYTE ESTERASE PRESENCE IN URINE BY TEST STRIP	LEUKOCYTUR			Leukocytes, Urine	5799-2	~	~	~	~	~	~	~	~	~	~	~	~	~	Abnormality - Abnormal [2.2]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	NITRITE PRESENCE IN URINE	NITRITE U			Nitrite, Urine	32710-6	~	~	~	~	~	~	~	~	~	~	~	~	~	Reference Range
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	NITRITE PRESENCE IN URINE	NITRITE U			Nitrite, Urine	32710-6	~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	NITRITE PRESENCE IN URINE	NITRITE U			Nitrite, Urine	32710-6	~	~	~	~	~	~	~	~	~	~	~	~	~	Abnormality - Abnormal [2.2]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	RBC, URINE	URBC	/HPF		RBC, Urine	13945-1	~	~	~	~	~	~	~	~	~	~	~	~	~	Positive [10]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	RBC, URINE	URBC	/HPF		RBC, Urine	13945-1	~	~	~	~	~	~	~	~	~	~	~	~	~	Reference Range
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	RBC, URINE	URBC	/HPF		RBC, Urine	13945-1	~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	RBC, URINE	URBC	/HPF		RBC, Urine	13945-1	~	~	~	~	~	~	~	~	~	~	~	~	~	Abnormality - Abnormal [2.2]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	WBC, URINE	URBC	/HPF		RBC, Urine	13945-1	~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	WBC, URINE	UWBC	/HPF		WBC, Urine	5821-4	~	~	~	~	~	~	~	~	~	~	~	~	~	Reference Range
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	WBC, URINE	UWBC	/HPF		WBC, Urine	5821-4	~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	WBC, URINE	UWBC	/HPF		WBC, Urine	5821-4	~	~	~	~	~	~	~	~	~	~	~	~	~	Abnormality - Abnormal [2.2]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	WBC, URINE	UWBC	/HPF		WBC, Urine	5821-4	~	~	~	~	~	~	~	~	~	~	~	~	~	Display Reference Range [14.1]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF		Squamous Epithelial Cells	5786-9	~	~	~	~	~	~	~	~	~	~	~	~	~	Reference Range
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF		Squamous Epithelial Cells	5786-9	~	~	~	~	~	~	~	~	~	~	~	~	~	Valid Checking [1.1]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	SQUAMOUS EPITHELIAL	EPICASTU	/HPF		Squamous Epithelial Cells	5786-9	~	~	~	~	~	~	~	~	~	~	~	~	~	Abnormality - Abnormal [2.2]

URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	MIXED CELLULAR CASTS	MIXCASTU		Mixed Cellular Casts	53848-8												Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	RTE CAST	RTECAST		Renal Tubular Epithelial Cast													Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	RTE CAST	RTECAST		Renal Tubular Epithelial Cast													Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	RED CELL/HEMOGLOBIN CASTS	RBCCAST		Red Cell/Hemog lobin Casts	33229-6												Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	RED CELL/HEMOGLOBIN CASTS	RBCCAST		Red Cell/Hemog lobin Casts	33229-6												Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	FATTY CASTS	FATTYCASTS		FATTYCAST S													Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	FATTY CASTS	FATTYCASTS		FATTYCAST S													Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	CHOLESTEROL CRYSTALS	CHOLCRY		Cholesterol Crystals	33231-2												Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	CHOLESTEROL CRYSTALS	CHOLCRY		Cholesterol Crystals	33231-2												Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	AMORPHOUS CRYSTALS	AMORPHCRYU		Amorphous Crystals													Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	AMORPHOUS CRYSTALS	AMORPHCRYU		Amorphous Crystals													Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	AMMONIUM BIURATE CRYSTALS	AMBCRY		Ammonium Bisurate Crystals													Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	AMMONIUM BIURATE CRYSTALS	AMBCRY		Ammonium Bisurate Crystals													Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	CALCIUM OXALATE CRYSTALS	CAOXALCRU		Calcium Oxalate Crystals													Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	CALCIUM OXALATE CRYSTALS	CAOXALCRU		Calcium Oxalate Crystals													Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	CYSTINE CRYSTALS	CYSCRYU		Cystine Crystals													Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	CYSTINE CRYSTALS	CYSCRYU		Cystine Crystals													Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	LEUCINE CRYSTALS	LEUCRYU		Leucine Crystals													Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	LEUCINE CRYSTALS	LEUCRYU		Leucine Crystals													Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	TRIPLE PHOSPHATE CRYSTALS	TRIPHOCRYU		Triple Phosphate Crystals													Valid Checking [1.1]			Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	TRIPLE PHOSPHATE CRYSTALS	TRIPHOCRYU		Triple Phosphate Crystals													Display Reference Range [14.1]			Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	TYROSINE CRYSTALS	TYRCRYU		Tyrosine Crystals													Valid Checking [1.1]			Present [1076]

URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	TYROSINE CRYSTALS	TYRCRYU	Tyrosine Crystals					~	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URIC ACID CRYSTALS	URATECRYU	Uric Acid Crystals					~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	URIC ACID CRYSTALS	URATECRYU	Uric Acid Crystals					~	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	BILIRUBIN CRYSTALS	BILICRYU	Bilirubin Crystals					~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	BILIRUBIN CRYSTALS	BILICRYU	Bilirubin Crystals					~	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	UNIDENTIFIED CRYSTALS	UNIDFCRY	Unidentifie d Crystals					~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	UNIDENTIFIED CRYSTALS	UNIDFCRY	Unidentifie d Crystals					~	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	OVAL FAT BODIES	OVALFATBOD	Oval Fat Bodies					~	~	~	~	~	~	Valid Checking [1.1]				Cells present resembling Oval Fat Bodies [1128]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	OVAL FAT BODIES	OVALFATBOD	Oval Fat Bodies					~	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	TRICHOMONAS	TRICHOMONU	Trichomona s	33905-1				~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	TRICHOMONAS	TRICHOMONU	Trichomona s	33905-1				~	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU	Yeast (Budding and/or Pseudohyp hae)					~	~	~	~	~	~	Reference Range				
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU	Yeast (Budding and/or Pseudohyp hae)					~	~	~	~	~	~	Valid Checking [1.1]				Present [20]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU	Yeast (Budding and/or Pseudohyp hae)					~	~	~	~	~	~	Abnormality - Abnormal [2.2]				Present [20]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	YEAST (BUDDING AND/OR PSEUDOHYPHAE)	YEASTBUDU	Yeast (Budding and/or Pseudohyp hae)					~	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	MUCUS (W/HPF) IN URINE SEDIMENT	MUCUSU	Mucus					~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	SPERMATOZOA IN URINE SEDIMENT	SPERMJU	Spermatozo a					~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	SPERMATOZOA IN URINE SEDIMENT	SPERMJU	Spermatozo a					~	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	WBC CLUMPS	WBCCPS	WBC Clumps	33228-8				~	~	~	~	~	~	Valid Checking [1.1]				Present [1076]
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	WBC CLUMPS	WBCCPS	WBC Clumps	33228-8				~	~	~	~	~	~	Display Reference Range [14.1]				Absent
URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	REVIEW FLAG	REVFL	Review Flag	32175-2				~	~	~	~	~	~	Valid Checking [1.1]				Reviewed [1093], Manual Review [1188]

URINALYSIS WITH REFLEX MICROSCOPIC [LAB347] URINALYSIS WITH REFLEX MICROSCOPIC AND CULTURE [LAB11306]	URINALYSIS W/ REFLEX MICRO [1230401189]	REVIEW FLAG REVFL				Review Flag 32175-2		~	~	~	~	~	Display Reference Range [14.1]					Absent
--	---	---------------------------------	--	--	--	---------------------	--	---	---	---	---	---	--------------------------------	--	--	--	--	--------