

# REQUEST FOR ARTERIAL BLOOD GAS STUDY - 23610017

	Requested by _____ M.D.		Date _____	Time _____
	<input type="checkbox"/> Stat    Beeper/Telephone #: _____ <input type="checkbox"/> Routine <input type="checkbox"/> Pre-op.			
	<b>CLASS:</b> <input type="checkbox"/> Pri-Amb <input type="checkbox"/> ED <input type="checkbox"/> Clinic			
	AGE _____		TEMP. _____ °C	
Clinical Diagnosis:	% INSPIRED O <sub>2</sub> _____ ROOM AIR <input type="checkbox"/>			
	<input type="checkbox"/> VENTILATOR <input type="checkbox"/> REBREATHER <input type="checkbox"/> NASAL CANNULA <input type="checkbox"/> VENTIMASK <input type="checkbox"/> T. PIECE <input type="checkbox"/> PEEP _____ cm H <sub>2</sub> O			
<input type="checkbox"/> BLOOD GAS <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>TEST RESULTS</b></p> <p>pH _____</p> <p>PCO<sub>2</sub> mmHg _____</p> <p>PO<sub>2</sub> mmHg _____</p> <p>Total Bicarb (HCO<sub>3</sub>) mmol/L _____</p> <p>O<sub>2</sub> Saturation (%) _____</p> </div> <div style="width: 45%;"> <p><b>NORMAL VALUES</b></p> <p>7.35-7.45</p> <p>34 - 46</p> <p>Age Dependent</p> <p>22 - 26</p> <p>&gt; 95</p> </div> </div>	<input type="checkbox"/> PLUS <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>TEST RESULTS</b></p> <p><input type="checkbox"/> Na _____</p> <p><input type="checkbox"/> K _____</p> <p>Cl _____</p> <p>Ca<sup>++</sup> _____</p> <p>Glu _____</p> <p>Hct _____</p> <p>Hgb _____</p> </div> <div style="width: 45%;"> <p><b>NORMAL VALUES</b></p> <p>134-149 mmol/L</p> <p>3.2-5.2 mmol/L</p> <p>94-110 mmol/L</p> <p>4.2-5.2 mg/dL</p> <p>56-124 mg/dL</p> <p>40-54%</p> <p>14-18 g/dL</p> </div> </div>			

R. Philip Custer Laboratories - Franz Fogt, M.D., Dr. Med., Director  
 Penn Presbyterian Medical Center