

PEDIATRIC/ADULT GENETIC TEST REQUISITION

All Information Must Be Completed Before Sample Can Be Processed

PATIENT INFORMATION

Patient Name: _____, _____, _____
Last First MI

Address: _____

Home Phone: _____

MR# _____ Date of Birth _____ / _____ / _____

Sex Assigned at Birth: ☐ Male ☐ Female ☐ Uncertain/Other: _____

SPECIMEN INFORMATION

SPECIMEN TYPE: ☐ Peripheral blood ☐ Skin biopsy (site): _____

☐ Bone Marrow ☐ Saliva ☐ Cytobrushes ☐ Other: _____

***See Page 3 for a list of acceptable specimen types for each test**

Specimen Date: _____ / _____ / _____ Time: _____

Specimen Amount: _____

DRAWN BY: _____

INDICATIONS/DIAGNOSIS/ICD-10 CODE

- | | |
|--|---|
| ☐ ADD/ADHD | ☐ Failure to thrive |
| ☐ Acute myelogenous leukemia (AML) | ☐ Hydrocephalus |
| ☐ Amenorrhea: 1' or 2' | ☐ Hyper/Hypopigmentation |
| ☐ Aplastic Anemia | ☐ Hypotonia |
| ☐ Autism Spectrum Disorder | ☐ Immune deficiency |
| ☐ Broad thumbs and/or halluces | ☐ Intellectual disability |
| ☐ Congenital heart anomaly | ☐ Language disorder |
| ☐ Developmental Delay | ☐ Limb malformation |
| ☐ Dysmorphic features | ☐ MRI, abnormal |
| ☐ Encephalopathy | ☐ Macrocephaly |
| ☐ Eye anomaly | ☐ Microcephaly |
| ☐ Erythematous "butterfly" lesion on face | ☐ Myelodysplastic syndrome (MDS) |

- ☐ PDD-NOS
- ☐ Pancytopenia
- ☐ Seizures, convulsions
- ☐ Short stature
- ☐ Other: _____

Newborn Indications:

- ☐ Abnormal NIPT/prenatal screen
- ☐ Suspected trisomy 21
- ☐ Suspected Turner's syndrome
- ☐ Ambiguous genitalia
- ☐ Other: _____

Family History

- ☐ Family history of genetic condition: _____
- ☐ Consanguinity (describe relationship): _____
- ☐ Known Chromosome Abnormality: _____

BILLING INFORMATION (Choose ONE payment method)

☐ REFERRING INSTITUTION

Institution: _____

Address: _____

City/State/Zip: _____

Accounts Payable Contact Name: _____

Phone: _____

Fax: _____

Email: _____

☐ COMMERCIAL INSURANCE*

Insurance can only be billed if requested at the time of service.

Policy Holder Name: _____

Gender: _____ Date of Birth _____ / _____ / _____

Authorization Number: _____

Insurance ID Number: _____

Insurance Name: _____

Insurance Address: _____

City/State/Zip: _____

Insurance Phone Number: _____

* PLEASE NOTE:

- We will not bill Medicaid, Medicaid HMO, or Medicare except for the following: CCHMC Patients, CCHMC Providers, or Designated Regional Counties.
- If you have questions, please call 1-866-450-4198 for complete details.

PROVIDER INFORMATION

Provider Name (print): _____

Address: _____

Phone: (_____) _____ Fax: (_____) _____

Email: _____

Genetic Counselor/Lab Contact Name: _____

Phone: (_____) _____ Fax: (_____) _____

Email: _____

_____ Date: ____/____/____

Referring Physician Signature (REQUIRED)

Contact information for results/questions (if different than ordering provider):

Name and Title: _____

Phone: (_____) _____ Fax: (_____) _____

Email: _____

ETHNIC/RACIAL BACKGROUND (Choose All)

- | | |
|---|--|
| ☐ European American (White) | ☐ African-American (Black) |
| ☐ Native American or Alaskan | ☐ Asian-American |
| ☐ Pacific Islander | ☐ Ashkenazi Jewish ancestry |
| ☐ Latino-Hispanic _____ | |
| (specify country/region of origin) | |
| ☐ Other _____ | |
| (specify country/region of origin) | |

☐ Patient signed completed ABN

Medical Necessity Regulations: At the government's request, the Molecular Genetics Laboratories would like to remind all physicians that when ordering tests that will be paid under federal health care programs, including Medicare and Medicaid programs, that these programs will pay only for those tests the relevant program deems to be (1) included as covered services, (2) reasonable, (3) medically necessary for the treatment and diagnosis of the patient, and (4) not for screening purposes.

TEST(S) REQUESTED

Cytogenetic Testing

Chromosome Analysis

- ☐ Routine chromosome analysis*
 - ☐ Chromosome mosaicism study*
 - ☐ Reflex to SNP Microarray if chromosome results are normal†
- ☐ High resolution chromosome analysis*
 - ☐ Chromosome mosaicism study*
 - ☐ Reflex to SNP Microarray if chromosome results are normal†

*For chromosome analysis: reflex STAT prelim results on infants <1 month. Reflex to mosaicism study when sex chromosome/mosaic aneuploidy abnormality suspected by laboratory based on indications provided.

†Additional charge for reflex testing. If SNP Microarray is denied by insurance, Chromosome Analysis will be performed as the first test in the algorithm.

SNP Microarray

- ☐ SNP Microarray - Constitutional

Optical Genome Mapping (OGM)

- ☐ Optical Genome Mapping (Genome-wide)
- ☐ Optical Genome Mapping* - Targeted Analysis : Known SV, gene and/or specific region: _____

*Please contact GGD to confirm OGM's coverage for the target region before ordering the test

FISH (Fluorescent In Situ Hybridization)

- ☐ 22q11.2 del (VCFS) (metaphase FISH)
- ☐ SRY (Xp11.1q11.1/Yp11.2) (metaphase FISH)
- ☐ X/Y centromeres (Xp11.1q11.1/Yp11.1q11.1) (interphase FISH)
- ☐ Other FISH (please call lab): _____

Other Testing

- ☐ Special study: _____
- ☐ Cell Culture, storage & freezing
- ☐ Other: _____

Cytogenetic and Molecular Genetic Testing

Neurodevelopmental Reflex Genetic Test**

Tests will be run sequentially based on your selection below:

- ☐ Patient is macrocephalic: SNP Microarray → Fragile X → PTEN
- ☐ Male patient with normal or small head circumference:
SNP Microarray → Fragile X
- ☐ Female patient with normal or small head circumference:
SNP Microarray → Fragile X → MECP2

**See page 3 for additional information

Fanconi Anemia Testing

- ☐ Fanconi Anemia (FA) Chromosome Breakage Study
- ☐ Fanconi Anemia Gene Sequencing Panel
(BRCA1, BRCA2, BRIP1, ERCC4, FANCA, FANCB, FANCC, FANCD2, FANCE, FANCF, FANCG, FANCI, FANCL, MAD2L2, PALB2, RAD51, RAD51C, RFWDD3, SLX4, UBE2T, XRCC2)

If **both** FA Breakage Study and FA Gene Seq Panel are ordered, testing will be run sequentially (breakage study then molecular sequencing if breakage study is positive; if breakage study is negative, molecular sequencing will not be performed) unless concurrent testing is selected here:

- ☐ Concurrent FA testing is requested

Single Gene Sequencing

- ☐ FANCA full gene sequencing
- ☐ FANCG full gene sequencing
- ☐ FANCC full gene sequencing

Chromosome Breakage Disorders Testing

- ☐ Bloom Syndrome - Sister Chromatid Exchange (SCE) analysis

Chromosome Breakage Disorders Testing (continued)

- ☐ Chromosome Breakage Disorders Gene Sequencing Panel

(ATM, BLM, BRCA1, BRCA2, BRIP1, ERCC4, FANCA, FANCB, FANCC, FANCD2, FANCE, FANCF, FANCG, FANCI, FANCL, LIG4, MAD2L2, MYSM1, NBN, NHEJ1, NSMCE3, PALB2, RAD51, RAD51C, RFWDD3, SLX4, UBE2T, XRCC2)

Molecular Genetic Testing

- ☐ ABCD1 gene sequencing (X-Linked Adrenoleukodystrophy)

- ☐ Reflex to ABCD1 deletion/duplication by MLPA

- ☐ ABCD1 deletion/duplication analysis by MLPA

- ☐ Cleft and Craniofacial Gene Panel (288 genes)

ABCC9, ACSS2, ACTB, ACTG1, ADAMTSL4, AHDC1, ALPL, ALX1, ALX3, ALX4, AMELX, AMER1, AMMECR1, AMOTL1, ANKH, ANKRD11, ARHGAP29, ARSB, ASPH, ASXL1, ASXL3, B3GAT3, B3GLCT, BCOR, BMP2, BMP4, BMPRI1, BPNT2, BRAF, BRD4, C2CD3, CBF, CCNQ, CD96, CDC45, CDH1, CDKN1C, CDON, CENPF, CEP164, CHD5, CHD7, CILK1, CNOT1, COG1, COL11A1, COL11A2, COL2A1, COL9A1, COL9A2, COL9A3, COLEC10, COLEC11, CPLANE1, CREBBP, CTNND1, CTSK, CYP26B1, DDX59, DHCR7, DHODH, DISP1, DLL1, DLX4, DPFF2, DPH1, DVL1, DVL3, EDN1, EDNRA, EFNA4, EFN1, EFTUD2, EHM1, EIF4A3, EP300, ERF, ESCO2, ESRP2, EVC, EVC2, EYA1, FAM20C, FBN1, FGD1, FGF10, FGF8, FGF9, FGFR1, FGFR2, FGFR3, FLNA, FLNB, FOXE1, FOXI3, FRAS1, FREM1, FST, FTO, FZD2, GAS1, GDF11, GJA1, GLI2, GLI3, GNAI3, GNAS, GNPTAB, GPC3, GPC4, GRHL3, GSC, GTF2E2, GZF1, HDAC8, HIST1H1E, HNRNP, HUWE1, HYAL2, HYL1, IDS, IDUA, IFT122, IFT140, IFT43, IGF1R, IGF2, IHH, IL11RA, INPPL1, IRF6, IRX5, ISM1, JAG1, KAT6A, KAT6B, KDM1A, KDM6A, KIAA0586, KIF7, KMT2D, KRAS, LOXL3, LRP2, LTBP1, MAFB, MAP3K7, MASP1, MED13L, MED25, MEGF8, MEIS2, MID1, MKS1, MN1, MSX1, MSX2, MTX2, MYCN, MYMK, MYT1, NBAS, NECTIN1, NEDD4L, NIPBL, OFD1, P4HB, PAX1, PAX3, PAX7, PDE4D, PGM1, PHEX, PHF21A, PHF8, PIEZO2, PIGN, PJA1, PLCB4, PLCH1, PLEKHA5, PLEKHA7, PLOD3, POLR1A, POLR1B, POLR1C, POLR1D, POR, PORCN, PPP1R12A, PRRX1, PSAT1, PTCH1, PTDS1, PTPN11, RAB23, RAD21, RAX, RBM10, RECQL4, RIPK4, ROR2, RRGRIPL, RPL5, RSPRY1, RUNX2, RYK, SATB2, SCARF2, SCLT1, SCN4A, SEC24D, SEMA3E, SF3B2, SF3B4, SHH, SHOC2, SHROOM3, SIN3A, SIX1, SIX2, SIX3, SIX5, SKI, SLC25A24, SMAD2, SMAD3, SMAD4, SMAD6, SMARCA4, SMARCB1, SMC1A, SMC3, SMG9, SMO, SMS, SMURF1, SNRNP, SON, SOST, SOX11, SOX6, SOX9, SPECC1L, SPRY1, SPRY4, STAG2, STIL, SUFU, SUMO1, TBC1D32, TBX1, TBX22, TCF12, TCOF1, TFAP2A, TFAP2B, TGDS, TGFB1, TGFB2, TGFB3, TGFBR1, TGFBR2, TGIF1, TLK2, TMCO1, TOPORS, TP63, TRAF7, TRRAP, TWIST1, TWIST2, TXNL4A, UBE3B, USP9X, VAX1, VCAN, WASHC5, WDR19, WDR35, WNT5A, YAP1, YWHAE, ZEB2, ZIC1, ZIC2, ZNF462, ZSWIM6

- ☐ REFLEX to Whole Exome Sequencing** (See additional details below)

- ☐ Fragile X DNA testing

- ☐ MECP2 sequence analysis (Rett syndrome)

- ☐ MECP2 deletion/duplication analysis by MLPA

- ☐ Prader-Willi/Angelman - by methylation-sensitive MLPA

- ☐ PTEN Autism Spectrum Disorder sequencing

- ☐ Rubinstein-Taybi and Related Syndromes Gene Panel

(CREBBP, EP300, HNRNP1, HNRNP2, SIN3A, SIN3B, SRCAP with CREBBP and EP300 deletion/duplication analysis by MLPA)

- ☐ REFLEX to Whole Exome Sequencing** (See additional details below)

- ☐ Spinal Muscular Atrophy - SMN1/SMN2 Copy Number Analysis by MLPA

- ☐ Stickler Syndrome Gene Panel (13 genes)

BMP4, COL11A1, COL11A2, COL2A1, COL9A1, COL9A2, COL9A3, GZF1, LOXL3, LRP2, PLOD3, SOX9, VCAN

- ☐ Reflex to Cleft and Craniofacial Gene Panel

- ☐ REFLEX to Whole Exome Sequencing** (See additional details below)

- ☐ Treacher Collins Syndrome and Mandibulofacial Dysostosis Gene Panel

(10 genes) DHODH, EDNRA, EFTUD2, POLR1A, POLR1B, POLR1C, POLR1D, SF3B4, TCOF1, TXNL4A

- ☐ Reflex to Cleft and Craniofacial Gene Panel

- ☐ REFLEX to Whole Exome Sequencing** (See additional details below)

- ☐ Other: _____

**Whole exome sequencing (WES) orders require completion of the WES Test Requisition. Also, inclusion of biological parental samples is strongly encouraged to assist with the analysis of WES and to increase test yield. Please visit our website at www.cincinnatichildrens.org/exome to obtain the required documents. WES testing will NOT be started until all forms are completed and received by the lab.

TEST(S) REQUESTED CONTINUED

CUSTOM GENE SEQUENCING

Gene(s) to be analyzed (specify): _____

Only genes with clear published functional relationship to rare diseases are accepted.

Suspected syndrome/ condition: _____

Please choose one of the following:

- ☐ Full gene(s) sequencing
- ☐ Full gene(s) sequencing with reflex to deletion and duplication analysis, if indicated (please see list of genes available for del/dup at www.cincinnatichildrens.org/deldup)
- ☐ Familial mutation analysis
- Proband's name: _____
- Proband's DOB: _____
- Proband's mutation: _____
- Patient's relation to proband: _____
- If testing was **not** performed at CCHMC, please include proband's report and at least 100ng of proband's DNA to use as a positive control.

DELETION AND DUPLICATION ASSAY

Gene(s) to be analyzed (specify): _____

Please see list of available genes at: www.cincinnatichildrens.org/deldup


Suspected syndrome/ condition: _____

Please choose one of the following:

- ☐ Deletion and duplication analysis of gene(s) specified above
- ☐ Deletion and duplication analysis of gene(s) specified above with reflex to sequencing, if indicated
- ☐ Analysis of gene(s) specified above from previously analyzed deletion and duplication
- ☐ Familial deletion analysis
- Proband's name: _____
- Proband's DOB: _____
- Proband's mutation: _____
- Patient's relation to proband: _____
- If testing was **not** performed at CCHMC, please include proband's report and at least 100ng of proband's DNA to use as a positive control.

NEURODEVELOPMENTAL REFLEX GENETIC TESTING ALGORITHM

Tests will be performed sequentially based on the path that your patient follows in the Neurodevelopmental Reflex Test algorithm. Charges will apply to the tests completed in the patient's defined Neurodevelopmental Reflex Test algorithm. Testing will only proceed to the next step if the previous test result is uninformative.



SPECIMEN REQUIREMENTS

Routine & High Resolution Chromosome Analysis:

3–5 mL blood (NaHep)

Optical Genome Mapping (OGM) Genome-wide and Targeted Analysis:

3 mL blood (NaHep) or (EDTA), tissue (1cm x 1cm), or punch biopsy (2mm tissue in sterile transport media or saline)

SNP Microarray:

3 mL blood (NaHep) and 3 mL blood (EDTA)

FISH Tests:

1–3 mL blood (NaHep)

Neurodevelopmental Reflex Genetic Testing:

3 mL blood (NaHep) and 3–5 mL blood (EDTA)

Fragile X DNA Testing:

3 mL blood (EDTA)

Fanconi Anemia Chromosome Breakage Study:

5–10 mL blood (NaHep), 5–10 mL bone marrow (NaHep), or skin biopsy (3–4 mm tissue in sterile transport media)

ABCD1 del/dup by MLPA, *MECP2* del/dup by MLPA, Prader-Willi/Angelman - by MLPA, Spinal Muscular Atrophy - *SMN1/SMN2* Copy Number Analysis & Deletion/Duplication Assay:

3 mL blood (EDTA)

ABCD1, FANCA, FANCC, FANCG, MECP2, PTEN & Custom Gene Sequencing:

3 mL blood (EDTA), saliva collection kit*, or 6 cytobrushes

Bloom syndrome – Sister Chromatid Exchange (SCE) analysis:

3–5 mL blood (NaHep)

Cleft and Craniofacial, Chromosome Breakage Disorders, Fanconi Anemia, Rubinstein-Taybi and Related Syndromes, Stickler Syndrome & Treacher Collins Syndrome and Mandibulofacial Dysostosis Gene Panels:

3 mL blood (EDTA) or saliva collection kit*

*Call the office at 513-636-4474 to obtain saliva collection kits