

UNITYPOINT HEALTH - MERITER LABORATORIES

TEST ANNOUNCEMENT

Update: Chemistry Standardization – Additional Changes

05/28/2025

Effective **May 14, 2025**, UPH-Meriter Laboratories has made the following additional Chemistry Standardization updates to align with UPH System Lab standards.

Chemistry Standardization Additional Changes

Lab Test	Epic EAP Sunquest Code	Previous Reporting Details			New Reporting Details		
Magnesium for OB	LAB3098	Sex	Age	Reference Range	Sex	Age	Reference Range
		ALL	0+	5.0-9.0 mg/dL	ALL	0+	5.0-8.9 mg/dL
	MGOB	Critical Values: <ul style="list-style-type: none"> ≤ 1.0 mg/dL ≥ 9.1 mg/dL 			Critical Values: <ul style="list-style-type: none"> ≤ 1.0 mg/dL ≥ 9.0 mg/dL 		
VLDL, calculated	LAB18	**New calculated result included with Lipid Panel orders			Sex	Age	Reference Range
	LIPIDP				ALL	0+	< 30
Hepatitis B Surface Antibody	LAB3480	**New order includes both Qualitative and Quantitative results reporting.			Sex	Age	Reference Range
					ALL	0+	HBSQN Quantitative: <i>Not Defined</i>
	HBSQAB				ALL	0+	HBSAB Qualitative: <i>Nonreactive</i>
Urine Microalbumin Random	LAB2109	**New order includes only Urine Microalbumin result.			Sex	Age	Reference Range
	ALBMIN				ALL	0+	<i>Not Defined</i>
Urine Microalbumin / Creatinine Ratio	LAB689	**New order includes Urine Microalbumin, Urine Creatinine, and Microalbumin/Creatinine calculated ratio.			Sex	Age	Reference Range
					ALL	0+	Urine Microalbumin: <i>Not Defined</i>
					ALL	0+	Urine Creatinine: <i>Not Defined</i>
	MACRER				ALL	0+	Microalbuminuria ratio: <i>Not Defined</i>

Please refer to the online Meriter Test Menu for up-to-date reference ranges and specimen requirements.

[Meriter Laboratories Test Directory](#) | [Home](#)

If you have any questions, please call the UnityPoint Health - Meriter Laboratories Client Services Department at 608-417-6529 or 1-800-236-0465.