

CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS

CERTIFICATE OF WAIVER

LABORATORY NAME AND ADDRESS

BETHESDA ARROW SPRINGS LABORATORY POC
100 ARROW SPRINGS BOULEVARD
LEBANON, OH 45036

CLIA ID NUMBER

36D2240754

EFFECTIVE DATE

10/21/2023

LABORATORY DIRECTOR

SHIYAMA MUDALI

EXPIRATION DATE

10/20/2025

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



A handwritten signature in blue ink, appearing to read 'Gregg Brandush', is written over a faint, large watermark of the Department of Health and Human Services eagle logo.

Gregg Brandush, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

If this is a Certificate of Waiver, it certifies the laboratory to perform only examinations or procedures that have been approved as waived tests by the Department of Health and Human Services.