



03/02/2026
Laboratory Update

**Discontinuation of LAB4375 -COVAG March 3rd , 2026
SARS-Cov Antigen testing**

SARS-CoV2 detection by PCR LAB4275 still available

Dear Healthcare Provider,

To streamline operations and improve utilization, we will be discontinuing Covid Antigen testing.

START DATE: 3-3-2026

Replacement EPIC order: LAB4275 for Covid or 4PLEX LAB4300 SARS-CoV2, Influenza A & B, RSV

ACCEPTABLE SPECIMENS: Nasal/NP swabs in Viral Transport Media (VTM, M4RT or UTM)

RESULT TYPE: Detected or Not Detected

TURN AROUND TIME: Same as before, typically same shift as it is received at BNH and GSH

For questions or concerns, please contact me at sajini_mathew@trihealth.com or 513-862-1604.
or Irene Hemphill at Irene_Hemphill@trihealth.com or 513-208-6747

Medical Directors, TriHealth Laboratories

Sajini Mathew MD—Bethesda North Hospital, Good Samaritan Hospital, TriHealth Anderson, Good Samaritan Western Ridge, TriHealth Kenwood

Megan Smith MD—Bethesda Arrow Springs, Bethesda Butler Hospital, McCullough Hyde Memorial Hospital