

CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF ACCREDITATION

LABORATORY NAME AND ADDRESS
UC SAN DIEGO HEALTH CLINICAL LABORATOR
200 WEST ARBOR DRIVE
SAN DIEGO, CA 92103-1911

CLIA ID NUMBER
05D0643085

EFFECTIVE DATE
06/14/2019

LABORATORY DIRECTOR
RONALD W MCLAWHON M.D.

EXPIRATION DATE
06/13/2021

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



A handwritten signature in blue ink that reads 'Karen W. Dyer'. The signature is written in a cursive style.

Karen W. Dyer, Acting Director
Division of Laboratory Services
Survey and Certification Group
Center for Clinical Standards and Quality